

## **Rio Grande County**

### **Summitville District (aka Summit District)**

The Summitville District, which went by an earlier name of Summit District, was being worked beginning in the 1870's, and was the first district in the area (Patton, 1917). Its location is at the north foot of South Mountain nearly at the head of Wightman's Fork, a branch of the Alamosa River. The elevation of the town is approximately 11,300 feet.

Henderson (1926) included the Decatur District in Conejos County into the Summit District. Here we have separated the Summit (Summitville) District due to being located in a separate county and having ores of different genesis and age (Steven and Ratte, 1960).

The geology of the area is igneous in origin. This district lies in the eastern part of the San Juan volcanic field and the late Oligocene-aged Platoro and nested Summitville calderas constitute a composite collapse structure of about 20 kilometers in diameter (Lipman, 1974; Steven & Lipman, 1976). The Summitville Au–Ag–Cu deposit is a classic volcanic dome-hosted high-sulfidation deposit. It occurs in the Quartz Latite of South Mountain, a composite volcanic dome that was emplaced along the coincident margins of the Platoro and Summitville calderas at  $22.5 \pm 0.5$  Ma, penecontemporaneous with alteration and mineralization. A penecontemporaneous quartz monzonite porphyry intrusion underlies the district and is cut and overlain by pyrite–quartz stockwork veins with traces of chalcopyrite and molybdenite (Bethke et al., 2005). The mines of this district are located on a series of parallel running veins that have a general northwest and southeast strike (Patton, 1917).

Stoffregen (1987), Gray et al. (1993), and Gray and Coolbaugh (1994) provided detailed descriptions of the geology and mineralization of the Summitville mine site. The Summitville Mine has been the focus of attention because of environmental problems resulting from open-pit mining activities that occurred from 1984 to 1992. The environmental problems included leakage of cyanide solutions from a heap leach pad and drainage of acid- and metal-rich waters into the Wightman Fork of the Alamosa River, which drains into agricultural lands of the southwest San Luis Valley (Flohr et al., 1995). Multiple USGS environmentally-related studies have been performed, which are not discussed here.

Discussions of other mines in the district are included in Patton (1917). In 1883 there were nine stamp mills with a total of 155 stamps. The San Juan, Odin, Little Annie and Golconda mines had gravitation tramways for transporting the ore from mines to mills. The Iowa and Colorado Company had a wire tramway of the Halliday patent for like purposes.

Gold placering was also performed from 1870 to about 1880 and yielded considerable gold, the largest being a 1-inch nugget (Patton, 1917). Placer claims in the district included the Peterson, Brant, and San Juan (Patton, 1917).

Summitville was the largest and richest camp in the 1880's with a population as large as 600, and besides the nine mills had 14 saloons and a newspaper, The Summitville Nugget. Summitville began fading in the late 1880s, and was deserted by 1893. It was revived and grew to a population of 700 when the mines reopened in 1935 under Consolidated Mines Inc. It produced much copper during World War II (Eberhart, 1960).

Mines listed in the district (mindat.org and others) include:

- Alum Creek Property
- Annie
- Beverly Shaft Mine
- Bob Tail Mine (Claim: Bob Tail)<sup>1</sup>
- Bobcat
- Bowen Placer
- Chandler Tunnel (Claim: Little Ida)<sup>1</sup>
- Copper Hill Mine
- Del Norte
- Dexter Tunnel (Claim: Dexter)
- Esmond Mine (Claim: Esmond)<sup>1</sup>
- French Tunnel<sup>1</sup>
- Highland Mary Mine<sup>1</sup> (Highland Mary No. 2. All Lower Highland Mary; Upper Highland Mary; Claims: Highland Mary)
- Hugh Bly Mine
- Ida Tunnel (Claim: Little Ida)<sup>1</sup>
- Iowa Mine (Patented Claim: Iowa)<sup>1</sup>
- Lookout Mountain
- Missionary Tunnel (Claim: Missionary)
- Montroy Tunnel<sup>1</sup>
- Narrow Gauge Mine
- Odin Mine
- Pickens Cut (Claim: Little Annie)
- San Juan Mine
- Science Tunnel Occurrence
- South Mountain
  - Aztec Mine (Summit Lode Mine; Fairview Mine; Aztec No. 1; Aztec No. 2; Claim: Aztec)<sup>1</sup>
  - Del Norte Mine
  - Golconda Mine<sup>1</sup>
  - Little Annie Mine
  - Margaretta Mine
  - Wightmans Fork
- South Mountain Occurrence
- Summitville Mine (Reynolds Tunnel; Golconda Tunnel<sup>1</sup>)
  - Cropsey Wall
  - Galactic Open Pit
  - Little Nellie Pit
  - Reynolds Mine
- Tunnel No. 2 claim
- Winchester Tunnel<sup>1</sup>

Note: <sup>1</sup>Discussed in Patton (1917).

Minerals listed in the district (mindat.org) include:

Albite	Cristobalite	Kaolinite
Alunite	Dickite	'Limonite'
Anorthite	Digenite	Luzonite
'Apatite'	Diopside	Magnetite
Aragonite	Enargite	Marcasite
Barite	Epidote	Molybdenite
'Biotite'	Epsomite	Montmorillonite
Bournonite	Famatinite	Muscovite
Brochantite	Galena	var: Illite
Calcite	Goethite	var: Sericite
Chalcanthite	Gold var: Electrum	Natroalunite
Chalcocite	Hematite	'Olivine'
Chalcopyrite	Hinsdalite	Orthoclase
'Chlorite Group'	'Hypersthene'	Polybasite
Clinocllore var: Pennine	'Iddingsite'	Posnjakite
Copiapite	Ilmenite	Pyrite
Covellite	Jarosite	Pyrophyllite

Quartz  
var: Agate  
var: Amethyst  
var: Chalcedony  
Rutile

Sanidine  
Silver  
Sphalerite  
Sulphur  
Svanbergite

Tennantite  
Turquoise  
Woodhouseite  
'Zincobotryogen'  
Zircon

#### References:

Bethke, P.M., Rye, R.O., Stoffregen, R.E., and Vikre, P.G. 2005. Evolution of the magmatic-hydrothermal acid-sulfate system at Summitville, Colorado: Integration of geological, stable-isotope, and fluid-inclusion evidence. *Chemical Geology* Vol. 215, pp. 281-315.

Eberhart, Perry. 1969. *Guide to Colorado Ghost Towns and Mining Camps*. Fourth, revised edition. Swallow Press, Athens, Ohio.

Flohr, M.J.K., Dillenburg, R.G., Nord, G.L. Jr., and Plumlee, G.S. 1995. Secondary Mineralogy of Altered Rocks, Summitville Mine, Colorado. U.S. Geological Survey Open-file Report 95-808.

Gray, J.E. and Coolbaugh, M.F. 1994. Geology and geochemistry of Summitville, Colorado, an epithermal acid sulfate deposit in a volcanic dome. *Economic Geology* Vol. 89, pp. 1906-1923.

Gray, J.E., Coolbaugh, M.F., and Plumlee, G.S. 1993. Geologic framework and environmental geology of the Summitville, Colorado acid-sulfate mineral deposit. U.S. Geological Survey Open-file Report 93-677.

Henderson, C.W. 1926. *Mining in Colorado, a history of discovery, development and production*. U.S. Geological Survey Professional Paper 138.

Lipman, P.W. 1974. Geologic Map of the Platoro Caldera Area, Southwestern San Juan Mountains, Southwestern Colorado. U.S. Geological Survey Miscellaneous Investigations Series Map I-828. Map scale 1:48,000.

Patton, H.B. 1917. *Geology and Ore Deposits of the Platoro-Summitville Mining District, Colorado*. Colorado Geological Survey Bulletin 13.

Steven, T.A. and Lipman, P.W. 1976. *Calderas of the San Juan Volcanic Field, Southwestern Colorado*. U.S. Geological Survey Professional Paper 958.

Steven, T.A. and Ratte, J.C. 1960. *Geology and Ore Deposits of the Summitville District, San Juan Mountains, Colorado*. U.S. Geological Survey Professional Paper 343.

Stoffregen, R. 1987. Genesis of acid-sulfate alteration and Au-Cu-Ag mineralization at Summitville, Colorado. *Economic Geology* Vol. 82, pp. 1575-1591.

[www.mindat.org](http://www.mindat.org), accessed August 2015.

*Additional Environmental References for the Summitville Mine:*

Horowitz, A.J., Robbins, J.R., Elrick, K.A., and Cook, R.B. 1996. Bed sediment-trace element geochemistry of Terrace Reservoir, near Summitville, southwestern, Colorado. U.S. Geological Survey Open-File Report 96-344.

Ortiz, R.F. 2001. Determination of instream metal loads using tracer-injection and synoptic-sampling techniques, Wightman Fork, southwestern Colorado, July 1999. U.S. Geological Survey Water-Resources Investigations Report 2001-4167.

Ortiz, R.F. and Ball, J.W. 2003. Summary of synoptic sampling and tracer-injection tests in the Alamosa River basin during high-flow conditions, June 1999: A sampling analysis report for modeling reactive transport of metals for the Summitville Mine, Colorado. U.S. Geological Survey Open-File Report 2003-467.

Ortiz, R.F. and Bencala, K.E. 2001. Determination of instream metal loads using tracer-injection and synoptic-sampling techniques in Wightman Fork, southwestern Colorado, September 1997. U.S. Geological Survey Water-Resources Investigations Report 2000-4154.

Ortiz, R.F., Edelmann, P., Ferguson, S., and Stogner, R. Sr. 2002. Sources of metal loads to the Alamosa River and estimation of seasonal and annual metal loads for the Alamosa River basin, Colorado, 1995-97. U.S. Geological Survey Water-Resources Investigations Report 2002-4128.

Ortiz, R.F. and Ferguson, S. 2001. Characterization of water quality in selected tributaries of the Alamosa River, southwestern Colorado, including comparisons to instream water-quality standards and toxicological reference values, 1995-97. U.S. Geological Survey Water-Resources Investigations Report 2000-4170.

Ortiz, R.F. and Stogner, R.W. 2001. Diurnal variations in metal concentrations in the Alamosa River and Wightman Fork, southwestern Colorado, 1995-97. U.S. Geological Survey Water-Resources Investigations Report 2000-4160.

Rupert, Michael G. 2001. Relations among rainstorm runoff, streamflow, pH, and metal concentrations, Summitville Mine area, upper Alamosa River basin, southwest Colorado, 1995-97. U.S. Geological Survey Water-Resources Investigations Report 2001-4027.

Stogner, R.W., Edelmann, P., Walton-Day, K. 1997. Physical and chemical characteristics of Terrace Reservoir, Conejos County, Colorado, May 1994 through May 1995. U.S. Geological Survey Water-Resources Investigations Report 96-4150.

Taylor, H.E., Antweiler, R.C., Roth, D.A., Brinton, T.I., Peart, D.B., and Healy, D.F. 2001. The occurrence and distribution of selected trace elements in the upper Rio Grande and tributaries in Colorado and Northern New Mexico. Archives of Environmental Contamination and Toxicology, Vol. 41, No. 4, p. 410-426.