

OPEN-FILE REPORT 78-9

COAL MINES AND COAL ANALYSES
OF THE DENVER AND CHEYENNE BASINS, COLORADO

Compiled By

Robert M. Kirkham



COLORADO GEOLOGICAL SURVEY
DEPARTMENT OF NATURAL RESOURCES
STATE OF COLORADO
DENVER, COLORADO

1978

OPEN-FILE REPORT 78-09

COAL MINES AND COAL ANALYSES
OF THE DENVER AND CHEYENNE BASINS, COLORADO

Compiled By

Robert M. Kirkham

DOI: <https://doi.org/10.58783/cgs.of7809.zalc8928>



COLORADO GEOLOGICAL SURVEY
DEPARTMENT OF NATURAL RESOURCES
STATE OF COLORADO
DENVER, COLORADO

1978

A cooperative investigation conducted by the Colorado Geological Survey and funded by U.S. Geological Survey Grant No. 14-08-0001-G-487, Study of Environmental Impact of Energy Resource Development in the Denver Basin, Colorado.

This report is unedited and does not necessarily conform to CGS standards.

Revised March 27, 1979

CONTENTS

Introduction.....	1
Table 1: Coal Mine Data.....	3
Bibliography for Coal Mine Data.....	44
Table 2: Coal Analyses.....	47
Bibliography for Coal Analyses.....	103

PLATES

Plate 1: Coal Mines of the Denver and Cheyenne Basins, Colorado

INTRODUCTION

This report contains data on coal mines and coal analyses of the Denver and Cheyenne Basins available as of June 22, 1978. It is one of three reports resulting from the first year of a two and 1/2 year investigation of the environmental impact of energy resource development in the Denver and Cheyenne Basins, Colorado. Funding for this study was provided by the U.S. Geological Survey's Energy Lands Program through U.S.G.S. Grant No. 14-08-0001-G-487.

Most data in this report is compiled from published and open-file reports. The remaining information was kindly provided by J. W. Hand, Cameron Engineers, W. S. Landers, Public Service Company of Colorado, and J. Frost, Earth Sciences, Inc.

The locations of the 320 known mines which have operated in the Denver and Cheyenne Basins are shown on Plate 1. These mines are listed by the last known name by which it operated. Previously used names are shown in parentheses. Table 1 contains pertinent data on the 320 mines shown on Plate 1 and on other mines whose locations are not accurately known and are not plotted on Plate 1. All names by which a mine has been known are listed alphabetically by county in Table 1. Alternate mine names are listed in the "Description" column. Also listed in Table 1 are data on mine location, producing formation, mining method, current operational status, production years, cumulative production, coal bed name, thickness, and depth. A list of references for each mine is also included. The references are keyed to the Bibliography for Coal Mine Data at the end of Table 1.

In many cases, data on old mines is unclear. A variety of sources were used to compile Table 1, and in some instances, different sources gave contradictory data. Where this happened, the author attempted to select the most reliable data. Because of this problem, users of this report may desire to consult the references for a particular mine of interest.

Table 2 is a list of coal analyses compiled alphabetically by county from a variety of sources. All analyses are keyed to the Bibliography for Coal Analyses to provide the user the original source of the analysis.

The analyses vary as to completeness and method of analysis. This, in part, is due to the number of sources used in data compilation. Some sources list only the heat value, whereas others, such as Boreck and others (1977), include ultimate, proximate, sulfur form, and trace element analyses. The older analyses were made using methods thought to be unreliable by modern analysts. This fact may be responsible for certain discrepancies between analyses.

Two other reports prepared as a part of this study are also available from the Colorado Geological Survey. These are "Coal Resources of the Denver and Cheyenne Basins, Colorado" (C.G.S. Resource Series 5) and "Location of Drill Holes Used for Coal Evaluation in the Denver and Cheyenne Basins, Colorado" (C.G.S. Open-file report 78-8). Resource Series 5 consists of a text and series of plates which discuss and illustrate the distribution, quantity, quality, mineability, and geologic setting of coal and lignite in the Denver and Cheyenne Basins. It also includes a discussion of the mining history of the basin. Open-file report 78-8 is a 1:250,000-scale map which shows the location and ID number of coal-exploration drill holes, water wells, oil and gas drill holes, and geotechnical drill holes used to evaluate coal in the study area. Summarized versions of these drill hole logs are available as a part of Open-file report 78-8.

TABLE 1
COAL MINE DATA

ADAMS COUNTY

MINE NAME	LOCATION	FORM ¹	TYPE ²	DESCRIPTION ³	SOURCE ⁴
Baker	Sec. 1 T1S,R69W	Lar	a.u.	Shaft in Adams Co., but prod. reported in Boulder Co.	16
Blue Ribbon	NW¼ Sec. 6 T1S,R68W	Lar	a.u.	1933; 3'6"; 311 tons (Parkdale).	5,16
Mitchell	Sec. 9 T1S,R68W	Lar	a.u.	1891	16
Parkdale	NW¼ Sec. 6 T1S,R68W	Lar	a.u.	1921-1922; 591 tons; Prod. from 1907-1916 listed in Weld Co.; mine entry is in Adams Co., mine workings in Weld Co. (Blue Ribbon).	5,16,17,19
Rock Creek	unknown	?	a.u.	1934; 5'7"; 421 tons; near Byers.	5
Scranton	Secs. 16,28,29 T3S,R65W	Den	a.u.	Prod. from Sec. 28(?) from 1886-1900; 7'; <u>E</u> Lignite Bed; 35,789 tons; 39'6".	5,9,20,28
Superior	unknown	?	?	1884; 4'6".	5
Thomas	Sec. 12 T1S,R61W	Lar	a.u.		10

1. Coal-producing formation: Lar = Laramie Formation; Den = Denver Formation.

2. Type of mine: a.u. = abandoned underground mine; i.u. = inactive underground mine;
A.u. = active underground mine; a.s. = abandoned surface mine.

3. Description: Known years of production; seam thickness; seam name; production; and seam depth. If a mine was known by another name at the same time, it is listed in brackets. If a mine was operated under a different name during other years, it is listed in parentheses.

4. Each number corresponds to a reference in the coal mine bibliography at the end of the table.

ARAPAHOE

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Air Line	unknown	?	a.u.	1932-1933; 470 tons.	5
Bates	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 5 T5S,R63W	Den	a.u.	Small mine operated before and during 1933 by local ranchers; at least 12' lignite; only a few tons produced from 2 drifts and open face.	27,28
Unknown	SE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 6 T5S,R63W	Den	a.s.	A few hundred tons produced in 1930's.	27,28
Unknown	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 20 T4S,R65W	Den	a.u.	Small mine in 6' of coal; see unpublished U.S.G.S. map by E.G. Woodruff (1910), assisted by D.E. Winchester.	9,20,28
Unknown	C NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 35 T5S,R62W	Den	?	Thin lignite; possibly 30" thick.	28
Unknown	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10 T4S,R63W	Den	a.s.	Small mine in 1' coal; worked by Converse family during the Depression.	this report
Unknown	C SW $\frac{1}{4}$ Sec. 15 T4S,R63W	Den	a.s.	Small mine in 2' of coal; worked by local ranchers.	this report

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Acme	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 8 T1S,R69W	Lar	a.u.	1889-1897, 1904-1910, 1917-1928; 3'4"-7'; 1,780,482 tons; 185' deep.	1,5,7,9,12, 16,17,18
Ajax	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17 T1S,R69W	Lar	a.u.	1890-1892; 7'; 45,606 tons; 219' deep.	1,5,7,9, 16,18
Albion	unknown	Lar	a.u.	1933; 75 tons.	1,5,7,16, 18
Allen-Bond	C S $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1890-1892, 1894-1895; 5'6"; 12,557 tons; 75' deep [Allan-Bone, Bohn].	1,5,7,9, 16,18
Arrow	C NW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1933-1935; 5'6"; 7,031 tons (Old Star, Crescent, New Star).	1,5,7,13, 16,18
Baker	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1887-1895; 12'; 77,913 tons (Haywood, Irvington, New Baker).	1,5,7,9, 16,18
Banner Shaft	SE $\frac{1}{4}$ Sec. 14 T1N,R69W	Lar	a.u.	1933-1934; 4,285 tons.	1,5,16
Big Five..	SE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1938-1942; 4'-5'; 26,336 tons (Cracker Jack).	1,5,7,16, 18
Big Four Centennial	Sec. 16 T1S,R69W	Lar	a.u.		16
Big Lake	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1916; 3,449 tons [Garribaldi].	1,5,7,16, 18
Black Diamond	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1,7,9,16, 18
Black Diamond No. 1	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1902-1907, 1914-1931; 5'-7'6"; 384,562 tons.	1,5

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Black Diamond No. 2	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 34 T1N,R69W	Lar	a.u.	1931-1956; 4'6"-6'; 801,657 tons; 268' deep.	1,5,7,13, 16,18
Blue Goose	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1921-1924; 6'; 4,365 tons (Blue Ribbon).	1,5,7,16, 18
Blue Ribbon	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1905-1906; 6'0"; 9,351 tons; (Blue Goose).	1,5,7,16, 18
Boulder Black Hawk	unknown	Lar	a.u.	1925-1926; 7'; 1,643 tons.	5,16
Brunton	Sec. 15 T1S,R69W	Lar	a.u.	1936; no reported production.	5,16
Cactus	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1922, 1932-1935; 4'; 5,180 tons [Glo-coal](Marshall-York).	1,5,7,16, 18
Caledonia	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8 T1S,R69W	Lar	a.u.	1890-1898; 6'; 278,447 tons.	1,5,7,16, 18
Cambro	C S $\frac{1}{2}$ Sec. 2 T1S,R69W	Lar	a.u.	1917-1923, 1925-1928; 5'-6'8"; 107,831 tons (Cañon, Otis).	1,5,7,16, 18
Canfield	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	No reported production.	1,5,7,16, 18
Cañon	C S $\frac{1}{2}$ N $\frac{1}{2}$ Sec. 2 T1S,R69W	Lar	a.u.	1888-1892; 8'; 130,017 tons (Cambro, Otis).	1,5,7,9, 16,18
Capitol	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1908-1913, 1918-1926; 5'8"; 515,092 tons; 221' deep.	1,5,7,16, 18
Caryl	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1898-1900; 5'; 29,529 tons [Pallot] (Storrs).	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Champion	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 7 T1S,R69W	Lar	a.u.	1919-1921, 1923-1924; 4'-5'4"; 153,920 tons; 240' deep (Sunland, Matchless, Paramount-Domenico)	1,5,7,13, 16,18
Chase	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1892-1894; 36,052 tons.	1,5,7,16, 18
Clark No. 8	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16 T1S,R70W	Lar	a.u.	1900-1904; 8'4"; 14,793 tons [Broadside - Clark #2].	5,16
Clayton	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 16 T1N,R68W	Lar	a.u.	1920-1942.	1,7,18
Cleveland	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1885-1895; 4'6"; 81,359 tons.	1,5,7,9, 16,18
Climax	unknown	Lar	a.u.	1885; 3'6"; 800 tons.	5,16
Coal Creek	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 26 T1S,R70W	Lar	a.u.	1935; 194 tons.	1,5,16
Cook	C SE $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1928; 166 tons (Northern).	1,5,7,16, 18
Cowie	unknown	Lar	a.u.	1918; 10 tons.	5,16
Cracker Jack	SE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1935-1937; 4'-5'; 12,753 tons (Big Five).	1,5,7,16, 18
Cracker Jack No. 2	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22 T1S,R70W	Lar	a.u.	1926, 1948-1951, 1957-1958; 7'; 9,111 tons [Cuba].	1,5,7,16, 18
Crescent	C NW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1905; 5'6"; 5,111 tons; 75' deep (Old Star, New Star, Arrow).	16
Crown	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 14 T1S,R70W	Lar	a.u.	1919-1936; 4'3"-7'; 626,623 tons; 270' deep [Old Crown].	1,5,7,13, 16,18

BOULDER COUNTY

MI NE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Davidson	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 6 T1S,R69W	Lar	a.u.	1888; 2'9"; 150 tons.	1,2,9,16
Eagle	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1934; 10'4"; 3,038 tons (Fox).	5
Eldorado	C N $\frac{1}{2}$ S $\frac{1}{2}$ Sec. 21 T1S,R70W	Lar	a.u.	1933-1939; 5'6"; 34,489 tons.	1,5,7,13, 16,18
Electric	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1898, 1907-1908, 1914-1918; 5'6"; 73,839 tons; 206' deep (Summit).	1,5,7,16, 18
Enterprise	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19 T1S,R69W	Lar	a.u.	1895-1898; 4'6"; 53,883 tons.	1,5,7,16, 18
Eversman	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R69W	Lar	a.u.	1928-1929; 4'6"; 10,957 tons; 370' deep (Highway, Hartman).	1,5,7,16, 18
Excelsior	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 35 T1N,R69W	Lar	a.u.	1890-1899; 14'8"; 487,534 tons (Northern).	1,5,7,9, 16,18
Fireside	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 7 T1S,R69W	Lar	a.u.	1931-1944; 3'6"-5'2"; 64,478 tons.	1,5,7,13, 16,18
Flatt & Design	Sec. 2 T1S,R70W	Lar	a.u.	1892; 28,000 tons; not shown on mine map because location is uncertain.	5,16
Fox	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1883-1891, 1900-1923; 9'; 1,247,847 tons (Eagle).	1,5,7,9, 16,18
Fox No. 2	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1914-1915; 7'; 1,730 tons (Tropic) [Fox-Patterson].	1,5,7,16, 18
Fox No. 6	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16 T1S,R70W	Lar	a.u.	see Fox mine for production.	1,5

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Fox Slope	C N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.		1
Garfield No. 1	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1883-1897; 4'4"; 122,711 tons; partly in Weld Co.; see Garfield No. 2 mine in Weld Co.	1,5,7,9,18
Gladstone	C SE $\frac{1}{2}$ Sec. 35 T1N,R69W	Lar	a.u.	1890-1906; 14'; 437,878 tons.	1,5,7,9,16, 18
Glo-coal	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	[Cactus] (Marshall-York).	1,5,7,16, 18
Gorham	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 22 T1S,R70W	Lar	a.u.	1898-1930, 1935-1939; 5'2"-10'; 1,759,904 tons; 200' deep.	1,5,7,13, 16,18
Gorham No. 2	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 23 T1S,R70W	Lar	a.u.	1916, 1921, 1924, 1931-1934; 7'4"; 35,128 tons (New Gorham, Gorham South).	1,5,7,16, 18
Gorham South	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 23 T1S,R70W	Lar	a.u.	(Gorham No. 2, New Gorham).	1,7,18
Hartman	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R69W	Lar	a.u.	1927; 6'1"; 1,883 tons; 380' deep (Highway, Eversman)	1,5,16
Haywood	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 36 T1N,R69W	Lar	a.u.	1899-1906; 6'6"-12'; 193,228 tons; 162' deep (Baker, New Baker, Ivington).	1,5,7,16, 18
Hecla No. 1	C SW $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1890-1920; 5'-9'; 1,309,756 tons; [Heckler] worked upper seam only.	1,5,7,9,16, 18
Hecla No. 2	C SW $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1893-1897; 7'; 117,381 tons; worked lower and middle seams.	1,5,7,9,16, 18
High View	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1930-1944; 6'2"-7'; 94,980 tons (Rosser).	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Highway	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R69W	Lar	a.u.	1930-1954; 6'-7'; 2,333,939 tons; 385' deep (Eversman, Hartman).	1,5,7,13, 16,18
Imperial	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1895-1898; 6'; 40,606 tons (Louisville Nos. 1 & 2, Northern) [Cold Imperial].	1,5,7,16, 18
Independent	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34 T1N, R69W	Lar	a.u.	1906-1907, 1921 - 1922; 4'6"; 16,115 tons.	5,16
Indino	Sec. 15 T1S,R70W	Lar	a.u.	1932-1933; 6'; 572 tons; not shown on mine map.	5,16
Industrial	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24 T1S,R70W	Lar	a.u.	1895-1945; 4'10"-7'6"; 3,994,741 tons; 265' deep.	1,5,7,16, 17,18,19
Irvington	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 36 T1N,R69W	Lar	a.u.	1907-1908; 6'6"-12'; 10,626 tons (Baker, New Baker, Haywood).	1,5,7,16, 18
Jackson	C SW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1883-1890; 5'; 130,950 tons.	1,5,7,9, 16,18
Joe Mitchell	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R70W	Lar	a.u.	1901; 6'3"; 15,664 tons; 140' deep (Monarch No. 1).	5,16
Kitchen Slope	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Leader	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 17 T1S,R69W	Lar	a.u.	1893-1899; 7'; 179,333 tons.	1,5,7,16, 18
Lewis Nos. 1 & 2	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1914-1925, 1934-1942; 5'6"; 152,805 tons.	1,5,7,13, 16,18
Liley	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 13 T1S,R69W	Lar	a.u.	1937-1948; 6'8"; 118,001 tons; 348' deep.	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Lister	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1894-1902; 5'6"; 81,429 tons (Steward) [Old Slope].	5,7,16, 18
Longs Peak	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1892-1900; 6'; 216,762 tons.	1,5,7,9, 16,18
Louisville Nos. 1 & 2	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1883-1888; 8'-9' ; 241,253 tons (Imperial, Northern).	1,5,7,16, 18
Lucas	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 28 T1S,R69W	Lar	a.u.	1908; 5'-8'; 8,427 tons; 357' deep (Monarch No. 2).	1,5,16
Marfel	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1897-1898; 1902, 1904; 14'; 14,302 tons.	1,5,7,16, 18
Marshall No. 1	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1863-1901, 1938-1939; 8'-9'; 715,822 tons; data is for all Marshall mines.	1,5,7,9,15, 16,18,20
Marshall No. 2 (Old)	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22 T1S,R70W	Lar	a.u.	see Marshall No. 1 mine.	1,5,16
Marshall No. 2	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	see Marshall No. 1 mine	1,5,16
Marshall No. 3	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	see Marshall No. 1 mine.	1,5,16
Marshall Shaft	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.		1
Marshall-York	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1942, 1946-1947; 6'6"; 1,887 tons (Cactus) [Glo-Coal].	5,16
Matchless	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 7 T1S,R69W	Lar	a.u.	1903-1918, 1924-1927; 8'6"; 559,228 tons; 238' deep (Champion, Sunland, Paramount-Domenico).	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
McGregor	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1885-1895; 4'6"; 86,057 tons.	1,5,7,9, 16,18
Mile High	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 27 T1N,R69W	Lar	a.u.	1913-1918; 5'6"; 16,286 tons; 120' deep.	1,5,7,16, 18
Mine No. 1	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Mine No. 4	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Mine No. 5	C E $\frac{1}{2}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Mine No. 6	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Mine No. 7	C NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.		1
Mitchell	C E $\frac{1}{2}$ Sec. 35 T1N,R69W	Lar	a.u.	1898-1920; 7'-9'; 1,151,183 tons; 220' deep (New Mitchell).	1,5,7,9, 16,18
Model	Sec. 10 T1S,R70W	Lar	a.u.	1940; 1,209,217; 140' deep; not shown on mine map.	5,16
Monarch No. 1	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R70W	Lar	a.u.	1902-1918; 6'3"; worked lower seam (Joe Mitchell).	1,5,7,16, 17,18,19
Monarch No. 1	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 14 T1S,R70W	Lar.	a.u.	No production reported; worked upper seam.	1,5,7,16, 18
Monarch No. 2	C N $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 28 T1S,R69W	Lar.	a.u.	1909-1947; 4'-7': 3,236,067 tons; 357' deep (Lucas).	1,5,7,12, 13,16,18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Morgan & Williams	C NW $\frac{1}{4}$ Sec. 22 T1S,R70W	Lar	a.u.	1947-1948; 7'; 93,000 tons (Old Crackerjack).	5,16
Murray Slope	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.		1
Never Sweat	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2 T1S,R70W	Lar	a.u.		1
New Baker	NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1905-1909; 5'; 11,517 tons (Baker, Haywood, Irvington)	1,5,16
New Centennial	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 10 T1S,R69W	Lar	a.u.	1936-1952; 5'6"; 1,834,763 tons; 285' deep.	1,5,7,16, 18
New Crown	C E $\frac{1}{2}$ E $\frac{1}{2}$ Sec. 13 T1S,R70W	Lar	a.u.	1938-1955; 7'-11'; 618,413 tons.	1,5,7,16, 18
New Gorham	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 23 T1S,R70W	Lar	a.u.	1943-1955; 5'6"; 36,266 tons (Gorham No. 2, Gorham South).	1,5,7,16, 18
New Mitchell	C E $\frac{1}{2}$ Sec. 35 T1N,R69W	Lar	a.u.	1893-1897; 14'; 144,046 tons (Mitchell).	1,5,9,16
New Red Ash	C S $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1935-1936; 6'; 6,924 tons (Sunrise).	1,5,16
New Ross	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1931-1937, 1940; 4'6"; 18,988 tons.	1,5,7,16, 18
New Star	C NW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1918-1921; production included in Old Star mine (Arrow, Crescent, Old Star).	1,5,7,16, 18
Nonpariel	C S $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 16 T1S,R69W	Lar	a.u.	1907-1925; 6'; 450,299 tons; 285' deep [Brooks].	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Northern	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 35 T1N,R69W	Lar	a.u.	(Excelsior)	1,5,16
Northern	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1934-1935; 7'; 3,163 tons (Imperial, Louisville Nos. 1 & 2).	5,7,16, 18
Northern	C SE $\frac{1}{2}$ Sec. 15 T1S,R70W	Lar	a.u.	1935, 1937-1938; 4,937 tons (Cook).	1,5,16
Northrup	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1883-1884; 4'; 16,787 tons.	1,5,7,9,16, 18
North Slope No. 6	unknown	Lar	a.u.	1933; 847 tons.	5,16
O.K.	Sec. 15 T1S,R70W	Lar	a.u.	1939-1940; 1,900 tons; not shown on mine map.	5,16
Old Black Diamond	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.u.	1885, 1902-1907, 1914-1931; 5'-7'6".	1,5,16
Old Centennial	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T1S,R69W	Lar	a.u.	1906-1931; 6'; 1,385,229 tons; 280' deep.	1,5,7,16, 18
Old Crackerjack	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22 T1S,R70W	Lar	a.u.	1917-1926; 7' (Morgan & Williams).	1,5,7,16, 18
Old Fox	SE $\frac{1}{4}$ Sec. 16 T1S,R70W	Lar	a.u.		1,5,16
Old Star	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 13 T1N,R69W	Lar	a.u.	1883-1892; 4'8"; 98,831 tons (New Star, Crescent, Arrow) [Star].	1,5,7,18
Otis	C S $\frac{1}{2}$ N $\frac{1}{2}$ Sec. 2 T1S,R69W	Lar	a.u.	1893-1898; 14'; 69,995 tons (Cañon, Cambro).	1,5,7,9, 16,18
Paramount	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 33 T1N,R69W	Lar	a.u.	1933-1939; 4'4"; 5,550 tons.	1,5,7,13, 16,18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Paramount-Domenico	E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 7 T1S,R69W	Lar	a.u.	1925-1929; 5'; 80,655 tons; 236' deep (Matchless, Champion, Sunland) [Domenico].	5,16
Pennsylvania	C NW $\frac{1}{4}$ Sec. 10 T1S,R69W	Lar	a.u.	.	1
Pine Cliff	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1929-1931, 1933-1942; 4'; 28,488 tons (Rosser No. 7).	1,5,7,16, 18
Pinnacle	C E $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.		1
Pittsburgh	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1926-1933, 1939-1952; 5'6"; 23,013 tons; (Ross).	1,5,7,16, 18
Pluto	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24 T1S,R70W	Lar	a.u.	1896-1897, 1915, 1930-1951; 6'6"-14'; 266,505 tons [New Pluto, Pluto No. 2].	1,5,7,13, 16,18
Premier	NE $\frac{1}{4}$ NW $\frac{1}{2}$ Sec. 28 T1S,R70W	Lar	a.u.	1933-1944; 3'4"-5'10"; 28,896 tons.	1,5,7,16, 18
Rankin	Sec. 1 T1S,R69W	Lar	?	Not shown on mine map.	17,19
Red Ash	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1916-1925; 6'6"; 105,854 tons (Red Ash No. 2).	1,5,7,16, 18
Red Ash No. 2	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1934-1937; 4'9"; 6,916 tons (Red Ash).	1,5,7,13, 16,18
Regal	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1935-1947; 4'8"; 161,117 tons; 280' deep.	1,5,7,16, 18
Rex	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1895-1897; 11'; 93,187 tons	5,7,16,18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Rex No. 1	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1898-1917; 4'-8'; 1,666,247 tons; 158' deep.	1,5,16
Rex No. 2	SE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1898-1915; 6'-7'; 745,652 tons.	1,5,7,16, 18
Rocky Ridge	unknown	Lar	a.u.	1929-1930; 9'; 1,767 tons.	5,16
Ross	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1930, 1938-1939; 5'5"; 4,282 tons (Pittsburgh).	1,5,7,16, 18
Rosser	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1897-1898, 1907, 1928-1929; 6'; 19,907 tons (High View).	1,5,7,13, 16,18
Rosser No. 7	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21 T1S,R70W	Lar	a.u.	1900-1906; 5'6"; 31,416 tons [Northern Coal & Coke No. 7] (Pine Cliff).	1,5,7,16, 18
Rowley	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.		1
Sénator	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2 T1S,R69W	Lar	a.u.	1906, 1911-1913; 7'6"; 19,953 tons (Willoughby).	1,5,7,16, 18
Shanahan	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2 T1S,R70W	Lar	a.u.	1897-1907; 11'; 98,876 tons.	1,5,7,16
Simpson	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2 T1S,R69W	Lar	a.u.	1888-1926; 6'-11'; 4,137,819 tons; 240' deep.	1,5,7,9, 10,13,16, 17,18
Simpson & Spencer No. 1	Sec. 2 T1S,R69W	Lar	a.u.	1890, 1893; 8'; 158,140 tons; not shown on mine map, probably same as Simpson mine.	5,10,16
Simpson & Spencer No. 2	Sec. 2 T1S,R69W	Lar	a.u.	1890; 8'; 34,000 tons; not shown on mine map, probably same as Simpson mine.	5,16

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
South Gorham	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 23 T1S,R70W	Lar	a.u.	1943-1949; 4'; 5,595 tons.	5,7,16,18
Spencer	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2 T1S,R69W	Lar	a.u.	1891-1898; 14'; 420,415 tons; not shown on mine map, probably same as Simpson mine (Simpson & Spencer No. 2).	5,7,9,16, 18
Square Deal	unknown	Lar	a.u.	1923; 9'; 1,990 tons.	5,16
Standard	NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1887-1893; 1905-1937; 5'6"-8"; 2,391,603 tons; 320' deep.	1,5,7,13, 16
Standard	E $\frac{1}{2}$ Sec. 14 T1N,R69W	Lar	a.u.	[Progress]	1,9
Stewart	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1883-1892; 4'4"; 163,181 tons [Old Slope] (Lister).	1,5,7,9, 16,18
Storrs	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1901-1904; 5'6"; 13,081 tons (Caryl) [Pallot].	1,5,16
Strathmore	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 2 T1S,R69W	Lar	a.u.	1901-1919; 12'; 435,433 tons; 127' deep.	1,5,7,16, 18
Summit	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 4 T1S,R69W	Lar	a.u.	1909-1913; 5'; 88,898 tons (Electric).	1,5,16
Sunland	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 7 T1S,R69W	Lar	a.u.	1922; 4'6"; 25,958 tons (Matchless, Champion, Paramount-Domenico).	1,5,16
Sunnyside	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 28 T1S,R69W	Lar	a.u.	1900-1921; 5'; 299,661 tons; 324' deep.	1,5,7,16, 18
Sunrise	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1927-1933; 6'; 9,042 tons (New Red Ash).	1,5,7,16, 18

BOULDER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Superior	unknown	Lar	a.u.	1885; 4'6"; 4,812 tons.	5,16
Tropic	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15 T1S,R70W	Lar	a.u.	1935-1936; 4'5: 1,408 tons; 50' deep (Fox No. 2).	1,5,7,16, 18
Tynon	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24 T1N,R69W	Lar	a.u.	1900-1904; 5'; 81,747 tons.	1,5,7,16, 18
Unknown	Sec. 14 T1N,R69W	Lar	a.u.	May be Standard mine of Amuedo & Ivey; not plotted on mine map.	1,7,16,18
Unknown	NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	3 mines.	1
Vaughn	C NE $\frac{1}{4}$ Sec. 1 T1S,R69W	Lar	a.u.	1897-1904, 1906; 13'6"; 44,167 tons.	1,5,7,16, 18
Vulcan	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10 T1S,R69W	Lar	a.u.	1903-1904, 1907-1937; 4'1"-5'2"; 1,497,049 tons; 180' deep.	1,5,7,13, 16,18
Welch	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9 T1S,R69W	Lar	a.u.	1891; 19,131 tons [Welsh].	1,5,7,9, 16,18
Willoughby	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2 T1S,R69W	Lar	a.u.	1907-1908; 5'-8'; 3,795 tons (Senator).	1,5,7,16, 18
Wise	unknown	Lar	a.u.	1886; 3,000 tons.	5,16
Wilson	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 17 T1S,R69W	Lar	a.u.		1
York Strip	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 11 T1S,R70W	Lar	a.s.	1940-1941, 1945; 6'6"; 8,426 tons.	1,5,7,16, 18

DOUGLAS COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Archer	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 12 T6S,R69W	Lar	a.u.	1866; 2 seams totaling 5'.	9,20,23
Cannon	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 20 T7S,R68W	Lar	?	1884-1885; 3 seams totaling 9'6"; 7,500 tons (Douglas, Lehigh, White Ash).	5,16
Douglas	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 20 T7S,R68W	Lar	a.u.	1886-1887; 8'; 8,300 tons (Cannon, Lehigh, White Ash)	5,9
Lehigh	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 20 T7S,R68W	Lar	a.u.	1884-1890; 2 seams totaling 12'-16' (White Ash, Cannon, Douglas)	5,9,19, 24
Morgan's	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 6 T7S,R68W	Lar	a.u.	May still be used for local purposes.	24
Pearl Ash	unknown	Lar	a.u.	1888-1890; 9'; 700 tons.	5
Platte Canyon Fuel & Power Co. Nos. 1 and 2	SE $\frac{1}{4}$ Sec. 36 T6S,R69W	Lar	a.u.	1906-1909; 8'; 3,626 tons.	5,24
White Ash	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 20 T7S,R68W	Lar	a.u.	1900; 7'6" to 8'6"; 1,250 tons (Cannon, Douglas, Lehigh).	5
Willow Creek	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 7 T7S,R68W	Lar	a.u.	1938; 2 seams totaling 10'; 291 tons.	5,16,24

ELBERT COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Barker Strip	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21 T10S,R58W	Lar	a.s.	1935-1942; 12'; 18,840 tons.	5,8,11,19
Beaver Valley	SE $\frac{1}{4}$ Sec. 32 T7S,R58W	Lar	a.u.	1934-1942; 5'; 9,096 tons; 73' depth [Bear Valley].	5
Buick	Sec. 4 T8S,R58W	Lar	a.u.	1932, 1935; 763 tons.	5
Burn-It-All	Sec. 24 T10S,R59W	Lar	a.u.	1924-1929; 7'; 8,025 tons (White Ash, Shea).	5
Cox Strip	NE $\frac{1}{4}$ Sec. 32 T7S,R58W	Lar	a.s.	1935; 4'; 480 tons.	5
Fireside	unknown	?	a.u.	1933; 23 tons, near Matheson.	5
Fondis	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29 T9S,R62W	Den	a.u.	opened in 1913; production reported from 1933-1937; 7'; 973 tons; 35-60' deep [Janner].	5,8,13,16, 28
Jordan Strip	SE $\frac{1}{4}$ Sec. 32 T7S,R58W	Lar	a.s.	1934-1937; 6'; 2,831 tons.	5
Mascot	NE $\frac{1}{4}$ Sec. 24 T10S,R59W	Lar	a.u.	1924-1934; 5'; 10,375 tons.	5
McFarley	unknown	?	a.u.	1933; 160 tons.	5
Prospect A	Sec. 17 T9S,R62W	Den	?		16
Shea	Sec. 24 T10S,R59W	Lar	a.u.	1932, 1935, 1937; 9'-22'; 2,106 tons (Burn-It-All, White Ash).	5
Stander	NE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 2 T9S,R62W	Den	a.u.	1934-1940; 5'; 1,540 tons.	5,16,28

ELBERT COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Stimson Strip	Sec. 4 T8S,R58W	Lar	a.s.	8'	8,13
Valley	NE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19 T9S,R62W	Den	a.u.	1936-1937; 4'6"; 225 tons.	16,28
White Ash	Sec. 24 T10S,R59W	Lar	a.u.	1922-1923, 1934, 1939-1951; 9'; 34,525 tons; 72' deep (Burn-It-All, Shea).	5,13
Wright Strip	Sec. 21 T10S,R58W	Lar	a.s.	1921-1934; 12'-14'; 19,676 tons; 20' deep.	3,5,8
Unknown	NE $\frac{1}{4}$ Sec. 24 T10S,R59W	Lar	a.u.	5'; 57' deep.	8,19
Unknown	NW $\frac{1}{4}$ Sec. 24 T10S,R59W	Lar	a.u.	9'	19
Unknown	SE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 34 T6S,R62W	Den	?	Probably worked before 1910, about 6' of lignite.	28

EL PASO COUNTY

23

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Altitude	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1921-1937; 12'-13'; B; 112,093 tons (Williamsville).	5,6,13
Austin Bluffs	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 4 T14S,R66W	Lar	a.u.	1902-1910; 7'; 110,456 tons (Keystone, El Paso).	5,6,16
Banning	unknown	Lar	a.u.	1902; 8'; 6,144 tons.	5,6
Black Mariah	unknown	Lar	a.u.	1920-1921; 8'; 1,116 tons.	5,6
Boulder	unknown	Lar	a.u.	1898; 4'6"; 1,000 tons.	5,6
Busy Bee	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32 T13S,R66W	Lar	a.u.	1933-1948; 4-14'; A; 57,613 tons.	5,6,16
Cardiff	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 2 T14S,R66W	Lar	a.u.	1896; 2'6"; 1,000 tons.	5,6
Carlton	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18 T13S,R66W	Lar	a.u.	1897-1900; 8'10"; A; 31,156 tons (Pikeview).	5,6,14,16, 17
Cell	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 30 T14S,R64W	Lar	a.u.	May be the same as Franceville No. 1.	5,6;14,17
City No. 1	C SW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1918-1945; 6'-20'; A; 1,220,824 tons.	5,6,16
City No. 2	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 33 T13S,R66W	Lar	a.u.	1918-1921; 14'; A; 27,074 tons; 43' deep.	5,6,16
City No. 3	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 33 T13S,R66W	Lar	a.u.	1934-1945; 6'-20'; A; 481,344 tons.	5,6,16
City No. 4	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3 T14S,R66W	Lar	a.u.	1946-1950; 4'6"; 63,156 tons.	5,6,16

EL PASO COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Clara Belle	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 19 T14S,R64W	Lar	a.u.	1937-1943; 9'; 78,006 tons; 100' deep.	5,6,16
Clark	unknown	Lar	a.u.	1914; 3'; 60 tons.	5,6
Climax No. 1 & 2	C SW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1928-1942; 8'-10'; 29,647 tons.	5,6,16
Columbine	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12 T13S,R67W	Lar	a.u.	1924-1934; 8'; 270,292 tons.	6
Corder	E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 25 T11S,R61W	Den	?	14' [Gammon].	28
Corley	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32 T13S,R66W	Lar	a.u.	1921-1924; 8'; 270,292 tons.	5,6,16
Corley No. 3	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 30 T14S,R64W	Lar	a.u.	(Franceville Coal, Dixie).	6
Cottonwood	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13 T13S,R67W	Lar	a.u.	1921-1929, 1937-1942; 3'6"; A; 10,624 tons [New Cottonwood].	5,6,16
Cunningham	unknown	Lar	a.u.	1925-1926; 12'; 234 tons.	5,6
Curtis	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1898-1913; 9'-20'; A; 938,129 tons.	5,6,14,16, 17
Daisy	E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 26 T11S,R61W	Den	?		28
Danville	SW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1898-1926; 11'; A; 595,011 tons.	6,14,16, 17
Davies	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 29 T14S,R64W	Lar	a.u.		6,14,17

EL PASO COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Dixie	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 30 T14S,R64W	Lar	a.u.	(Franceville Coal, Corley No. 3).	6,13
Drennon	N $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 21 T15S,R63W	Lar	a.u.	1923-1935; 4'; 13,987 tons.	4,5,16,19, 25
El Paso	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 33 T13S,R66W	Lar	a.u.	1912-1916; 6'-11'; 384,534 tons (Austin Bluffs, Keystone).	5,6,12,16
Enterprise	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 12 T14S,R66W	Lar	a.u.	1905-1906; 2'6"; 6,120 tons.	5,6
France	unknown	Lar	a.u.	1885; 8'; 2,000 tons.	5,6
Franceville Coal	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 30 T14S,R64W	Lar	a.u.	1913-1952; 6'; 184,831 tons (Dixie, Corley No. 3).	5,6,16
Franceville No. 1	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 19 T14S,R64W	Lar	a.u.	1882-1898; 8'; 346,642 tons.	5,6,16
Franceville No. 2	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 24 T14S,R65W	Lar	a.u.	1904-1910; 8'; 9,055 tons.	5,6
Franceville Strip	C SW $\frac{1}{4}$ Sec. 19 T14S,R64W	Lar	a.s.	1948-1965; 6'6"-9'; 77,707 tons.	5,6,16
Gehrung mine	East bank of Monument Creek	Lar	a.u.		14
Gloneyrie	unknown	?	?	1896; 2'6"; 500 tons.	5,6
Golden Dawn	Sec. 32 T14S,R60W	Lar	a.u.	1921-1932; 7'; 17,377 tons.	4,5,6,8,16
Hall Slope	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 12 T14S,R66W	Lar	a.u.		6

EL PASO COUNTY

6

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Jimmy Camp Main Slope	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16 T14S,R65W	Lar	a.u.		6
Jimmy Camp Slope No. 1	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16 T14S,R65W	Lar	a.u.		6
Jimmy Camp Slope No. 2	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 16 T14S,R65W	Lar	a.u.		6
Jimmy Camp Slope No. 3	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 16 T14S,R65W	Lar	a.u.	1929-1941; 4'10"-5'10"; 76,786 tons (data is for entire Jimmy Camp mine).	5,6,13,16
Keystone	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 4 T14S,R66W	Lar	a.u.	1911, 1917-1925; 7'6"; 552,279 tons (El Paso, Austin Bluffs).	5,6,14,16,17
Klondike	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 8 T13S,R66W	Lar	a.u.	1917-1920; 8'10"; 74,802 tons; 500' deep.	5,6,16
Kurie	C N $\frac{1}{2}$ Sec. 14 T14S,R65W	Lar	a.u.	1929-1933; 5'; Fox Hill; 45,419 tons.	5,6,13,16
Lamm	C Sec. 30 T11S,R60W	Den	?		28
Last Chance	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13 T13S,R67W	Lar	a.u.	1909; 4'; A; 255 tons.	5,6
M. M. & P.	NE $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19 T13S,R61W	Den	a.u.	1936-1937; 4'6"; 70 tons; opened at the site of an earlier mine which opened before 1909.	5,6,16
McFerran Main Shaft	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 10 T14S,R65W	Lar	a.u.	1885-1896; 7'; 219,792 tons.	5,6,14
McFerran Old Slope	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 15 T14S,R65W	Lar	a.u.	See McFerran Main Shaft.	5,6

25

EL PASO COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Mathews	unknown	Lar	a.u.	1900; 5'; 500 tons.	5,6
Midway	unknown	Lar	a.u.	1896; 3'; 935 tons.	5,6
Monarch	unknown	Lar	a.u.	1897; 3'4"; 2,000 tons.	5,6
Monument Valley	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 11 T13S,R67W	Lar	a.u.	1896-1897; 4'; B; 2,050 tons [Monument Park].	5,6,14,17
Mosby's	NW $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18 T13S,R61W	Den	a.u.	Opened 1909; 4'-5'; 40' deep.	8,10,16, 22,28
Mountain View	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18 T13S,R66W	Lar	a.u.	1896; 3'; 360 tons.	5,6
Neer	C S $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 13 T13S,R67W	Lar	a.u.	1908-1909; 4'7"; A; 4,387 tons.	5,6,14,16, 17
New Altitude No. 3	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1938-1941; 2'4" A; 7,611 tons.	5,6,13,16
Newfield	unknown	Lar	a.u.	1897-1898; 5'6"; 1,575 tons.	5,6
New Keystone	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 33 T13S,R66W	Lar	a.u.	1934-1943; 7'6"-8'4"; 38,766 tons.	5,6,13,16
New Tudor	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.		6
Oak Grove	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 11 T13S,R67W	Lar	a.u.	1896; 3'; 300 tons.	5,6
Patterson	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32 T13S,R66W	Lar	a.u.	1905-1924; 8'; 265,762 tons.	5,6,14,16
Pikeview	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18 T13S,R66W	Lar	a.u.	1900-1957; 7'-14'; A; 8,738,174 tons (Carlton).	5,6,12,13, 16

EL PASO COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Pine Grove	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 19 T13S,R66W	Lar	a.u.	1896-1897; 3'; 7,784 tons.	5,6,16
Pitching Vein	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 14 T13S,R67W	Lar	a.u.	May be the abandoned mine described by Goldman (1910, p. 322).	6,14
Purdon	NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27 T11S,R61W	Den	a.u.	Opened in or before 1909; 7'.	8,10,14, 16,17,19, 28
Ramah	unknown	Den	?	1922; 309 tons.	5,6
Rapson	C NW $\frac{1}{4}$ Sec. 33 T13S,R66W	Lar	a.u.	1901-1916; 5'-8'; A; 598,791 tons.	5,6,14, 16,17
Red Ash	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19 T13S,R66W	Lar	?		6
Rose Hill	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18 T13S,R66W	Lar	a.u.		6
Rush	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 29 T14S,R60W	Lar	a.u.	1921-1935; 4'; 6,302 tons.	5,6,16
Thomas	unknown	?	?	1913; 7'; 5,435 tons.	5,6
Thomas D. Davis	C NE $\frac{1}{4}$ Sec. 30 T14S,R64W	Lar	a.u.	1915-1919; 4'8".	5,6
Tudor	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 2 T14S,R66W	Lar	a.u.	1903-1907; 5'6"; 29,526 tons.	5,6,14,16
Williamsville	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 29 T13S,R66W	Lar	a.u.	1898-1920; 12'-13'; B; 136,316 tons (Altitude).	5,6,14,16

EL PASO COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Unknown	SW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 30 T11S, R60W	Den	a. u.	6'.	8, 19, 28
Unknown	NW $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.	1935-1936; 2'4"; A.	6
Unknown	NW $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.	B.	6
Unknown	SW $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.	.	6
Unknown	SW $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.		6
Unknown	SE $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.		6
Unknown	SE $\frac{1}{4}$ Sec. 29 T13S, R66W	Lar	a. u.		6
Unknown	C SW $\frac{1}{4}$ Sec. 19 T14S, R64W	Lar	a. s.	10'.	26

JEFFERSON COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Bluebird Nos. 1 & 2	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T4S,R70W	Lar	?	1930-1934, 1936; 11,172 tons (Satanic, Sharon).	5,16,21
Caprock	NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T2S,R70W	Lar	a.u.	1934-1945; 12'4"-14'; 230,510 tons; 300' deep (Capitol).	5,13,16,29
Capitol	NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T2S,R70W	Lar	a.u.	1946-1952; 12'-14'; 41,405 tons (Caprock).	5,6,29
Christensen	NW $\frac{1}{4}$ Sec. 27 T5S,R69W	Lar	a.u.	1922-1932, 1936; 6'08'; 81,259 tons; 490' deep (Littleton).	5,16
Cross	unknown	Lar	a.u.	1905; 3'; 890 tons.	5,16
Deer Creek	at mouth of Deer Creek	Lar	?	location uncertain.	9,23
Denney	unknown	Lar	?	1933-1934; 593 tons.	5,16
Economy	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T5S,R69W	Lar	a.u.	1937-1940; 7'-11'; 9,110 tons (Unity).	5,16,23
Golden	E $\frac{1}{2}$ E $\frac{1}{2}$ W $\frac{1}{2}$ Sec. 16 T3S,R70W	Lar	a.u.	1935; 1'-9'; 327 tons; 130' deep.	5,16
Golden Star	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21 T3S,R70W	Lar	a.u.	1885-1887, 1890-1894; 10'; 20,587 tons.	5,9,16,31
Hampton's Prospect Shaft	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 4 T2S,R70W	Lar	a.u.		21
Ideal	Sec. 16 T3S,R70W	Lar	?	1938; 381 tons; not shown on mine map.	5,16

JEFFERSON COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Independence	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28 T2S,R70W	Lar	a.u.	1898-1900; 7'; 11,530 tons.	5,16,21
Jones	C Sec. 34 T5S,R69W	Lar	a.u.	location uncertain.	9,20,23
Justrite	unknown	Lar	a.u.	1916-1918; 4'-5'; 3,541 tons.	5,16
Ketchum & Murphy	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T4S,R69W	Lar	a.u.		21
Kojak	unknown	Lar	?	1931; 60 tons.	5,16
Leyden	C S $\frac{1}{2}$ Sec. 26 T2S,R70W	Lar	a.u.	1903-1910; 9'; 1,310,680 tons; 792' deep (Leyden Nos. 1 & 2).	5,9,16
Leyden Nos. 1 & 2	C S $\frac{1}{2}$ Sec. 26 T2S,R70W	Lar	a.u.	1912-1917; 7'; 746,869 tons; 680' deep (Leyden).	5,16
Leyden No. 3	W $\frac{1}{2}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 27 T2S,R70W	Lar	a.u.	1912-1913, 1919-1950; 7'-9'; 3,722,344 tons; 792' deep.	5,13,16
Littleton	SW $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 27 T5S,R69W	Lar	a.u.	1933-1939; 4-27'; 9,938 tons; 490' deep (Christensen).	5,16,23
Mann	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 31 T4S,R69W	Lar	a.u.		21
Morrison	unknown	Lar	?	1908; 15'8"; 850 tons.	5,16,17
Mt. Carbon	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 5 T5S,R69W	Lar	a.u.	1888-1891, 1893-1901; 4'6"; 13,682 tons.	5,9,16
New Castle	SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21 T3S,R70W	Lar	?	1884 (Old Star).	5,16,31

JEFFERSON COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
New Loveland	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28 T3S,R70W	Lar	a.u.	1890-1892; 9'; 16,041 tons.	5,9,16,31
New Star	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 21 T3S,R70W	Lar	a.u.		31
New (Little) White Ash	C NW $\frac{1}{4}$ Sec. 28 T3S,R70W	Lar	a.u.		9,31
Old Leyden	C S $\frac{1}{2}$ Sec. 28 T2S,R70W	Lar	a.u.		31
Old Loveland	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 28 T3S,R70W	Lar	a.u.	1877-1889; 4'6"; 8,890 tons; 250' deep.	2,5,9,16, 31
Old Star	E $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 21 T3S,R70W	Lar	?	1898 (New Castle).	5,16,31
Pittsburgh	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T3S,R70W	Lar	a.u.		31
Ralston	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 33 T2S,R70W	Lar	a.u.	1884(?), 1888-1892; 1896, 1898; 2'; 11,850 tons [Ralston Creek, Murphy Nos. 1 & 2, St. James].	5,9,16
Ralston Spring	S $\frac{1}{4}$ Corner Sec. 9 T3S,R70W	Lar	a.u.		31
Rocky Flats	C Sec. 21 T2S,R70W	Lar	a.u.	1947-1949; 7'6"; 1,729 tons (Toppan).	5,16
Rocky Mt. No. 1	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 21 T3S,R70W	Lar	a.u.	1890; 6'; 1,500 tons; 175' deep.	5,9,16
Rocky Mt. No. 2	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T3S,R70W	Lar	a.u.	1890-1892; 5'6"; 5,960 tons; 175' deep.	5,16

JEFFERSON COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Rooney White Ash	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T4S,R70W	Lar	a.u.	1914-1915; 771 tons (White Ash (Rooney)).	5,16,21
Rowe	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 23 T4S,R70W	Lar	a.u.	250 tons.	21
Satanic	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T4S,R70W	Lar	a.u.	1918-1923; 8'-15'; 44,151 tons (Sharon, Bluebird).	5,16,21
Sharon	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T4S,R70W	Lar	a.u.	1923-1925, 1927-1929; 8'-15'; 9,588 tons (Satanic, Bluebird).	5,16,21
Spicer	NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 4 T2S,R70W	Lar	a.u.		21
Sun	SE $\frac{1}{4}$ Sec. 16 T5S,R69W	Lar	?	licensed but no production reported.	5,16,23
Tindall	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 4 T3S,R70W	Lar	a.u.	1892-1897; 14'7"; 100,787 tons [Tyndal].	5,16,31
Toppan	C Sec. 21 T2S,R70W	Lar	a.u.	1945; 7'6"; 19 tons; 175' deep (Rocky Flats).	5,16
Unity	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 21 T5S,R69W	Lar	a.u.	1932-1936; 9'; 20,675 tons; 150' deep (Economy).	5,13,16,23
Van Winkle	Sec. 3 T4S,R70W	Lar	a.u.	1933-1938; 4'; 18,027 tons; 130' deep.	5,13,16
Virginia	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 34 T5S,R69W	Lar	a.u.	1933-1939; 40,947 tons; 5'-11'; 200' deep.	5,13,16,23
Welch & Loveland	C NW $\frac{1}{4}$ Sec. 3 T4S,R70W	Lar	a.u.		21

JEFFERSON COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Wheeler	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 14 T4S,R70W	Lar	a.u.		21
White Ash	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 33 T3S,R70W	Lar	a.u.	1873, 1884-1893, 1897-1899; 7'-8'; 101,639 tons; 730' deep.	5,16,31
White Ash (Rooney)	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T4S,R70W	Lar	a.u.	1910-1913; 7'-15'; 6,000 tons (Rooney White Ash).	5,9,10,16
Williamson	C Sec. 5 T5S,R69W	Lar	a.u.		21
Wilson	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T4S,R69W	Lar	a.u.		21
Unknown	NE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T5S,R69W	Lar	a.u.		21
Unknown	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 31 T4S,R69W	Lar	a.u.		21

LARIMER COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Ayshire	unknown	Lar	?	1932-1934; 1,515 tons.	5,16
Bachy	NE $\frac{1}{4}$ Sec. 22 T11N,R68W	Lar	a.u.	1933-1936, 1938-1941; 1,473 tons; 20' deep.	5,13,16
Benson	Sec. 35 T11N,R68W	Lar	a.u.	1931-1937; 4'6"; 7,693 tons.	5,16
Hackman	Sec. 26, 27 T11N,R68W	Lar	a.u.	1932-1934; 5'6"; 5,292 tons; 50' deep (Ideal).	5 13,16
Ideal	Sec. 26, 27 T11N,R68W	Lar	a.u.	1935-1942; 5'2"; 13,226 tons; 50' deep (Hackman).	5,16
Indian Springs	Sec. 24 T10N,R68W	Lar	a.u.	1897-1901, 1903; 6'2"; 17,693 tons.	5,16,17,19
Knox	unknown	Lar	?	1931; 50 tons.	5,16
Pioneer	Sec. 26 T11N,R68W	Lar	a.u.	1931-1933, 1935-1946; 4'8"; 3,552 tons.	5,16
Veasey	unknown	Lar	?	1931; 570 tons.	5,16
White Rose	Sec. 22 T11N,R68W	Lar	a.u.	1932-1933, 1935-1943; 5'-7'10"; 3,547 tons.	5,16

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Advance No. 1	unknown	Lar	a.u.	1906; 6'; 890 tons; near Ft. Lupton.	5,16
Alpha	Sec. 36 T2N,R67W	Lar	a.u.	1911-1912; 6'; 6,569 tons (Phoenix).	5,16
Andrew	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 20 T1N,R68W	Lar	a.u.	1910-1912; 11'; 11,242 tons (New Boulder Valley, State).	1,5,7,16, 18
Baker	unknown	Lar	a.u.	1883-1886; 10'; 6,936 tons.	5,16
Baseline	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T1N,R68W	Lar	a.u.	1941-1942; 6'10"; 3,878 tons (Park, New Washington, Monroe).	1,5,7,16, 18
Baum	C Sec. 36 T2N,R68W	Lar	a.u.	1914-1953; 7'; 4,013,856 tons; 205' deep (Golden Ash).	1,5,7,12, 13,16,18
Black Nugget	Sec. 30 T4N,R64W	Lar	a.u.	1939-1942; 3'8"; 3,513 tons; 125' deep.	5,16
Black Prince	unknown	Lar	a.u.	1899; 2'6"; 1,200 tons.	5,16
Bohlender	N $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 30 T4N, R64W	Lar	a.u.	1934-1943; 4'; 20,578 tons; 120' deep.	5,16
Boulder Valley No. 3	C Sec. 1 T1N,R68W	Lar	a.u.	1944-1969; 6'6"-7'; 2,539,662 tons; 245' deep, connected to Baum mine in 1954.	1,5,7,16, 18
Briggs	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19 T1N,R68W	Lar	a.u.		1,2,9
Brown	unknown	Lar	a.u.	1888-1892; 3'; 1,050 tons.	5,16
Buddy	SE $\frac{1}{4}$ Sec. 24 T4N,R65W	Lar	a.u.	1932-1942; 3'; 16,619 tons; 110' deep.	5,13,16
Casselman	unknown	Lar	a.u.	1933; 486 tons; near La Salle.	5,16

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Christy	NE $\frac{1}{4}$ Sec. 24 T4N,R65W	Lar	a.u.	1934; 2'6"; 873 tons; 100' deep.	5,16
Clayton	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 16 T1N,R68W	Lar	a.u.	1920-1942; 9'; 3,333,225 tons; 350' deep.	1,5,7,13, 16,17
Coal Draw	unknown	Lar	a.u.	1890, 1893, 1895-1898; 2'10"-5'; 10,871 tons.	5,16
Coal Ridge	unknown	Lar	a.u.	1934; 4'; 750 tons; near Firestone.	5,16
Columbine	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 29 T1N,R68W	Lar	a.u.	1905, 1920-1946; 6'-12'; 7,216,286 tons; 300' deep [Columbine No. 1].	1,5,7,13, 16,18
Comet	NE $\frac{1}{4}$ Sec. 4 T6N,R64W	Lar	a.u.	1935-1942; 4'4"-7'; 7,085 tons; 140' deep.	5,16
Davies	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T2N,R68W	Lar	a.u.	1900-1906; 5'; 29,755 tons [Davis].	1,5,7,16, 18
Denslow	unknown	Lar	a.u.	1907; 7'; 1,600 tons.	5,16
Diamond	NE $\frac{1}{4}$ Sec. 36 T4N,R65W	Lar	a.u.	1936-1945; 4'4"; 20,008 tons; 130' deep.	5,16
Eagle	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 15 T1N,R68W	Lar	i.u.	1939-1978; 9'-10'; 7,953,469 tons through 1976.	1,5,7,16, 18
Eaton	unknown	Lar	a.u.	1883-1885, 1887, 1889, 1893; 3'8"; 6,099 tons; near Eaton.	5,16
Emerson	C S $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 20 T2N,R67W	Lar	a.u.	1897-1904; 3'6"; 13,179 tons.	1,5,7,16, 18
Erie Strip	C NE $\frac{1}{4}$ Sec. 33 T2N,R68W	Lar	a.s.	1948-1953; 6'; 126,563 tons.	1,5,7,16, 18

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Eureka No. 1	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 28 T2N,R68W	Lar	a.u.	See Eureka No. 3 mine.	1
Eureka No. 2	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 27 T2N,R68W	Lar	a.u.	See Eureka No. 3 mine.	1
Eureka No. 3	SE $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 27 T2N,R68W	Lar	a.u.	1900, 1903-1906, 1913-1918, 1921-1926; 8'6"; 157,379 tons; 100' deep (production from all three mines).	1,5,7,16, 18
Evan Jones	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 24 T2N,R68W	Lar	a.u.		1
Evans	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 30 T2N,R67W	Lar	a.u.	1907-1942; 5'6"; 1,629,271 tons; 150' deep.	1,5,7,13, 16,18
Farmers	Sec. 24 T4N,R65W	Lar	a.u.	1915-1916; 704 tons.	5,16,17, 19
Firestone	C S $\frac{1}{2}$ NW $\frac{1}{4}$ Sec. 30 T2N,R67W	Lar	a.u.	1908-1920; 5'; 333,336 tons; 110' deep [Louisville Land and Coal].	1,5,7,16, 18
Frederick	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 25 T2N,R68W	Lar	a.u.	1907-1929; 5'-6'; 707,876 tons.	1,5,7,16, 18
Galeton	Sec. 4 T6N,R64W	Lar	a.u.	1935-1938; 3'6"; 933 tons; 160' deep.	5,16
Garfield No. 2	SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19 T1N,R68W	Lar	a.u.	1892, 1894-1896, 1899-1905; 6'; 181,444 tons (see Garfield No. 1 in Boulder County).	1,5,7,16, 18
Gem	unknown	Lar	a.u.	1905; 4'4"; 285 tons.	5,16
Golden Ash	C Sec. 36 T2N,R68W	Lar	a.u.	1906-1913; 7'6"; 578,509 tons (Baum).	1,5,7,13, 16,17,18

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Graden	SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 12 T1N,R68W	Lar	a.u.	1935-1955; 6'8"-7'10"; 896,078 tons; 325' deep.	1,5,7,16, 18
Grant	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 19 T2N,R67W	Lar	a.u.	1914-1939; 5'6"-8'; 2,230,143 tons; 155' deep.	1,5,7,13, 16,18
Hill	SE $\frac{1}{4}$ Sec. 3 T7N,R61W	Lar	a.u.	1922-1923, 1932-1934; 3'; 2,746 tons; 170' deep (Keota).	5,16
Hillside	Sec. 21 T1N,R67W	Lar	a.u.	1948; 8'; 212 tons.	16
Hingley-Morgan	C NW $\frac{1}{4}$ Sec. 18 T1N,R67W	Lar	a.u.		1,7,16,18
Ideal	C N $\frac{1}{2}$ Sec. 34 T2N,R68W	Lar	a.u.	1907-1916; 8'; 88,377 tons (Munroe).	1,5,7,13, 16,17,18, 19
Imperial	C S $\frac{1}{2}$ Sec. 10 T1N,R68W	Lar	a.u.	1927-1972; 5'-10'6"; 4,448,788 tons.	1,5,7,13, 16,18
Keota	SE $\frac{1}{4}$ Sec. 3 T7N,R61W	Lar	a.u.	1935, 1939; 5'6"; 483 tons (Hill).	5,16
La Salle	NE $\frac{1}{4}$ Sec. 30 T4N,R64W	Lar	a.u.	1934-1939; 3'; 13,140 tons; 125' deep.	5,16
Last Dollar	unknown	Lar	a.u.	1914; 75 tons; near Erie.	5,16
Lehigh	C S $\frac{1}{2}$ S $\frac{1}{2}$ Sec. 19 T1N,R68W	Lar	a.u.	1902-1910; 5'7"; 315,244 tons.	1,5,7,16, 17,18
Lloyd	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 19 T1N,R68W	Lar	a.u.		1

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Lincoln	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T1N,R68W	Lar	A.u.	1950-1978; 8'-10'; 3,455,053 tons through 1976; 425' deep.	1,5,7,16, 18
Lister	unknown	Lar	a.u.	1905-1907; 4'; 20,146 tons; near Erie.	5,16
McKissic	C Sec. 19 T2N,R67W	Lar	a.u.	1887-1889, 1892-1897, 1907; 3'6"; 26,890 tons (St. Vrain).	1,2,5,7, 9,16,18
McKissick	SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8 T1N,R68W	Lar	a.u.		1
Mitchell	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 19 T1N,R68W	Lar	a.u.	1883-1889; 6'; 204,171 tons.	5,16
Monroe	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T1N,R68W	Lar	a.u.	1932-1940; 5'3"-6'10"; 52,855 tons (Park, Baseline, New Washington).	1,5,7,13, 16,18
Morrison	SE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 9 T1N,R68W	Lar	a.u.	1930-1953; 6'-8'; 2,139,664 tons; 160' deep.	1,5,7,13, 16,18
Munroe	C N $\frac{1}{2}$ Sec. 34 T2N,R68W	Lar	a.u.	1917-1925; 6'-8'; 296,093 tons (Ideal).	5,16
New Boulder Valley	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 20 T1N,R68W	Lar	a.u.	1917-1946; 10'; 3,501,455 tons [Boulder Valley No. 1] (Andrew, State).	1,5,9,13, 16
New Washington	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T1N,R68W	Lar	a.u.	1915-1918; 5'-6'10"; 2,276 tons; 50' deep (Baseline, Park, Monroe).	1,5,7,16, 18
Northwestern	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18 T1N,R68W	Lar	a.u.	1893-1898, 1906-1907; 7'6"; 52,557 tons (Old Boulder Valley).	1,5,7,16, 18
Old Boulder Valley	NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18 T1N,R68W	Lar	a.u.	1883-1885, 1890-1893; 7'; 35,813 tons (Northwestern).	1,5,7,9, 16,18
Old Lincoln	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24 T1N,R68W	Lar	a.u.	1896-1902; 5-6'10"; 20,325 tons.	1,5,16

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Old Washington	NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24 T1N,R68W	Lar	a.u.	1893-1911; 4'6"-5'; 94,678 tons; 430' deep.	1,5,7,16, 18
Owl	NE $\frac{1}{4}$ Sec. 30 T7N,R65W	Lar	a.u.	1936; 3'2"; 175 tons; 92' deep.	13,16
Park	NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T1N,R68W	Lar	a.u.	1890-1893; 3'6" (Baseline, Monroe, New Washington).	5,7,16,18
Parkdale	NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 6 T1S,R68W	Lar	a.u.	1907-1916; 7'-10'; 584,701 tons; see Adams Co. for 1921-1922 production (Blue Ribbon).	1,5,7,16, 18
Peerless	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 4 T1N,R67W	Lar	a.u.	1913-1919; 4'; 9,601 tons; 208' deep.	1,5,7,16, 18
Phoenix	Sec. 36 T2N,R67W	Lar	a.u.	1913; 6'; 2,221 tons (Alpha).	5,16
Platteville "A"	Sec. 14 T3N,R66W	Lar	a.u.	1939-1940; 5'; 202 tons.	5,16
Platteville "B"	Sec. 29 T3N,R66W	Lar	a.u.	1892-1893, 1895; 5'; 24,213 tons.	5,9,16,17, 19
Puritan	SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 34 T2N,R68W	Lar	a.u.	1908-1939; 5'-10'; 5,933,537 tons; 124' deep.	1,5,7,12, 13,16,17, 19
Reliance	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8 T1N,R68W	Lar	a.u.	1903-1907; 5'; 43,416 tons.	1,5,7,16, 18
Russell	C S $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 20 T2N,R67W	Lar	a.u.	1914-1947; 6'; 2,078,166 tons; 228' deep.	1,5,7,13, 16,18
St. Vrain	C Sec. 19 T2N,R67W	Lar	a.u.	1890-1892; 3'6"-10'; 7,100 tons (McKissic).	1,2,5,7, 16,18

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Shamrock	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 34 T2N,R68W	Lar	a.u.	1905-1956; 7'6"-10'1"; 2,167,869 tons; 110' deep.	1,5,7,13, 16,18
Silver State	Sec. 4 T1N,R67W	Lar	a.u.	1921-1929 (Witherbee).	1,5,7,13, 16,18
Star	Sec. 32 T7N,R65W	Lar	a.u.	2'10".	17,19
State	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 20 T1N,R68W	Lar	a.u.	1913-1916; 4'-11'; 6,215 tons (Andrew, New Boulder Valley).	1,5,7,13, 16,18
Sterling	C Sec. 6 T1N,R67W	Lar	a.u.	1920-1965; 7'11"-8'; 3,536,107 tons; 358' deep.	1,5,7,13, 16,18
Sunset	SW $\frac{1}{4}$ Sec. 18 T4N,R64W	Lar	a.u.	1931-1932; 2'6"; 1,182 tons; 110' deep.	5,16
Superior	unknown	Lar	a.u.	1883-1884; 4'4"; 3,427 tons.	5,9,16
Tamoc	NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 2 T6N,R63W	Lar	a.u.	1937-1941; 2'10"; 941 tons.	5,16
Trent	Sec. 24 T4N,R65W	Lar	a.u.	1940-1943; 2'7"; 2,670 tons.	5,16
Vernon	unknown	Lar	a.u.	1887; 1,650 tons.	5,16
Warwick	SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 30 T2N,R67W	Lar	a.u.	1908-1912; 4'-5'; 48,782 tons; 115' deep.	1,5,7,16, 17,18,19
Washington	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 23 T1N,R68W	Lar	a.u.	1940-1967; 8'-12'; 4,405,391 tons; 430' deep [Welch].	1,5,7,16, 18
White Ash	NE $\frac{1}{4}$ Sec. 24 T4N,R65W	Lar	a.u.	1900, 1915-1925, 1928-1936, 1938-1941; 2'6"; 31,343 tons; 80' deep.	5,17,19

WELD COUNTY

MINE NAME	LOCATION	FORM.	TYPE	DESCRIPTION	SOURCE
Whitehouse Nos. 1 & 2	NW $\frac{1}{4}$ Sec. 34 T2N,R68W	Lar	a.u.	1896-1907; 64,901 tons [White Horse].	1,5,7,16, 18
Witherbee	Sec. 4 T1N,R67W	Lar	a.u.	1934-1937; 4'6"; 34,553 tons; 210' deep (Silver State)	1,5,7,13, 16,18
Wooley	unknown	Lar	a.u.	1897-1898; 13,241 tons.	1,5,16
Unknown	Sec. 20 T3N,R65W	Lar	a.u.		16
Unknown	SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 18 T1N,R68W	Lar	a.u.		1
Unknown	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 19 T1N,R68W	Lar	a.u.		1
Unknown	SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8 T1N,R68W	Lar	a.u.		1,7

BIBLIOGRAPHY
For
Coal Mine Data

1. Amuedo and Ivey, Consulting Geologists , 1975, Ground subsidence and land-use considerations over coal mines in the Boulder-Weld coal field, Colorado: Colorado Geol. Envir. Geol. 9, 6 plates.
2. Berthoud, E.L., 1874, Section of the lignitic strata at Golden City: U.S. Geol. Geog. Survey Terr., 17th Ann. Rept., p. 109.
3. Campbell, M.R., and Clark, F.R., 1916, Analyses of coal samples from various parts of the United States, in Contributions to economic geology, 1915, part 2: U.S. Geol. Survey Bull. 621, p. 251-370.
4. Coffin, R.C., 1921, Ground waters of parts of Elbert, El Paso, and Lincoln Counties, in Coffin, R.C., and Tiejje, A.J., Preliminary report on the underground waters of a part of southeastern Colorado: Colorado Geol. Survey Bull. 26, p. 3-8.
5. Colorado Division of Mines, 1978, Coal mine records of Colorado: Colorado Div. Mines, unpublished file information.
6. Colorado Springs Planning Department, 1967, Mining report, Colorado Springs coalfield, a guide for future land use: Colorado Springs Planning Dept., Geol. Sec., 10 p.
7. Colton, R.B., and Lowrie, R.L., 1973, Map showing mined areas of the Boulder-Weld coal field, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-513.
8. Dane, C.H., and Pierce, W.G., 1936, Dawson and Laramie Formations in southeastern part of Denver Basin: Amer. Assoc. Petrol. Geol. Bull., v. 20, no. 10, p. 1308-1328.
9. Eldridge, G.H., 1896, Economic geology - coal, in Emmons, S.F., Cross, Whitman, and Eldridge, G.H., Geology of the Denver Basin in Colorado: U.S. Geol. Survey Mono. 27, p. 317-386.
10. Fieldner, A.C., and others, 1914, Analyses of mine and car samples of coal collected in the Fiscal Years 1911 to 1913: U.S. Bur. Mines Bull. 85, 444 p.
11. Fieldner, A.C., and others, 1918, Analyses of mine and car samples of coal collected in the Fiscal Years 1913 to 1916: U.S. Bur. Mines Bull. 123, 478 p.
12. Fieldner, A.C., and others, 1922, Analyses of mine and car samples of coal collected in Fiscal Years 1916 to 1919: U.S. Bur. Mines Bull. 193, 391 p.
13. George, R.D., and others, 1937, Analyses of Colorado coals: U.S. Bur. Mines Tech. Paper 574, 327 p.

14. Goldman, M.I., 1910, The Colorado Springs coal field, Colorado: U.S. Geol. Survey Bull. 381, p. 317-340.
15. Hayden, F.V., 1868, Notes on the lignite deposits of the West: Amer. Jour. Sci. and Arts, v. 45, no. 134, art. 22, p. 198-208.
16. Holt, R.D., in preparation, Coal resources in Colorado: Colorado Geol. Survey Bull. 34-B.
17. Lord, N.W., 1913, Analyses of coals in the United States, with descriptions of mines and field samples collected between July 1, 1904, and June 30, 1910: U.S. Bur. Mines Bull. 22, 1200 p.
18. Lowrie, R.L., 1966, Analysis of the coal industry in Boulder-Weld coal field, Colorado: U.S. Bur. Mines Rept. Inv. 6726, 79 p.
19. Martin, G.C., 1910, Coal in the Denver Basin, Colorado: U.S. Geol. Survey Bull. 381, p. 297-306.
20. Marvine, A.R., 1874, The sedimentary rocks east of the Front Range: U.S. Geol. Geog. Survey Terr., 7th Ann. Rept., p. 93-136.
21. Myers, A.R., and others, 1978, Coal and clay mine hazard study and estimated unmined coal resources, Jefferson County, Colorado: Amuedo and Ivey, Consulting Geologists, Denver, Colorado.
22. Richardson, G.B., 1917, Note on the age of Scranton coal, Denver Basin, Colorado: Am. Jour. Sci., v. 43, p. 243-244.
23. Scott, G.R., 1962, Geology of the Littleton quadrangle, Jefferson, Douglas, and Arapahoe Counties, Colorado: U.S. Geol. Survey Bull. 1121-L, p. L1-L53.
24. Scott, G.R., 1963, Bedrock geology of the Kassler quadrangle, Colorado: U.S. Geol. Survey Prof. Paper 421-B, p. 71-125.
25. Soister, P.E., 1968a, Geologic map of the Hanover NW quadrangle, El Paso County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-725.
26. Soister, P.E., 1968b, Geologic map of the Corral Bluffs quadrangle, El Paso County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-783.
27. Soister, P.E., 1972, Preliminary geologic map and lignite deposits of the Strasburg NW quadrangle, Arapahoe and Adams Counties, Colorado: U.S. Geol. Survey open-file rept.
28. Soister, P.E., 1974, A preliminary report on a zone containing thick lignite beds, Denver Basin, Colorado: U.S. Geol. Survey open-file rept. 74-27, 64 p.
29. Spencer, F.D., 1961, Geologic map of the bedrock geology of the Louisville quadrangle, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-151.

30. Van Horn, Richard, 1972, Surficial and bedrock geologic map of the Golden quadrangle, Jefferson County, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-761-A.
31. Van Horn, Richard, 1976, Geology of the Golden quadrangle, Colorado: U.S. Geol. Survey Prof. Paper 872, 116 p.

TABLE 2
COAL ANALYSES

ADAMS COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, ¹ FORMATION, AND SEAM NAME	BASIS ²	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE ³
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Parkdale	-	FC,LC	1	18.8	31.1	46.2	3.86	6.18	57.47	0.99	31.23	0.27	9,911	4
			2	-	38.3	56.9	4.76	5.04	70.82	1.22	17.83	0.33	12,213	
			3	-	40.3	59.7	-	5.29	74.36	1.28	18.72	0.35	12,823	
Parkdale	-	FC,LC	1	19.7	30.7	43.6	6.00	6.02	56.54	1.02	30.09	0.33	8,638	4
			2	-	38.3	54.2	7.47	4.78	70.37	1.27	15.70	0.41	10,751	
			3	-	41.4	58.6	-	5.17	76.05	1.37	16.97	0.44	11,619	
Parkdale	-	FC,LC	1	21.2	28.1	44.2	6.53	5.93	55.37	0.99	30.72	0.46	9,262	4
			2	-	35.6	56.1	8.28	4.54	70.21	1.26	15.13	0.58	11,745	
			3	-	38.9	61.1	-	4.95	76.54	1.38	16.50	0.63	12,805	
Thomas	13141	FC,LC	1	35.0	27.4	30.2	7.4	6.6	41.7	0.7	43.3	0.3	6,920	5
			2	-	42.1	46.5	11.4	4.1	64.2	1.1	18.7	0.5	10,740	
			3	-	47.5	52.5	-	4.6	72.4	1.3	21.2	0.5	12,120	
Scranton	-	DL, Watkins(E)	1	26.08	31.54	28.42	13.55	-	-	-	-	0.41	-	4
Scranton	-	DL, Watkins(E)	1	26.37	33.25	32.29	7.57	-	-	-	-	0.52	-	4
Scranton	-	DL, Watkins(E)	1	26.92	30.12	29.32	13.22	-	-	-	-	0.42	-	4
Scranton	-	DL, Watkins(E)	1	27.81	32.56	30.37	8.79	-	-	-	-	0.47	-	4
Scranton	-	DL, Watkins(E)	1	28.25	31.32	31.10	8.90	-	-	-	-	0.43	-	4
Scranton	-	DL, Watkins(E)	1	23.90	31.72	30.84	13.01	-	-	-	-	0.53	-	4

1. Sample type: CH = corehole, FC = face channel, DE = delivered sample, TI = tippie sample;
Formation: DL = Denver Formation lignite, LC = Laramie Formation coal
Note: sample type and seam name are omitted if not known.

2. Basis or type of analysis: 1 = "as-received", 2 = "moisture-free", 3 = "mineral- and moisture-free"

3. See "Bibliography for coal analyses" at end of table for source listing.

ADAMS COUNTY

49

CORE HOLE LOCATION	I.D. NUMBER FOOTAGE	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
NE Corner Sec. 29 T3S,R64W	(DX-425c) (108.0'-172.0')	CH,DL Watkins(E)	1	37.2	23.1	24.2	15.5	-	-	-	-	0.4	6,096	13
			3	-	-	-	-	-	-	-	-	-	12,740	
SE Corner Sec. 19 T3S,R64W	(DX-530c) (60.1'-74.75')	CH,DL, Watkins(E)	1	27.0	27.14	20.80	25.06	-	-	-	-	0.39	5,486	13
			3	-	-	-	-	-	-	-	-	-	11,443	
NW Corner Sec. 34 T3S,R64W	(DX-503c) (121.6'-148.0')	CH,DL, Watkins(E)	1	31.9	25.13	25.79	17.18	-	-	-	-	.48	6,375	13
			3	-	-	-	-	-	-	-	-	-	12,510	
" "	(121.6'-148.0')	CH,DL, Watkins(E)	1	29.68	28.47	23.20	18.66	-	-	-	-	0.39	6,292	13
			2	-	40.47	32.98	26.56	-	-	-	-	0.57	8,943	
SW Corner Sec. 9 T3S,R65W	(DX-355c) (57.7'-85.0')	CH,DL, Watkins(E)	1	35.7	26.4	26.0	11.9	-	-	-	-	0.4	6,820	13
			3	-	-	-	-	-	-	-	-	-	12,990	
SE Corner Sec. 19 T3S,R64W	(DX-522c) (74.75'-107.15')	CH,DL, Watkins(E)	1	34.0	24.3	23.7	17.9	-	-	-	-	0.4	5,953	13
			3	-	-	-	-	-	-	-	-	-	12,390	
SW Corner Sec. 26 T3S,R64W	(DX-519c) (70.50'-95.80')	CH,DL, Watkins(E)	1	31.79	25.7	26.1	16.41	-	-	-	-	0.36	6,590	13
			3	-	-	-	-	-	-	-	-	-	12,722	
N½ Corner Sec. 27 T3S,R65W	(DX-517c) (67.20'-89.72')	CH,DL, Watkins(E)	1	34.44	26.13	23.58	15.86	-	-	-	-	0.37	5,914	13
			3	-	-	-	-	-	-	-	-	-	12,059	
SE Corner Sec. 9 T3S,R65W	(DX-514c) (66.55'-97.73')	CH,DL, Watkins(E)	1	29.65	26.54	27.74	16.06	-	-	-	-	0.35	6,931	13
			3	-	-	-	-	-	-	-	-	-	12,767	
N½ Corner Sec. 22 T3S,R65W	(DX-516c) (46.1'-74.8')	CH,DL, Watkins(E)	1	28.48	31.18	26.94	13.40	-	-	-	-	0.40	7,148	13
			2	-	43.57	37.67	18.76	-	-	-	-	0.56	9,990	
SE Corner Sec. 21 T3S,R64W	(DX-521c) (74.75'-120.6')	CH,DL, Watkins(E)	1	31.73	26.17	24.82	17.13	-	-	-	-	0.38	6,514	13
			3	-	-	-	-	-	-	-	-	-	12,742	
" "	(74.75'-120.6')	CH,DL, Watkins(I)	1	24.68	31.52	24.04	19.76	-	-	-	-	0.42	6,719	13
			2	-	41.89	31.94	26.17	-	-	-	-	0.56	8,920	
SW Corner Sec. 34 T3S,R64W	(DX-58c) (123.8'-126.3')	CH,DL, Watkins(E)	1	32.8	23.8	25.6	17.8	-	-	-	-	0.28	6,427	13

ADAMS COUNTY

CORE HOLE LOCATION	I.D. NUMBER	SAMPLE TYPE, FORIATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
	FOOTAGE			MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
SW Corner Sec. 34 T3S,R64W	(DX-58c) (126.4'-127.0')	CH,DL, Watkins(E)	1	27.2	-	-	32.77	-	-	-	-	0.34	4,671	13
	(127.5'-128.6')	CH,DL, Watkins(E)	1	35.8	21.4	27.7	15.1	-	-	-	-	0.30	6,219	13
	(129.4'-131.0')	CH,DL, Watkins(E)	1	31.2	26.2	27.5	15.1	-	-	-	-	0.36	6,510	13
	(131.0'-133.3')	CH,DL, Watkins(E)	1	31.8	-	-	20.84	-	-	-	-	0.35	5,801	13
	(133.5'-135.0')	CH,DL, Watkins(E)	1	30.4	20.6	19.0	29.9	-	-	-	-	0.32	4,481	13
	(140.0'-141.5')	CH,DL, Watkins(E)	1	33.2	-	-	20.03	-	-	-	-	0.44	5,764	13
	(141.5'-141.7')	CH,DL, Watkins(E)	1	22.8	-	-	54.6	-	-	-	-	0.40	1,011	13
	(141.7'-143.4')	CH,DL, Watkins(E)	1	30.5	-	-	28.2	-	-	-	-	0.38	4,966	13
	(143.4'-145.0')	CH,DL, Watkins(E)	1	28.0	-	-	40.79	-	-	-	-	0.26	3,428	13
SW Corner Sec. 34 T3S,R64W	(DX-58c) (145.0'-145.9')	CH,DL, Watkins(E)	1	22.6	-	-	50.69	-	-	-	-	0.35	2,377	13
	(145.7'-146.3')	CH,DL, Watkins(E)	1	35.2	22.9	24.4	17.4	-	-	-	-	0.53	5,970	13
	(146.7'-147.2')	CH,DL, Watkins(E)	1	29.0	-	-	31.0	-	-	-	-	0.38	4,933	13
Sec. 22 T3S,R65W	(365-22-1)	CH,DL, Watkins(E)	1	27.16	21.98	19.36	31.50	-	-	-	-	0.21	4,826	11
	(144.5'-147.5')		2	-	30.17	26.59	43.24	-	-	-	-	0.29	6,625	
	(147.5'-149.2')	CH,DL, Watkins(E)	1	32.01	26.75	24.77	16.47	-	-	-	-	0.29	6,297	11
			2	-	39.35	36.42	24.23	-	-	-	-	0.42	9,261	
	(149.2'-151.1')	CH,DL, Watkins(E)	1	29.39	24.03	16.39	30.19	-	-	-	-	0.24	5,246	11
(153.5'-154.8')	CH,DL, Watkins(E)	2	-	34.03	23.21	42.76	-	-	-	-	0.34	7,429		
			1	28.88	-	-	21.43	-	-	-	-	-	5,941	11

ADAMS COUNTY

CORE HOLE LOCATION	I.D. NUMBER	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
	FOOTAGE			MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Sec. 22 T3S,R65W	(154.8'-156.5')	CH,DL, Watkins(E)	1	27.13	17.53	10.82	44.52	-	-	-	-	0.10	2,693	11
			2	-	24.06	14.84	61.10	-	-	-	-	0.14	3,696	
"	(156.5'-159.5')	CH,DL, Watkins(E)	1	35.52	24.03	24.60	15.85	-	-	-	-	0.19	5,953	11
			2	-	37.27	38.15	24.58	-	-	-	-	0.29	9,232	
"	(159.5'-161.3')	CH,DL, Watkins(E)	1	27.60	16.34	12.31	43.75	-	-	-	-	0.07	2,706	11
			2	-	22.57	17.00	60.43	-	-	-	-	0.10	3,738	
"	(161.3'-162.5')	CH,DL, Watkins(E)	1	36.63	26.23	26.92	10.22	-	-	-	-	0.22	6,526	11
			2	-	41.39	42.48	16.13	-	-	-	-	0.34	10,299	
"	(162.5'-165.5')	CH,DL, Watkins(E)	1	34.08	26.55	23.57	15.80	-	-	-	-	0.23	6,144	11
			2	-	40.28	35.75	23.97	-	-	-	-	0.35	9,321	
"	(165.5'-168.5')	CH,DL, Watkins(E)	1	33.96	21.96	18.54	25.54	-	-	-	-	0.24	4,781	11
			2	-	33.25	28.07	38.68	-	-	-	-	0.37	7,239	
"	(168.5'-170.1')	CH,DL, Watkins(E)	1	36.12	26.38	25.15	12.35	-	-	-	-	0.33	6,405	11
			2	-	41.30	39.37	19.33	-	-	-	-	0.51	10,027	
"	(172.0'-174.5')	CH,DL, Watkins(E)	1	27.65	21.53	17.02	33.80	-	-	-	-	0.27	4,253	11
			2	-	29.76	23.52	46.72	-	-	-	-	0.38	5,878	
"	(253.9'-254.5')	CH,DL, Watkins(E)	1	24.94	20.93	16.43	37.70	-	-	-	-	0.40	4,082	11
			2	-	27.88	21.89	50.23	-	-	-	-	0.53	5,438	
"	(254.5'-258.7')	CH,DL, Watkins(E)	1	27.70	23.25	18.42	30.63	-	-	-	-	0.22	4,835	11
			2	-	32.16	25.48	42.36	-	-	-	-	0.30	6,687	
"	(258.7'-261.5')	CH,DL, Watkins(E)	1	29.29	22.16	18.27	30.28	-	-	-	-	0.25	4,672	11
			2	-	31.34	25.84	42.82	-	-	-	-	0.36	6,607	
SW Corner Sec. 32 T3S,R59W	(DX-275c) (50.6'-55.8')	CH,LC	1	32.8	-	-	-	14.1	-	-	-	0.44	6,280	13

ARAPAHOE COUNTY

CORE HOLE LOCATION	I.D. NUMBER FOOTAGE	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
E $\frac{1}{2}$ Corner Sec. 2 T4S,R64W	(DX-418c) (32.7'-51.9')	CH,DL, Watkins(E)	1	36.6	23.72	21.68	18.00	-	-	-	-	0.51	5,942	13
			3	-	-	-	-	-	-	-	-	-	13,088	
"	(51.9'-60.2')	CH,DL, Watkins(E)	1	34.4	22.02	19.94	23.24	-	-	-	-	0.39	5,194	13
3	-	-	-	-	-	-	-	-	-	-	-	12,378		
E $\frac{1}{2}$ Corner Sec. 2 T4S,R64W	(DX-418c) (32.7'-51.9')	CH,DL, Watkins(E)	1	27.65	26.56	24.24	21.55	2.83	35.60	0.65	11.29	0.42	6,107	13
			2	-	36.31	33.51	29.78	3.91	49.20	0.90	15.61	0.58	8,317	
C NE $\frac{1}{2}$ NE $\frac{1}{2}$ Sec. 30 T4S,R63W	(463-30-2) (22.5'-25.5')	CH,DL, Lowry(B)	1	27.00	32.15	31.50	9.35	-	-	-	-	0.35	7,813	11
			2	-	44.04	43.15	12.81	-	-	-	-	0.48	10,703	
"	(50.0'-53.5')	CH,DL, Bennet(C)	1	37.80	27.93	26.59	7.68	-	-	-	-	0.40	6,800	11
			2	-	44.90	42.76	12.34	-	-	-	-	0.65	10,933	
"	(53.5'-56.5')	CH,DL, Bennet(C)	1	30.14	24.02	21.89	23.95	-	-	-	-	0.39	5,368	11
			2	-	34.39	31.32	34.29	-	-	-	-	0.56	7,684	
"	(56.5'-58.5')	CH,DL, Bennet(C)	1	27.65	22.93	17.28	32.14	-	-	-	-	0.27	4,397	11
			2	-	31.69	23.89	44.42	-	-	-	-	0.38	6,077	
"	(58.5'-61.5')	CH,DL, Bennet(C)	1	29.62	23.23	16.94	30.21	-	-	-	-	0.32	4,473	11
			2	-	33.01	24.06	42.93	-	-	-	-	0.45	6,356	
"	(61.5'-63.8')	CH,DL, Bennet(C)	1	35.28	24.66	22.44	17.62	-	-	-	-	0.36	5,708	11
			2	-	38.11	34.66	27.23	-	-	-	-	0.55	8,819	
C NE $\frac{1}{2}$ NE $\frac{1}{2}$ Sec. 30 T4S,R63W	(463-30-2) (64.5'-66.9')	CH,DL, Bennet(C)	1	34.88	27.01	23.49	14.62	-	-	-	-	0.51	6,356	11
			2	-	41.48	36.07	22.45	-	-	-	-	0.79	9,761	
"	(153.5'-155.3')	CH,DL, Watkins(E)	1	36.62	26.07	25.51	11.80	-	-	-	-	0.46	6,463	11
			2	-	41.14	40.25	18.61	-	-	-	-	0.73	10,198	
"	(155.3'-158.0')	CH,DL, Watkins(E)	1	31.80	24.40	21.03	22.71	-	-	-	-	0.27	5,412	11
			2	-	35.77	30.84	33.39	-	-	-	-	0.40	7,935	
"	(158.0'-158.75')	CH,DL, Watkins(E)	1	27.22	23.46	17.49	31.83	-	-	-	-	0.25	4,753	11
			2	-	32.23	24.04	43.73	-	-	-	-	0.35	6,531	
"	(158.75'-159.5')	CH,DL, Watkins(E)	1	33.63	24.32	18.87	23.18	-	-	-	-	0.27	5,098	11
			2	-	36.64	28.44	34.92	-	-	-	-	0.41	7,681	
"	(159.5'-161.4')	CH,DL, Watkins(E)	1	25.21	18.57	12.48	43.74	-	-	-	-	0.13	2,936	11
			2	-	24.83	16.69	58.48	-	-	-	-	0.17	3,926	
"	(161.4'-164.0')	CH,DL, Watkins(E)	1	27.88	22.70	16.84	32.58	-	-	-	-	0.23	4,517	11
			2	-	31.48	23.35	45.17	-	-	-	-	0.32	6,263	

ARAPAHOE COUNTY

CORE HOLE LOCATION	I.D. NUMBER FOOTAGE	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
C NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 2 T4S, R64W	(164.0'-167.0')	CH, DL, Watkins (E)	1	31.00	25.49	14.87	28.64	-	-	-	-	0.70	4,781	11
			2	-	36.94	21.56	41.50	-	-	-	-	1.01	6,929	
"	(167.0'-169.3')	CH, DL, Watkins (E)	1	29.67	21.11	19.82	29.40	-	-	-	-	0.23	4,714	11
			2	-	30.01	28.19	41.80	-	-	-	-	0.33	6,703	
"	(169.3'-170.5')	CH, DL, Watkins (E)	1	18.96	24.14	18.60	38.30	-	-	-	-	0.30	4,717	11
			2	-	29.79	22.95	47.26	-	-	-	-	0.37	5,821	
"	(170.5'-173.0')	CH, DL, Watkins (E)	1	30.28	20.18	19.68	29.76	-	-	-	-	0.89	4,794	11
			2	-	28.99	28.26	42.75	-	-	-	-	1.28	6,886	
"	(173.0'-174.2')	CH, DL, Watkins (E)	1	28.62	23.18	18.22	29.98	-	-	-	-	0.29	4,703	11
			2	-	32.48	25.52	42.00	-	-	-	-	0.41	6,588	
"	(174.2'-175.4')	CH, DL, Watkins (E)	1	25.89	25.49	14.77	33.85	-	-	-	-	0.30	4,635	11
			2	-	34.39	19.94	45.67	-	-	-	-	0.40	6,254	
"	(175.4'-178.2')	CH, DL, Watkins (E)	1	31.71	21.51	18.00	28.78	-	-	-	-	0.24	4,419	11
			2	-	31.50	26.36	42.14	-	-	-	-	0.35	6,471	
NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32 T4S, R63W	(463-32-1) (163.9'-166.0')	CH, DL Watkins (E)	1	28.6	20.6	32.7	18.1	-	-	-	-	0.6	6,659	11
"	(170.0'-181.0')	CH, DL	1	34.2	23.3	24.7	17.8	-	-	-	-	0.2	5,774	11
NE $\frac{1}{4}$ NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 26 T4S, R64W	(464-26-1) (71.0'-74.0')	CH, DL	1	30.5	23.8	19.5	26.2	-	-	-	-	0.5	5,217	11
"	(173.3'-176.0')	CH, DL	1	28.3	22.2	14.8	34.8	-	-	-	-	0.2	3,893	11
C NE $\frac{1}{4}$ Sec. 6 T5S, R63W	(563-6-2) (75.0'-78.0')	CH, DL, A	1	30.1	19.2	13.9	36.8	-	-	-	-	1.0	3,587	11
"	(96.0'-99.0')	CH, DL, A	1	38.6	26.1	23.7	11.7	-	-	-	-	0.6	6,053	11

BOULDER

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Acme	- 6838	FC,LC	1	21.6	27.8	47.0	3.6	5.9	56.0	1.1	33.0	0.4	9,510	14
			2	-	35.5	60.0	4.5	4.5	71.5	1.4	17.6	0.5	12,130	
			3	-	37.2	62.8	-	4.7	74.9	1.5	18.4	0.5	12,710	
Acme	- 6837	FC,LC	1	20.5	30.5	44.0	5.0	6.1	56.2	1.1	31.3	0.3	9,520	14
			2	-	38.4	55.3	6.3	4.8	70.6	1.4	16.5	0.4	11,970	
			3	-	41.0	59.0	-	5.1	75.4	1.5	17.5	0.5	12,780	
Acme	- 6839	FC,LC	1	18.8	30.5	44.4	6.3	6.0	56.3	1.1	30.0	0.3	9,650	14
			2	-	37.6	54.7	7.7	4.8	69.4	1.3	16.4	0.4	11,880	
			3	-	40.7	59.3	-	5.2	75.2	1.4	17.7	0.5	12,870	
Acme	- 31384	FC,LC	1	20.5	32.8	42.4	4.3	6.0	56.9	1.2	31.3	0.3	9,750	7
			2	-	41.3	53.2	5.5	4.6	71.5	1.6	16.4	0.4	12,270	
			3	-	43.7	56.3	-	4.9	75.7	1.7	17.3	0.4	12,980	
Acme	-	FC,LC	1	20.5	30.5	44.0	5.03	6.10	56.17	1.12	31.24	0.34	9,524	15
			2	-	38.4	55.3	6.32	4.81	70.61	1.41	16.42	0.43	11,972	
			3	-	41.0	59.0	-	5.13	75.38	1.51	17.52	0.46	12,780	
Acme	-	FC,LC	1	21.6	27.8	47.0	3.55	5.93	56.06	1.00	33.00	0.37	9,508	15
			2	-	35.5	60.0	4.53	4.51	71.53	1.39	17.57	0.47	12,132	
			3	-	37.2	62.8	-	4.72	74.93	1.46	18.40	0.49	12,780	
Acme	-	FC,LC	1	18.8	30.5	44.5	6.25	6.00	56.35	1.08	29.98	0.34	9,648	15
			2	-	37.6	54.7	7.70	4.81	69.39	1.33	16.35	0.42	11,880	
			3	-	40.7	59.3	-	5.21	75.18	1.44	17.71	0.46	12,870	
Acme	-	LC	1	14.38	38.79	42.67	4.16	-	-	-	0.29	-	4	
Acme	-	LC	1	12.95	38.27	43.52	5.26	-	-	-	0.37	-	4	
Acme	-	LC	1	14.07	37.88	42.95	5.10	-	-	-	0.32	-	4	
Acme	-	LC	1	15.63	35.30	46.46	2.61	-	-	-	0.30	-	4	
Ajax	-	LC	1	14.11	36.39	44.91	4.59	-	-	-	0.34	-	4	
Ajax	-	LC	1	14.10	36.08	45.56	4.26	-	-	-	0.34	-	4	
Ajax	-	LC	1	15.8	38.08	40.85	5.26	-	-	-	0.35	-	4	
Allen-Bond	-	LC	1	12.45	37.57	45.13	4.85	-	-	-	0.33	-	4	
Arrow	- A96315	FC,LC	1	24.0	27.2	43.7	5.1	-	-	-	0.5	9,390	9	
Arrow	- A96316	FC,LC	1	23.6	27.8	44.0	4.6	-	-	-	0.5	9,560	9	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Arrow	- A96317	FC,LC	1	23.8	27.7	43.7	4.8	6.2	55.0	1.3	32.2	0.5	9,500	9	
			2	-	36.3	57.4	6.3	4.7	72.1	1.7	14.6	0.6	12,460		
			3	-	38.8	61.2	-	5.0	77.0	1.8	15.5	0.7	13,300		
Arrow	-	TI,LC	1	23.7	-	-	-	-	-	-	-	-	8,840	9	
			2	-	34.4	53.1	12.5	-	-	-	-	1.1	11,590		
			3	-	-	-	-	-	-	-	-	-	13,250		
Baker	-	LC	1	18.38	33.28	44.08	3.72	-	-	-	-	0.54	-	4	
Baker	-	LC	1	16.38	34.67	45.03	3.46	-	-	-	-	0.44	-	4	
Baker	-	LC	1	17.75	34.41	43.90	3.45	-	-	-	-	0.49	-	4	
Baker	-	LC	1	15.00	30.50	50.65	3.85	-	-	-	-	-	-	-	
Black Diamond	-	TI,LC	1	20.8	39.2	53.7	7.1	-	-	-	-	-	0.5	9,730	18
			2	-	-	-	-	-	-	-	-	-	-	12,290	
			3	-	-	-	-	-	-	-	-	-	-	13,230	
Black Diamond	-	TI,LC	1	20.7	38.6	56.0	5.4	4.8	72.7	1.6	15.1	0.4	9,940	18	
			2	-	-	-	-	-	-	-	-	-	-		12,530
			3	-	-	-	-	-	-	-	-	-	-		13,250
Black Diamond	-	TI,LC	1	20.5	37.0	54.9	8.1	-	-	-	-	-	0.7	9,730	18
			2	-	-	-	-	-	-	-	-	-	-	12,240	
			3	-	-	-	-	-	-	-	-	-	-	13,320	
Black Diamond	-	TI,LC	1	19.9	38.4	56.0	5.6	-	-	-	-	-	0.5	9,990	18
			2	-	-	-	-	-	-	-	-	-	-	12,470	
			3	-	-	-	-	-	-	-	-	-	-	13,210	
Black Diamond	-	TI,LC	1	20.9	40.6	52.5	6.9	-	-	-	-	-	0.4	9,710	18
			2	-	-	-	-	-	-	-	-	-	-	12,270	
			3	-	-	-	-	-	-	-	-	-	-	13,180	
Black Diamond	-	TI,LC	1	19.9	-	-	-	-	-	-	-	-	-	9,990	9
			2	-	38.4	56.0	5.6	-	-	-	-	-	0.5	12,470	
			3	-	-	-	-	-	-	-	-	-	-	13,220	
Black Diamond No. 2	- B74559	TI,LC	1	20.7	-	-	4.3	-	-	-	-	0.35	-	19	
Black Diamond No. 2	- A96044	FC,LC	1	20.4	30.2	45.2	4.2	-	-	-	-	0.5	10,000	9	
Black Diamond No. 2	- A96045	FC,LC	1	22.4	29.9	43.5	4.8	-	-	-	-	0.5	9,640	9	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Black Diamond No. 2	- A96046	FC,LC	1	21.9	29.5	44.0	4.6	-	-	-	-	0.3	9,700	9
Black Diamond No. 2	- A96047	FC,LC	1	21.7	29.4	44.8	4.1	-	-	-	-	0.3	9,810	9
Black Diamond No. 2	- A96048	FC,LC	1	21.5	29.8	44.2	4.5	6.2	56.5	1.2	31.2	0.4	9,790	9
			2	-	38.0	56.3	5.7	4.8	72.0	1.6	15.4	0.5	12,470	
			3	-	40.3	59.7	-	5.1	76.4	1.7	16.3	0.5	13,220	
Caledonia	-	LC	1	12.87	37.29	45.19	4.65	-	-	-	-	0.28	-	4
Caledonia	-	LC	1	13.93	38.09	43.62	4.36	-	-	-	-	0.38	-	4
Caledonia	-	LC	1	14.28	37.59	43.65	4.48	-	-	-	-	0.47	-	4
Canon	-	LC	1	13.26	37.78	44.14	4.82	-	-	-	-	0.46	-	4
Canon	-	LC	1	11.85	39.61	44.70	3.84	-	-	-	-	0.46	-	4
Champion	- 82613	FC,LC	1	18.4	30.8	43.1	7.7	-	-	-	-	0.6	9,670	9
Champion	- 82616	FC,LC	1	19.0	29.7	43.8	6.7	5.9	55.9	1.3	29.7	0.5	9,730	9
			2	-	37.0	54.7	8.3	4.6	69.7	1.6	15.2	0.6	12,130	
			3	-	40.3	59.7	-	5.1	76.0	1.7	16.5	0.7	13,220	
Cleveland	-	LC	1	18.07	33.84	43.77	3.84	-	-	-	-	0.48	-	4
Cleveland	-	LC	1	16.76	33.81	45.30	3.60	-	-	-	-	0.53	-	4
Crown	-	DE,LC	1	17.6	40.8	53.6	5.6	-	-	-	-	0.3	10,290	18
			2	-	-	-	-	-	-	-	-	-	12,490	
			3	-	-	-	-	-	-	-	-	-	13,230	
Crown	-	DE,LC	1	21.0	40.8	53.3	5.9	-	-	-	-	0.4	9,740	18
			2	-	-	-	-	-	-	-	-	-	12,330	
			3	-	-	-	-	-	-	-	-	-	13,100	
Crown	-	DE,LC	1	19.8	38.8	54.0	7.2	-	-	-	-	0.5	9,820	18
			2	-	-	-	-	-	-	-	-	-	12,240	
			3	-	-	-	-	-	-	-	-	-	13,190	
Crown	-	DE,LC	1	17.5	39.7	54.9	5.4	-	-	-	-	0.5	10,290	18
			2	-	-	-	-	-	-	-	-	-	12,470	
			3	-	-	-	-	-	-	-	-	-	13,180	
Crown	-	DE,LC	1	20.9	37.6	55.8	6.6	-	-	-	-	0.6	9,730	18
			2	-	-	-	-	-	-	-	-	-	12,300	
			3	-	-	-	-	-	-	-	-	-	13,170	
Crown	-	TI,LC	1	19.5	39.8	54.4	5.8	-	-	-	-	0.2	9,930	18
			2	-	-	-	-	-	-	-	-	-	12,330	
			3	-	-	-	-	-	-	-	-	-	13,090	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Crown	-	TI,LC	1	19.8	39.0	54.7	6.3	-	-	-	-	0.3	9,920	18
			2	-	-	-	-	-	-	-	-	-	12,370	
			3	-	-	-	-	-	-	-	-	-	13,200	
Crown	-	TI,LC	1	19.0	38.7	53.9	7.4	-	-	-	-	0.3	9,900	18
			2	-	-	-	-	-	-	-	-	-	12,220	
			3	-	-	-	-	-	-	-	-	-	13,200	
Crown	-	TI,LC	1	19.5	39.6	54.3	6.1	-	-	-	-	0.2	9,900	18
			2	-	-	-	-	-	-	-	-	-	12,300	
			3	-	-	-	-	-	-	-	-	-	13,100	
Crown	-	TI,LC	1	19.6	38.0	56.5	5.5	-	-	-	-	0.3	10,120	18
			2	-	-	-	-	-	-	-	-	-	12,590	
			3	-	-	-	-	-	-	-	-	-	13,320	
Crown	-	DE,LC	1	17.6	39.4	54.8	5.8	-	-	-	-	0.3	10,240	18
			2	-	-	-	-	-	-	-	-	-	12,430	
			3	-	-	-	-	-	-	-	-	-	13,200	
Crown	-	DE,LC	1	17.9	40.6	53.0	6.4	-	-	-	-	0.4	10,250	18
			2	-	-	-	-	-	-	-	-	-	12,480	
			3	-	-	-	-	-	-	-	-	-	13,330	
Crown	-	TI,LC	1	18.5	37.8	54.9	7.3	-	-	-	-	0.4	10,040	18
			2	-	-	-	-	-	-	-	-	-	12,320	
			3	-	-	-	-	-	-	-	-	-	13,290	
Crown	-	TI,LC	1	19.3	40.3	54.0	5.7	-	-	-	-	0.2	9,990	18
			2	-	-	-	-	-	-	-	-	-	12,380	
			3	-	-	-	-	-	-	-	-	-	13,130	
Crown	-	TI,LC	1	19.6	39.2	54.1	6.7	-	-	-	-	-	9,790	18
			2	-	-	-	-	-	-	-	-	-	12,180	
			3	-	-	-	-	-	-	-	-	-	13,050	
Crown	-	DE,LC	1	23.3	39.9	52.7	7.4	-	-	-	-	0.5	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,260	
			3	-	-	-	-	-	-	-	-	-	13,240	
Crown	-	TI,LC	1	19.2	39.9	52.8	7.3	-	-	-	-	0.3	9,810	18
			2	-	-	-	-	-	-	-	-	-	12,140	
			3	-	-	-	-	-	-	-	-	-	13,100	
Crown	-	TI,LC	1	19.9	39.2	54.1	6.7	-	-	-	-	0.3	9,830	18
			2	-	-	-	-	-	-	-	-	-	12,270	
			3	-	-	-	-	-	-	-	-	-	13,150	
Crown	-	DE,LC	1	22.0	38.7	54.6	6.7	-	-	-	-	0.5	9,630	18
			2	-	-	-	-	-	-	-	-	-	12,340	
			3	-	-	-	-	-	-	-	-	-	13,230	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATIER	FIXED C	ASH	H	C	N	O	S			
Crown	-	DE,LC	1	20.4	39.1	55.4	5.5	-	-	-	-	0.3	9,850	18	
			2	-	-	-	-	-	-	-	-	-	12,380		
			3	-	-	-	-	-	-	-	-	-	13,100		
Crown	-	TI,LC	1	19.4	39.4	53.9	6.7	-	-	-	-	0.2	9,860	18	
			2	-	-	-	-	-	-	-	-	-	12,230		
			3	-	-	-	-	-	-	-	-	-	13,110		
Crown	-	DE,LC	1	18.1	39.5	53.7	6.8	-	-	-	-	0.5	9,980	18	
			2	-	-	-	-	-	-	-	-	-	12,190		
			3	-	-	-	-	-	-	-	-	-	13,030		
Crown	-	DE,LC	1	18.7	40.8	52.5	6.7	-	-	-	-	0.4	9,930	18	
			2	-	-	-	-	-	-	-	-	-	12,220		
			3	-	-	-	-	-	-	-	-	-	13,100		
Crown	-	DE,LC	1	22.3	39.5	54.1	6.4	-	-	-	-	0.5	9,670	18	
			2	-	-	-	-	-	-	-	-	-	12,440		
			3	-	-	-	-	-	-	-	-	-	13,290		
Crown	-	DE,LC	1	18.8	38.4	53.9	7.7	-	-	-	-	0.4	9,910	18	
			2	-	-	-	-	-	-	-	-	-	12,210		
			3	-	-	-	-	-	-	-	-	-	13,230		
Crown	A96279	FC,LC	1	17.8	31.4	46.6	4.2	-	-	-	-	0.2	10,140	9	
Crown	A96280	FC,LC	1	17.6	32.1	45.7	4.6	-	-	-	-	0.4	10,120	9	
Crown	A96281	FC,LC	1	19.8	30.7	45.9	3.6	-	-	-	-	0.3	10,000	9	
Crown	A96282	FC,LC	1	18.3	31.9	45.6	4.2	6.0	58.7	1.3	29.5	0.3	10,130	9	
			2	-	39.0	55.9	5.1	4.9	71.8	1.6	16.2	0.4	12,400		
			3	-	41.1	58.9	-	5.1	75.7	1.7	17.1	0.4	13,060		
Crown	-	TI,LC	1	18.4	-	-	-	-	-	-	-	-	-	9,980	9
			2	-	37.8	55.9	6.3	-	-	-	-	0.4	12,230		
			3	-	-	-	-	-	-	-	-	-	13,060		
Eldorado	-	TI,LC	1	17.0	-	-	-	-	-	-	-	-	-	10,220	9
			2	-	38.5	55.4	6.1	-	-	-	-	1.7	12,300		
			3	-	-	-	-	-	-	-	-	-	13,100		
Eldorado	A95725	FC,LC	1	18.5	31.7	45.0	4.8	-	-	-	-	1.5	9,980	9	
Eldorado	A95726	FC,LC	1	19.3	32.0	45.0	3.7	-	-	-	-	1.5	10,040	9	
Eldorado	A95727	FC,LC	1	19.6	31.1	44.5	4.8	-	-	-	-	1.9	9,790	9	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Eldorado	- A95728	FC,LC	1	19.1	31.6	44.9	4.4	6.0	56.8	0.9	30.3	1.6	9,950	9
			2	-	39.0	55.5	5.5	4.8	70.2	1.1	16.4	2.0	12,300	
			3	-	41.3	58.7	-	5.1	74.3	1.2	17.3	2.1	13,010	
Excelsior	-	LC	1	13.42	37.02	45.10	3.66	-	-	-	-	0.34	-	4
Excelsior	-	LC	1	13.04	37.01	45.16	3.99	-	-	-	-	0.46	-	4
Excelsior	-	LC	1	13.47	38.13	44.56	3.84	-	-	-	-	0.53	-	4
Fireside	- A95943	FC,LC	1	21.9	28.5	44.6	5.0	-	-	-	-	0.4	9,630	9
Fireside	- A95944	FC,LC	1	20.9	28.4	45.9	4.8	-	-	-	-	0.4	9,980	9
Fireside	- A95945	FC,LC	1	20.6	28.7	43.9	6.8	-	-	-	-	0.6	9,630	9
Fireside	- A95946	FC,LC	1	21.2	28.4	44.9	5.5	6.1	56.3	1.1	30.5	0.5	9,740	9
			2	-	36.0	57.0	7.0	4.7	71.4	1.4	14.9	0.6	12,350	
			3	-	38.7	61.3	-	5.0	76.8	1.5	16.0	0.7	13,280	
Fox	-	LC	1	18.67	28.66	47.36	4.90	-	-	-	-	0.41	-	4
Fox	-	LC	1	16.24	32.60	46.62	3.68	-	-	-	-	0.86	-	4
Fox	-	LC	1	14.37	33.85	47.91	3.20	-	-	-	-	0.67	-	4
Fox	-	LC	1	15.06	36.10	45.08	2.94	-	-	-	-	0.74	-	4
Garfield No. 1	-	LC	1	17.25	30.82	47.86	3.55	-	-	-	-	0.52	-	4
Garfield No. 1	-	LC	1	16.80	34.51	44.63	3.52	-	-	-	-	0.54	-	4
Garfield No. 1	-	LC	1	17.03	34.14	43.89	4.53	-	-	-	-	0.41	-	4
Garfield No. 1	-	LC	1	17.06	34.59	44.68	3.25	-	-	-	-	0.42	-	4
Gladstone	-	LC	1	13.72	36.70	44.93	4.65	-	-	-	-	0.36	-	4
Gorham	-	TI,LC	1	18.9	-	-	-	-	-	-	-	-	10,130	9
			2	-	38.4	56.1	5.5	-	-	-	-	0.4	12,490	
			3	-	-	-	-	-	-	-	-	-	13,210	
Gorham	- A95657	FC,LC	1	19.9	30.9	44.9	4.3	-	-	-	-	0.4	9,850	9
Gorham	- A95658	FC,LC	1	19.6	30.9	45.6	3.9	-	-	-	-	0.3	10,080	9
Gorham	- A95659	FC,LC	1	19.7	31.0	45.2	4.1	5.9	57.7	1.2	30.8	0.3	9,970	9
			2	-	38.6	55.2	5.2	4.6	71.9	1.5	16.4	0.4	12,420	
			3	-	40.7	59.3	-	4.9	75.8	1.6	17.3	0.4	13,100	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Highway	-	TI,LC	1	20.1	37.3	57.9	4.8	-	-	-	-	0.4	10,170	18
			2	-	-	-	-	-	-	-	-	-	12,730	
			3	-	-	-	-	-	-	-	-	-	13,370	
Highway	-	TI,LC	1	21.2	38.7	56.2	5.1	-	-	-	-	0.3	9,960	18
			2	-	-	-	-	-	-	-	-	-	12,640	
			3	-	-	-	-	-	-	-	-	-	13,320	
Highway	-	TI,LC	1	20.4	39.6	55.3	5.1	-	-	-	-	0.3	10,070	18
			2	-	-	-	-	-	-	-	-	-	12,650	
			3	-	-	-	-	-	-	-	-	-	13,330	
Highway	-	TI,LC	1	20.7	39.9	55.0	5.1	-	-	-	-	0.3	9,980	18
			2	-	-	-	-	-	-	-	-	-	12,580	
			3	-	-	-	-	-	-	-	-	-	13,260	
Highway	-	TI,LC	1	20.7	39.1	55.5	5.4	-	-	-	-	0.2	9,940	18
			2	-	-	-	-	-	-	-	-	-	12,540	
			3	-	-	-	-	-	-	-	-	-	13,260	
Highway	-	TI,LC	1	21.0	38.4	55.9	5.7	-	-	-	-	0.3	9,870	18
			2	-	-	-	-	-	-	-	-	-	12,490	
			3	-	-	-	-	-	-	-	-	-	13,240	
Highway	-	TI,LC	1	20.7	38.2	53.2	8.6	-	-	-	-	0.4	9,640	18
			2	-	-	-	-	-	-	-	-	-	12,160	
			3	-	-	-	-	-	-	-	-	-	13,300	
Highway	-	DE,LC	1	20.3	38.7	55.2	6.1	-	-	-	-	0.5	9,960	18
			2	-	-	-	-	-	-	-	-	-	12,500	
			3	-	-	-	-	-	-	-	-	-	13,310	
Highway	-	DE,LC	1	20.8	38.6	56.0	5.4	-	-	-	-	0.4	9,930	18
			2	-	-	-	-	-	-	-	-	-	12,540	
			3	-	-	-	-	-	-	-	-	-	13,260	
Highway	-	DE,LC	1	20.8	38.7	54.5	6.8	-	-	-	-	0.3	9,810	18
			2	-	-	-	-	-	-	-	-	-	12,390	
			3	-	-	-	-	-	-	-	-	-	13,290	
Highway	B73574	TI,LC	1	20.1	-	-	3.9	-	-	-	-	0.28 ^a	-	19
Highway	A66500	FC,LC	1	20.1	29.9	40.0	10.0	-	-	-	-	0.4	9,240	9
			2	-	37.4	50.1	12.5	-	-	-	-	-	0.5	
Highway	A66501	FC,LC	1	20.2	31.2	45.2	3.4	-	-	-	-	0.3	10,240	9

a) Sulfur forms: 0.00% sulfate, 0.02% pyritic, 0.26% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Highway	- A66502	FC,LC	1	20.8	29.2	45.2	4.8	-	-	-	-	0.3	9,920	9	
Highway	- A66503	FC,LC	1	18.1	32.7	45.6	3.6	-	-	-	-	0.4	10,400	9	
Highway	- A66504	FC,LC	1	19.9	31.2	45.0	3.9	6.1	58.9	1.3	29.5	0.3	10,220	9	
			2	-	38.9	56.2	4.9	4.9	73.5	1.6	14.7	0.4	12,760		
			3	-	40.9	59.1	-	5.2	77.3	1.7	15.4	0.4	13,410		
Industrial	- 6836	FC,LC	1	17.3	32.1	46.0	4.6	6.0	58.5	1.1	29.5	0.3	9,950	14	
			2	-	38.8	55.6	5.6	4.9	70.8	1.3	17.0	0.4	12,030		
			3	-	41.1	58.9	-	5.2	75.0	1.4	18.0	0.4	12,750		
Industrial	- 33253	FC,LC	1	19.6	31.8	42.8	5.8	-	-	-	-	0.4	9,720	14	
Industrial	- 33254	FC,LC	1	18.9	32.5	42.4	6.2	-	-	-	-	0.3	9,730	14	
Industrial	- 33255	FC,LC	1	19.6	32.8	42.9	4.7	-	-	-	-	0.2	9,840	14	
Industrial	- 33256	FC,LC	1	19.3	31.7	43.6	5.4	5.7	56.9	1.3	30.4	0.3	9,780	14	
			2	-	39.3	54.0	6.7	4.5	70.6	1.6	16.2	0.4	12,130		
			3	-	42.2	57.8	-	4.8	75.7	1.7	17.4	0.4	13,000		
Industrial	- A85012	FC,LC	1	18.1	30.7	46.0	5.2	-	-	-	-	0.4	10,230	9	
Industrial	- A85013	FC,LC	1	19.2	31.4	45.2	4.2	-	-	-	-	0.3	10,090	9	
Industrial	- A85014	FC,LC	1	19.8	30.6	45.5	4.1	-	-	-	-	0.3	10,040	9	
Industrial	- A85015	FC,LC	1	18.2	30.3	46.5	5.0	-	-	-	-	0.3	10,180	9	
Industrial	- A85016	FC,LC	1	18.9	30.4	46.2	4.5	6.1	59.0	1.2	28.9	0.3	10,110	9	
			2	-	37.4	57.1	5.5	4.9	72.8	1.5	15.0	0.3	12,460		
			3	-	39.6	60.4	-	5.1	77.0	1.5	16.0	0.4	13,190		
Industrial	-	TI,LC	1	18.5	-	-	-	-	-	-	-	-	-	10,170	9
			2	-	41.3	53.2	5.5	-	-	-	-	-	0.3	12,480	
			3	-	-	-	-	-	-	-	-	-	-	13,200	
Industrial	-	TI,LC	1	17.7	-	-	-	-	-	-	-	-	-	10,200	9
			2	-	39.2	55.0	5.8	-	-	-	-	-	0.2	12,390	
			3	-	-	-	-	-	-	-	-	-	-	13,150	
Industrial	-	TI,LC	1	17.0	-	-	-	-	-	-	-	-	-	10,050	9
			2	-	36.3	54.5	9.2	-	-	-	-	-	0.4	12,110	
			3	-	-	-	-	-	-	-	-	-	-	13,340	

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Industrial	-	TI,LC	1	18.1	38.8	49.4	11.8	-	-	-	-	0.2	9,430	18
			2	-	-	-	-	-	-	-	-	-	11,520	
			3	-	-	-	-	-	-	-	-	-	13,060	
Industrial	-	TI,LC	1	19.0	39.9	55.1	5.0	-	-	-	-	0.3	10,130	18
			2	-	-	-	-	-	-	-	-	-	12,510	
			3	-	-	-	-	-	-	-	-	-	13,170	
Industrial	-	TI,LC	1	18.6	40.0	53.7	6.3	-	-	-	-	0.2	10,070	18
			2	-	-	-	-	-	-	-	-	-	12,370	
			3	-	-	-	-	-	-	-	-	-	13,200	
Industrial	B73808	TI,LC	1	19.0	-	-	4.1	-	-	-	-	0.2 ^P		19
Industrial	-	FC,LC	1	17.3	32.1	46.0	4.64	5.96	58.51	1.14	29.44	0.31	9,947	15
			2	-	38.8	55.6	5.61	4.89	70.77	1.38	16.98	0.37	12,031	
			3	-	41.1	58.9	-	5.18	74.97	1.46	18.00	0.39	12,746	
Jackson	-	LC	1	16.04	33.37	45.15	4.86	-	-	-	-	0.58	-	4
Jackson	-	LC	1	17.61	32.34	44.69	4.70	-	-	-	-	0.76	-	4
Jackson	-	LC	1	16.42	33.01	45.55	4.25	-	-	-	-	0.77	-	4
Jackson	-	LC	1	17.75	31.35	44.62	5.53	-	-	-	-	0.75	-	4
Lewis No. 2	A95917	FC,LC	1	17.2	32.3	45.1	5.4	-	-	-	-	1.7	10,390	9
Lewis No. 2	A95918	FC,LC	1	19.6	32.1	44.2	4.1	-	-	-	-	0.6	10,140	9
Lewis No. 2	A95919	FC,LC	1	18.3	32.7	44.3	4.7	-	-	-	-	1.3	10,180	9
Lewis No. 2	A95920	FC,LC	1	18.4	32.3	44.5	4.8	6.2	57.7	1.0	29.1	1.2	10,260	9
			2	-	39.6	54.6	5.8	5.1	70.6	1.2	15.8	1.5	12,560	
			3	-	42.0	58.0	-	5.4	75.0	1.3	16.7	1.6	13,340	
Lewis No. 2	-	TI,LC	1	16.3	-	-	-	-	-	-	-	-	10,550	9
			2	-	39.5	55.6	4.9	-	-	-	-	1.1	12,600	
			3	-	-	-	-	-	-	-	-	-	13,250	
Liley	-	TI,LC	1	20.3	39.5	52.8	7.7	-	-	-	-	0.3	9,720	18
			2	-	-	-	-	-	-	-	-	-	12,200	
			3	-	-	-	-	-	-	-	-	-	13,220	

b) Sulfur forms: 0.00% sulfate, 0.02% pyritic, 0.19% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Liley	- B74562	TI,LC	1	20.6	-	-	5.9	-	-	-	-	0.19 ^c	-	19
Marshall No. 1	-	LC	1	14.53	37.05	43.72	4.70	-	-	-	-	0.33	-	4
Marshall No. 1	-	LC	1	15.12	36.93	42.81	5.14	-	-	-	-	0.71	-	4
Marshall No. 1	-	LC	1	12.00	33.08	49.72	5.20	-	-	-	-	-	-	4
Marshall No. 3	-	LC	1	13.81	34.79	45.08	4.71	-	-	-	-	1.61	-	4
Marshall No. 3	-	LC	1	14.79	36.10	45.03	3.07	-	-	-	-	1.01	-	4
McGregor	-	LC	1	16.38	34.98	44.74	3.38	-	-	-	-	0.52	-	4
McGregor	-	LC	1	17.58	33.85	44.55	3.48	-	-	-	-	0.54	-	4
Mitchell	-	LC	1	17.01	33.42	44.86	4.22	-	-	-	-	0.49	-	4
Mitchell	-	LC	1	16.96	34.03	44.16	4.39	-	-	-	-	0.46	-	4
Mitchell	-	LC	1	17.01	33.80	45.26	3.52	-	-	-	-	0.41	-	4
Mitchell	-	LC	1	16.84	32.53	43.06	6.47	-	-	-	-	1.10	-	4
Monarch No. 1	- 6835	FC,LC	1	18.9	30.8	47.0	3.3	5.9	58.6	1.1	30.8	0.3	9,730	14
			2	-	38.0	58.0	4.0	4.7	73.2	1.4	17.4	0.3	11,960	
			3	-	39.6	60.4	-	4.9	75.3	1.4	18.1	0.3	12,500	
Monarch No. 1	-	FC,LC	1	18.9	30.8	47.0	3.29	5.90	58.59	1.09	30.87	0.26	9,733	15
			2	-	38.0	58.0	4.05	4.68	72.21	1.34	17.40	0.32	11,955	
			3	-	39.6	60.4	-	4.88	75.26	1.40	18.13	0.33	12,501	
Monarch No. 2	-	TI,LC	1	16.0	-	-	-	-	-	-	-	-	10,250	9
			2	-	37.0	55.5	6.7	-	-	-	-	0.4	12,200	
			3	-	-	-	-	-	-	-	-	-	13,030	
Monarch No. 2	- 31314	FC,LC	1	19.3	32.5	42.5	5.7	-	-	-	-	0.2	9,980	7
Monarch No. 2	- 31315	FC,LC	1	19.0	33.6	42.5	4.9	-	-	-	-	0.3	10,110	7
Monarch No. 2	- 31316	FC,LC	1	19.1	33.4	42.1	5.4	6.0	57.7	1.2	29.4	0.3	10,020	7
			2	-	41.3	52.1	6.6	4.8	71.3	1.5	15.5	0.3	12,390	
			3	-	44.3	55.7	-	5.1	76.4	1.6	16.5	0.4	13,270	
Monarch No. 2	- A97957	FC,LC	1	19.2	31.4	45.2	4.2	5.5	-	-	-	0.4	10,140	9

c) Sulfur forms: 0.00% sulfate, 0.01% pyritic, 0.18% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Monarch No. 2	- A97958	FC,LC	1	19.8	31.2	44.7	4.3	6.2	-	-	-	0.3	9,980	9
Monarch No. 2	- A97959	FC,LC	1	19.8	30.8	45.9	3.5	6.1	-	-	-	0.3	10,140	9
Monarch No. 2	- A97960	FC,LC	1	19.5	31.1	45.8	3.6	6.3	-	-	-	0.3	10,210	9
Monarch No. 2	- A97961	FC,LC	1	19.6	30.6	45.9	3.9	6.2	58.0	1.3	30.3	0.3	10,130	9
			2	-	38.0	57.2	4.8	4.9	72.1	1.6	16.2	0.4	12,600	
			3	-	40.0	60.0	-	5.2	75.8	1.7	16.9	0.4	13,240	
Monarch No. 2	-	TI,LC	1	19.9	38.9	55.6	5.5	-	-	-	-	0.5	10,130	18
			2	-	-	-	-	-	-	-	-	-	12,650	
			2	-	-	-	-	-	-	-	-	-	13,390	
Monarch No. 2	-	TI,LC	1	19.5	38.1	57.2	4.7	-	-	-	-	0.5	10,220	18
			2	-	-	-	-	-	-	-	-	-	12,700	
			3	-	-	-	-	-	-	-	-	-	13,330	
Monarch No. 2	-	TI,LC	1	19.8	38.8	56.1	5.1	-	-	-	-	0.4	10,210	18
			2	-	-	-	-	-	-	-	-	-	12,730	
			3	-	-	-	-	-	-	-	-	-	13,410	
Monarch No. 2	-	TI,LC	1	20.0	39.4	54.7	5.9	-	-	-	-	0.5	10,060	18
			2	-	-	-	-	-	-	-	-	-	12,570	
			3	-	-	-	-	-	-	-	-	-	13,360	
Monarch No. 2	- B73805	TI,LC	1	19.5	-	-	3.8	-	-	-	-	0.36 ^d	-	19
New Centennial	-	TI,LC	1	19.0	38.4	54.3	7.3	-	-	-	-	0.3	10,040	18
			2	-	-	-	-	-	-	-	-	-	12,390	
			3	-	-	-	-	-	-	-	-	-	13,370	
New Centennial	-	TI,LC	1	19.7	37.4	56.0	6.6	-	-	-	-	0.3	9,970	18
			2	-	-	-	-	-	-	-	-	-	12,410	
			3	-	-	-	-	-	-	-	-	-	13,290	
New Centennial	-	TI,LC	1	18.7	38.4	55.4	6.2	-	-	-	-	0.4	10,100	18
			2	-	-	-	-	-	-	-	-	-	12,420	
			3	-	-	-	-	-	-	-	-	-	13,240	
New Centennial	-	TI,LC	1	19.8	38.2	55.5	6.3	4.6	72.8	1.6	14.4	0.3	9,930	18
			2	-	-	-	-	-	-	-	-	-	12,380	
			3	-	-	-	-	-	-	-	-	-	13,210	

d) Sulfur forms: 0.00% sulfate, 0.06% pyritic, 0.30% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
New Centennial	-	DE,LC	1	11.3	40.6	53.5	5.9	-	-	-	-	0.5	10,830	18
			2	-	-	-	-	-	-	-	-	-	12,210	
			3	-	-	-	-	-	-	-	-	-	12,980	
New Centennial	-	DE,LC	1	18.6	38.5	52.2	9.3	-	-	-	-	0.5	9,810	18
			2	-	-	-	-	-	-	-	-	-	12,050	
			3	-	-	-	-	-	-	-	-	-	13,290	
New Centennial	-	TI,LC	1	19.6	38.2	55.1	6.7	-	-	-	-	0.3	9,950	18
			2	-	-	-	-	-	-	-	-	-	12,410	
			3	-	-	-	-	-	-	-	-	-	13,270	
New Centennial	-	DE,LC	1	18.5	38.9	52.5	8.6	-	-	-	-	0.4	9,930	18
			2	-	-	-	-	-	-	-	-	-	12,180	
			3	-	-	-	-	-	-	-	-	-	13,330	
New Centennial	-	DE,LC	1	17.9	38.6	53.8	7.6	-	-	-	-	0.4	10,030	18
			2	-	-	-	-	-	-	-	-	-	12,220	
			3	-	-	-	-	-	-	-	-	-	13,230	
New Centennial	-	DE,LC	1	18.6	37.5	53.4	9.1	-	-	-	-	0.4	9,900	18
			2	-	-	-	-	-	-	-	-	-	12,160	
			3	-	-	-	-	-	-	-	-	-	13,380	
New Centennial	B73804	TI,LC	1	19.8	-	-	5.1	-	-	-	-	0.26 ^e	-	19
New Crown	B74428	TI,LC	1	19.6	-	-	4.4	-	-	-	-	0.29 ^f	-	19
New Crown	B87847	TI,LC	1	19.6	-	-	5.4	-	-	-	-	0.30 ^g	-	19
Paramount	A95940	FC,LC	1	20.3	31.4	43.1	5.2	-	-	-	-	0.6	9,870	9
Paramount	A95941	FC,LC	1	20.8	31.1	42.4	5.7	-	-	-	-	0.6	9,720	9
Paramount	A95942	FC,LC	1	20.5	30.9	43.2	5.4	6.1	56.0	1.1	30.8	0.6	9,780	9
			2	-	38.9	54.3	6.8	4.8	70.5	1.4	15.7	0.8	12,310	
			3	-	41.7	58.3	-	5.2	75.7	1.5	16.8	0.8	13,210	
Pluto	-	TI,LC	1	19.5	37.5	57.3	5.2	-	-	-	-	0.3	10,170	18
			2	-	-	-	-	-	-	-	-	-	12,630	
			3	-	-	-	-	-	-	-	-	-	13,320	

e) Sulfur forms: 0.00% sulfate, 0.03% pyritic, 0.23% organic

f) Sulfur forms: 0.01% sulfate, 0.06% pyritic, 0.22% organic

g) Sulfur forms: 0.00% sulfate, 0.06% pyritic, 0.24% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Pluto	-	TI,LC	1	19.7	38.2	54.2	7.6	-	-	-	-	0.4	9,830	18	
			2	-	-	-	-	-	-	-	-	-	12,240		
			3	-	-	-	-	-	-	-	-	-	13,250		
Pluto	-	TI,LC	1	20.1	38.6	52.8	8.6	-	-	-	-	0.4	9,620	18	
			2	-	-	-	-	-	-	-	-	-	12,040		
			3	-	-	-	-	-	-	-	-	-	13,170		
Pluto	-	TI,LC	1	19.6	37.9	55.4	6.7	-	-	-	-	0.3	9,960	18	
			2	-	-	-	-	-	-	-	-	-	12,390		
			3	-	-	-	-	-	-	-	-	-	13,280		
Pluto	874131	TI,LC	1	19.5	-	-	4.2	-	-	-	-	0.28 ^h	-	19	
Pluto	A95628	FC,LC	1	19.2	29.8	46.1	4.9	-	-	-	-	0.4	10,100	9	
Pluto	A95629	FC,LC	1	19.3	31.2	45.0	4.5	-	-	-	-	0.4	9,910	9	
Pluto	A95630	FC,LC	1	19.3	30.2	45.8	4.7	6.0	58.2	1.2	29.5	0.4	10,020	9	
			2	-	37.5	56.7	5.8	4.7	72.2	1.5	15.3	0.5	12,430		
			3	-	39.8	60.2	-	5.0	76.6	1.5	16.4	0.5	13,190		
Pluto	-	TI,LC	1	18.9	-	-	-	-	-	-	-	-	-	10,090	9
			2	-	37.2	57.1	5.7	-	-	-	-	-	0.3	12,440	
			3	-	-	-	-	-	-	-	-	-	-	13,200	
Rankin	6840	FC,LC	1	19.1	30.8	44.3	5.76	5.93	56.38	1.08	30.60	0.25	9,616	14	
			2	-	38.1	54.8	7.12	4.70	69.74	1.34	16.79	0.31	11,894		
			3	-	41.0	59.0	-	5.06	75.09	1.44	18.08	0.33	12,807		
Red Ash No. 2	A96238	FC,LC	1	19.3	30.4	44.3	6.0	-	-	-	-	1.0	9,750	9	
Red Ash No. 2	A96239	FC,LC	1	18.4	31.1	46.1	4.4	-	-	-	-	0.9	10,080	9	
Red Ash No. 2	A96240	FC,LC	1	18.9	30.4	45.5	5.2	5.9	57.2	1.0	29.8	0.9	9,910	9	
			2	-	37.4	56.1	6.5	4.7	70.5	1.2	15.9	1.2	12,220		
			3	-	40.0	60.0	-	5.0	75.3	1.3	17.2	1.2	13,060		
Regal	-	TI,LC	1	20.1	38.1	55.7	6.2	-	-	-	-	0.5	9,960	18	
			2	-	-	-	-	-	-	-	-	-	12,460		
			3	-	-	-	-	-	-	-	-	-	13,280		

h) Sulfur forms: 0.00% sulfate, 0.04% pyritic, 0.24% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Regal	-	TI,LC	1	19.4	36.4	56.8	6.8	-	-	-	-	0.4	10,070	18
			2	-	-	-	-	-	-	-	-	-	12,490	
			3	-	-	-	-	-	-	-	-	-	13,400	
Regal	B73904	TI,LC	1	20.4	-	-	4.2	-	-	-	-	0.23 ¹	-	19
Rosser	-	TI,LC	1	16.5	-	-	-	-	-	-	-	-	10,500	9
			2	-	38.5	56.6	4.9	-	-	-	-	1.0	12,570	
			3	-	-	-	-	-	-	-	-	-	13,220	
Rosser	A95835	FC,LC	1	20.7	30.4	44.6	4.3	-	-	-	-	0.7	9,840	9
Rosser	A95836	FC,LC	1	18.9	32.6	44.7	3.8	-	-	-	-	1.1	10,120	9
Rosser	A85737	FC,LC	1	19.8	31.3	44.9	4.0	6.1	57.7	0.9	30.5	0.8	9,990	9
			2	-	39.0	56.0	5.0	4.8	71.9	1.1	16.1	1.1	12,450	
			3	-	41.0	59.0	-	5.1	75.7	1.2	16.9	1.1	13,100	
Simpson	1383	FC,LC	1	20.0	23.8	32.6	3.6	-	-	-	-	0.5	10,240	14
			2	-	42.3	53.2	4.5	-	-	-	-	0.7	12,800	
Simpson	1397	FC,LC	1	21.8	34.0	40.7	3.5	-	-	-	-	0.5	-	14
Simpson	792-0	FC,LC	1	18.7	37.3	40.0	4.0	-	-	-	-	0.3	10,090	14
			2	-	45.9	49.2	4.9	-	-	-	-	0.4	12,420	
Simpson	793-0	FC,LC	1	21.1	39.3	36.2	3.4	-	-	-	-	0.4	-	14
Simpson	31391	FC,LC	1	20.9	34.5	41.0	3.6	6.1	57.6	1.2	31.2	0.3	9,880	7
			2	-	43.6	52.0	4.4	4.8	72.8	1.5	16.1	0.4	12,480	
			3	-	45.6	54.4	-	5.0	76.2	1.6	16.8	0.4	13,070	
Simpson	15165	FC,LC	1	20.7	31.8	44.0	3.5	6.0	57.8	1.2	31.0	0.5	9,940	5
			2	-	40.1	55.5	4.4	4.7	72.9	1.5	15.9	0.6	12,540	
			3	-	42.0	58.0	-	4.9	76.3	1.6	16.6	0.6	13,120	
Simpson	-	LC	1	18.7	-	-	-	-	-	-	-	-	10,140	9
			2	-	42.9	49.7	7.4	-	-	-	-	0.7	12,470	
			3	-	-	-	-	-	-	-	-	-	13,470	
Simpson	-	LC	1	19.3	-	-	-	-	-	-	-	-	10,060	9
			2	-	42.9	51.3	5.8	-	-	-	-	0.5	12,470	
			3	-	-	-	-	-	-	-	-	-	13,240	

1) Sulfur forms: 0.00% sulfate, 0.01% pyritic, 0.22% organic

BOULDER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Simpson & Spencer No. 2	-	LC	1	14.74	37.09	43.85	4.32	-	-	-	-	0.61	-	4
Simpson & Spencer No. 2	-	LC	1	13.57	37.87	44.34	4.12	-	-	-	-	0.38	-	4
Simpson & Spencer No. 2	-	LC	1	16.27	34.65	46.15	2.93	-	-	-	-	0.29	-	4
Simpson & Spencer No. 2	-	LC	1	11.43	28.18	26.87	33.52	-	-	-	-	0.55	-	4
Standard	- A97513	FC,LC	1	21.1	30.3	43.5	5.1	-	-	-	-	0.4	9,770	9
Standard	- A97514	FC,LC	1	20.3	31.0	43.3	5.4	-	-	-	-	0.4	9,880	9
Standard	- A97515	FC,LC	1	20.8	29.9	44.0	5.3	6.2	55.9	1.0	31.2	0.4	9,820	9
			2	-	37.7	55.6	6.7	4.9	70.6	1.2	16.1	0.5	12,410	
			3	-	40.4	59.6	-	5.2	75.7	1.3	17.2	0.6	13,290	
Standard	-	LC	1	16.64	33.57	44.73	4.51	-	-	-	-	0.55	-	4
Star	-	LC	1	18.54	32.10	43.86	4.99	-	-	-	-	0.51	-	4
Star	-	LC	1	17.03	32.51	44.51	5.35	-	-	-	-	0.60	-	4
Stewart	-	LC	1	17.25	33.43	44.97	3.79	-	-	-	-	0.56	-	4
Stewart	-	LC	1	15.44	34.54	45.62	3.76	-	-	-	-	0.64	-	4
Stewart	-	LC	1	18.32	32.63	44.43	3.97	-	-	-	-	0.65	-	4
Vulcan	- B4604	FC,LC	1	20.8	30.4	43.6	5.2	-	-	-	-	0.2	9,690	9
Vulcan	- B4605	FC,LC	1	21.1	30.3	44.6	4.0	-	-	-	-	0.2	9,900	9
Vulcan	- B4606	FC,LC	1	21.0	30.3	44.2	4.5	6.3	57.0	1.3	30.7	0.2	9,810	9
			2	-	38.3	56.0	5.7	5.0	72.2	1.6	15.2	0.3	12,410	
			3	-	40.7	59.3	-	5.3	76.6	1.7	16.1	0.3	13,160	
Welch	-	LC	1	16.39	33.94	44.50	4.75	-	-	-	-	0.42	-	4
Welch	-	LC	1	17.04	33.99	44.00	4.35	-	-	-	-	0.62	-	4
Welch	-	LC	1	17.34	33.32	43.36	5.58	-	-	-	-	0.40	-	4
Welch	-	LC	1	16.73	33.44	44.37	5.11	-	-	-	-	0.35	-	4

DOUGLAS COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Lehigh	-	LC	1	22.94	35.53	35.54	4.92	-	-	-	-	1.07	-	4
Lehigh	-	LC	1	22.15	32.95	34.74	8.46	-	-	-	-	1.68	-	4

ELBERT COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Barker Strip	- 19902	FC,LC	1	33.1	25.6	25.6	15.7	6.2	36.8	0.7	40.2	0.4	6,150	6
			2	-	38.3	38.3	23.4	3.8	55.0	1.1	16.0	0.7	9,190	
			3	-	50.0	50.0	-	4.9	71.8	1.4	21.0	0.9	12,000	
Fondis	- 94618	FC,DL	1	33.5	27.2	22.1	17.2	6.3	34.5	0.7	40.9	0.4	5,860	9
			2	-	40.8	33.3	25.9	3.9	51.9	1.0	16.7	0.6	8,800	
			3	-	55.1	44.9	-	5.3	70.0	1.3	22.6	0.8	11,870	
Fondis	- A47114	FC,DL	1	30.9	29.1	25.3	14.7	6.5	38.4	0.7	39.2	0.5	6,700	9
			2	-	42.1	36.6	21.3	4.5	55.6	1.0	16.9	0.7	9,690	
			3	-	53.5	46.5	-	5.7	70.6	1.3	21.5	0.9	12,300	
Stimson	- 94619	FC,LC	1	35.0	26.3	20.2	10.5	6.5	40.0	0.8	41.8	0.4	6,650	9
			2	-	40.5	43.4	16.1	3.9	61.6	1.2	16.6	0.6	10,240	
			3	-	48.2	51.8	-	4.7	73.4	1.4	19.8	0.7	12,200	
Tucker Clay Pit Sec. 14,T8S, R62W	-	FC,DL,Comanche	1	36.20	26.15	24.37	13.21	2.44	35.61	0.73	11.08	0.41	5,924	11
			2	-	41.04	38.25	20.73	3.83	55.88	1.15	17.39	0.64	9,298	
White Ash	-	TI,LC	1	32.9	42.2	45.8	12.0	4.5	64.8	1.3	16.7	0.7	6,330	9
			2	-	-	-	-	-	-	-	-	-	9,430	
			3	-	-	-	-	-	-	-	-	-	10,720	
White Ash	- C91683	TI,LC	1	32.9	-	-	-	8.0	-	-	-	0.48 ¹	-	19
White Ash	- 94617	FC,LC	1	34.4	28.1	28.3	9.2	6.6	41.6	0.8	40.9	0.9	7,070	9
			2	-	42.9	43.1	14.0	4.3	63.4	1.2	15.7	1.4	10,770	
			3	-	49.9	50.1	-	5.0	73.7	1.4	18.3	1.6	12,520	
White Ash	- A3449	FC,LC	1	32.0	29.6	28.0	10.4	6.5	42.6	0.8	39.0	0.7	7,130	9
			2	-	43.6	41.0	15.4	4.3	62.6	1.2	15.4	1.1	10,490	
			3	-	51.5	48.5	-	5.1	74.0	1.4	18.2	1.3	12,390	
White Ash	- A98253	FC,LC	1	33.7	26.9	29.7	9.7	-	-	-	-	1.1	7,170	9
White Ash	- A98254	FC,LC	1	34.0	27.7	30.5	7.8	-	-	-	-	0.6	7,240	9
White Ash	- A98255	FC,LC	1	33.8	27.5	29.7	9.0	6.8	42.1	0.8	40.5	0.8	7,220	9
			2	-	41.6	44.8	13.6	4.5	63.6	1.2	15.8	1.3	10,910	
			3	-	48.1	51.9	-	5.2	73.6	1.4	18.4	1.4	12,630	
Wright Strip	- A2438	FC,LC	1	31.4	27.4	28.8	12.4	-	-	-	-	0.5	6,890	9
			2	-	39.9	42.1	18.0	-	-	-	-	0.8	10,040	

J) Sulfur forms: 0.00% sulfate, 0.29% pyritic, 0.19% organic

ELBERT COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Wright Strip	-	FC,LC	1	33.1	25.6	25.6	15.66	6.20	36.78	0.70	40.22	0.44	6,150	2
	-		2	-	38.3	38.3	23.41	3.77	54.98	1.05	16.13	0.66	9,190	
	-		3	-	50.0	50.0	-	4.92	71.79	1.37	21.06	0.86	12,000	
NW $\frac{1}{4}$ Sec. 24 T10S,R59W	94617	LC	1	-	-	-	-	-	-	-	-	-	7,070	3
NW $\frac{1}{4}$ Sec. 24 T10S,R59W	A3449	LC	1	-	-	-	-	-	-	-	-	-	7,130	3

ELBERT COUNTY

CORE HOLE LOCATION	I.D. NUMBER	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
	FOOTAGE			MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
NE Corner Sec. 8 T7S,R62W	(DX-271c) (82.7'-91.3')	CH,DL	1	34.4	-	-	15.8	-	-	-	-	0.38	5,309	13
	(91.3'-95.3')	CH,DL	1	31.0	-	-	25.0	-	-	-	-	0.51	5,050	13
	(95.5'-104.5')	CH,DL	1	38.2	-	-	15.2	-	-	-	-	0.31	5,543	13
S½ NW¼ Sec. 2 T9S,R62W	(DX-277c) (38.5'-47.9')	CH,DL	1	34.6	-	-	16.4	-	-	-	-	0.41	5,934	13
SW¼ SW¼ Sec. 4 T8S,R62W	(862-4-1) (98.0'-101.0')	CH,DL,WoIf	1	31.49	21.40	16.29	30.82	-	-	-	-	0.23	4,141	11
			2	-	31.24	23.77	44.99	-	-	-	-	0.34	6,045	11
"	(101.0'-104.0')	CH,DL,WoIf	1	33.24	23.71	18.89	24.16	-	-	-	-	0.31	4,949	11
			2	-	35.52	28.29	36.19	-	-	-	-	0.46	7,413	11
"	(104.0'-107.0')	CH,DL,WoIf	1	33.83	22.91	18.83	24.43	-	-	-	-	0.24	4,731	11
			2	-	34.63	28.45	36.92	-	-	-	-	0.37	7,150	11
"	(107.0'-110.0')	CH,DL,WoIf	1	36.02	25.63	21.28	17.07	-	-	-	-	0.31	5,640	11
			2	-	40.06	33.26	26.68	-	-	-	-	0.49	8,815	11
"	(110.0'-113.0')	CH,DL,WoIf	1	30.19	19.30	14.89	35.62	-	-	-	-	0.22	3,636	11
			2	-	27.65	21.33	51.02	-	-	-	-	0.31	5,209	11
"	(113.0'-116.3')	CH,DL,WoIf	1	33.45	22.37	17.25	26.93	-	-	-	-	0.27	4,374	11
			2	-	33.61	25.92	40.47	-	-	-	-	0.40	6,573	11
"	(116.4'-118.3')	CH,DL,WoIf	1	38.70	26.08	24.32	10.90	-	-	-	-	0.34	6,189	11
			2	-	42.54	39.68	17.78	-	-	-	-	0.55	10,096	11
NW¼ NE¼ Sec. 18 T9S,R61W	(961-18-1) (70.5'-72.2')	CH,DL, Comanche	1	26.36	18.18	10.86	44.60	-	-	-	-	0.27	2,659	11
			2	-	24.69	14.75	60.56	-	-	-	-	0.37	3,611	11
"	(72.2'-73.5')	CH,DL, Comanche	1	35.67	25.15	23.68	15.50	-	-	-	-	0.44	5,905	11
			2	-	39.09	36.82	24.09	-	-	-	-	0.68	9,180	11
"	(73.5'-76.5')	CH,DL, Comanche	1	37.15	25.06	24.23	13.56	-	-	-	-	0.31	5,853	11
			2	-	39.87	38.56	21.57	-	-	-	-	0.50	9,312	11
"	(76.5'-79.5')	CH,DL, Comanche	1	39.60	25.37	25.20	9.83	-	-	-	-	0.30	6,118	11
			2	-	42.01	41.71	16.28	-	-	-	-	0.49	10,129	11
"	(79.5'-80.5')	CH,DL, Comanche	1	36.10	25.64	26.85	11.41	-	-	-	-	0.36	6,301	11
			2	-	40.12	42.03	17.85	-	-	-	-	0.57	9,860	11

ELBERT COUNTY

CORE HOLE LOCATION	I.D. NUMBER FOOTAGE	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOTSTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 18 T9S, R61W	(109.0'-114.0')	CH,DL, Upper Kiowa	1	28.43	22.09	15.66	33.82	-	-	-	-	0.37	3,994	11
			2	-	30.87	21.88	47.25	-	-	-	-	0.51	5,581	
"	(114.0'-117.0')	CH,DL, Upper Kiowa	1	30.17	21.88	19.16	28.79	-	-	-	-	0.26	4,570	11
			2	-	31.33	27.44	41.23	-	-	-	-	0.37	6,544	
"	(117.0'-118.0')	CH,DL, Upper Kiowa	1	22.94	18.69	11.16	47.21	-	-	-	-	0.12	2,551	11
			2	-	24.26	14.48	61.26	-	-	-	-	0.16	3,311	
"	(153.0'-155.0')	CH,DL, Lower Kiowa	1	32.07	25.30	22.64	19.99	-	-	-	-	1.27	5,884	11
			2	-	37.25	33.32	29.43	-	-	-	-	1.87	8,662	
"	(155.0'-157.0')	CH,DL, Lower Kiowa	1	45.72	17.32	14.47	22.49	-	-	-	-	0.90	3,749	11
			2	-	31.91	26.66	41.43	-	-	-	-	1.65	6,906	
"	(157.0'-158.0')	CH,DL, Lower Kiowa	1	26.03	22.04	15.92	36.01	-	-	-	-	0.32	4,150	11
			2	-	29.79	21.53	48.68	-	-	-	-	0.43	5,611	
"	(158.0'-161.0')	CH,DL, Lower Kiowa	1	34.84	24.47	25.05	15.64	-	-	-	-	0.33	5,862	11
			2	-	37.56	38.43	24.01	-	-	-	-	0.50	8,996	
"	(161.0'-162.6')	CH,DL, Lower Kiowa	1	38.18	26.40	28.56	6.86	-	-	-	-	0.37	6,728	11
			2	-	42.70	46.21	11.09	-	-	-	-	0.60	10,883	
NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 7 T9S, R58W	(DX-278c) (42.6'-51.4')	CH,LC	1	38.0	-	-	11.0	-	-	-	-	0.21	6,232	13
"	(60.0'-65.3')	CH,LC	1	38.6	-	-	8.7	-	-	-	-	1.15	6,803	13

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USB:1 NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Attitude	- A98250	FC,LC,"A"	1	25.0	31.2	38.2	5.6	-	-	-	-	0.4	8,590	9
Attitude	- A98251	FC,LC,"A"	1	26.2	30.8	38.1	4.9	-	-	-	-	0.4	8,529	9
Attitude	- A98252	FC,LC,"A"	1	25.6	31.2	37.9	5.3	6.2	50.5	-	36.9	0.4	8,540	9
			2	-	41.9	51.0	7.1	4.6	67.9	1.0	18.9	0.5	11,480	
			3	-	45.1	54.9	-	4.9	73.0	1.1	20.4	0.6	12,360	
Carlton	- 6443	FC,LC,"A"	1	25.5	31.6	38.1	4.8	-	-	-	-	0.3	8,310	14
			2	-	42.4	52.1	6.5	-	-	-	-	0.3	11,150	
Cell	- 6438	FC,LC,"A"	1	19.2	32.3	41.5	7.0	5.8	53.6	0.9	32.2	0.5	9,310	14
			2	-	40.0	51.3	8.7	4.5	66.4	1.1	18.7	0.6	11,520	
City (No. 1?)	- A98109	FC,LC,Fox Hill	1	24.6	31.4	38.0	6.0	-	-	-	-	0.4	8,680	9
City (No. 1?)	- A98110	FC,LC,Fox Hill	1	24.4	31.4	39.1	5.1	-	-	-	-	0.3	8,810	9
City (No. 1?)	- A98111	FC,LC,Fox Hill	1	24.5	31.4	38.4	5.7	6.3	51.4	0.8	35.5	0.3	8,750	9
			2	-	41.5	5.0	7.5	4.7	68.1	1.0	18.2	0.5	11,590	
			3	-	44.9	55.1	-	5.1	73.6	1.1	19.7	0.5	12,530	
City (No. 1?)	-	TI,LC,Fox Hill	1	21.4	-	-	-	-	-	-	-	-	8,390	9
			2	-	40.7	45.4	13.9	-	-	-	-	0.4	10,670	
			3	-	-	-	-	-	-	-	-	-	12,400	
City Nos. 1 & 2	-	TI,LC	1	24.5	42.0	47.1	10.9	-	-	-	-	0.5	8,410	18
			2	-	-	-	-	-	-	-	-	-	11,140	
			3	-	-	-	-	-	-	-	-	-	12,500	
City Nos. 1 & 3	-	DE,LC	1	22.2	42.9	48.0	9.1	-	-	-	-	0.5	8,870	18
			2	-	-	-	-	-	-	-	-	-	11,400	
			3	-	-	-	-	-	-	-	-	-	12,540	
City Nos. 1 & 3	-	DE,LC	1	23.5	43.2	48.8	8.0	-	-	-	-	0.4	8,980	18
			2	-	-	-	-	-	-	-	-	-	11,740	
			3	-	-	-	-	-	-	-	-	-	12,760	
City Nos. 1 & 3	-	TI,LC	1	23.9	42.6	47.0	10.4	-	-	-	-	0.4	8,540	18
			2	-	-	-	-	-	-	-	-	-	11,220	
			3	-	-	-	-	-	-	-	-	-	12,520	
City Nos. 1 & 3	-	TI,LC	1	24.4	42.6	47.7	9.7	-	-	-	-	0.4	8,570	18
			2	-	-	-	-	-	-	-	-	-	11,330	
			3	-	-	-	-	-	-	-	-	-	12,550	
City Nos. 1 & 3	-	TI,LC	1	23.8	42.1	46.9	11.0	-	-	-	-	0.4	8,500	18
			2	-	-	-	-	-	-	-	-	-	11,160	
			3	-	-	-	-	-	-	-	-	-	12,540	

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
City Nos. 1 & 2	-	TI,LC	1	24.8	42.0	47.8	10.2	-	-	-	-	0.4	8,440	18
			2	-	-	-	-	-	-	-	-	-	11,220	
			3	-	-	-	-	-	-	-	-	-	12,490	
City Nos. 1 & 3	-	TI,LC	1	24.8	41.4	47.0	11.6	-	-	-	-	0.3	8,290	18
			2	-	-	-	-	-	-	-	-	-	11,020	
			3	-	-	-	-	-	-	-	-	-	12,470	
City No. 4	-	TI,LC	1	25.0	43.6	46.5	9.9	-	-	-	-	0.6	8,440	18
			2	-	-	-	-	-	-	-	-	-	11,250	
			3	-	-	-	-	-	-	-	-	-	12,490	
City No. 4	-	TI,LC	1	24.7	44.0	47.6	8.4	-	-	-	-	0.5	8,660	18
			2	-	-	-	-	-	-	-	-	-	11,500	
			3	-	-	-	-	-	-	-	-	-	12,550	
City No. 4	-	TI,LC	1	24.7	43.2	48.5	8.3	4.5	67.3	1.0	18.5	0.4	8,570	18
			2	-	-	-	-	-	-	-	-	-	11,380	
			3	-	-	-	-	-	-	-	-	-	12,410	
City No. 4	-	TI,LC	1	24.4	42.5	45.8	11.7	-	-	-	-	0.4	8,260	18
			2	-	-	-	-	-	-	-	-	-	10,930	
			3	-	-	-	-	-	-	-	-	-	12,380	
City No. 4	-	TI,LC	1	25.2	44.6	45.0	10.4	-	-	-	-	0.5	8,360	18
			2	-	-	-	-	-	-	-	-	-	11,180	
			3	-	-	-	-	-	-	-	-	-	12,480	
City No. 4	-	TI,LC	1	26.2	41.1	46.5	12.4	-	-	-	-	0.4	8,100	18
			2	-	-	-	-	-	-	-	-	-	10,980	
			3	-	-	-	-	-	-	-	-	-	12,530	
Curtis	6440	FC,LC,"A"	1	20.9	33.7	39.9	5.5	6.1	52.2	0.7	35.1	0.4	8,910	14
			2	-	42.6	50.4	7.0	4.7	66.1	0.9	20.8	0.5	11,270	
			3	-	45.8	54.2	-	5.1	71.0	0.9	22.5	0.5	12,120	
Danville	6442	FC,LC,"A"	1	21.8	33.6	37.9	6.7	-	-	-	-	0.4	8,520	14
			2	-	43.0	48.5	8.5	-	-	-	-	0.5	10,900	
Davies	6437	FC,LC,"A"	1	22.1	32.5	38.9	6.5	-	-	-	-	0.5	10,140	14
			2	-	41.7	49.9	8.4	-	-	-	-	0.6	13,010	
Dixie	A98214	FC,LC,"A"	1	22.4	32.2	40.1	5.3	-	-	-	-	0.3	9,460	9
Dixie	A98215	FC,LC,"A"	1	23.9	31.7	39.6	4.8	-	-	-	-	0.3	9,300	9
Dixie	A98216	FC,LC,"A"	1	23.3	31.6	40.0	5.1	6.4	54.0	0.9	33.3	0.3	9,350	9
			2	-	41.2	52.2	6.6	5.0	70.4	1.2	16.4	0.4	12,190	
			3	-	44.2	55.8	-	5.3	75.4	1.3	17.6	0.4	13,050	
El Paso	28909	FC,LC,"A"	1	23.4	33.0	37.6	6.0	-	-	-	-	0.3	8,660	7

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Franceville Coal	- CB0673	TI,LC	1	23.1	-	-	6.8	-	-	-	-	0.32 ^k	-	19
Franceville Coal	-	TI,LC	1	23.7	39.9	51.1	9.0	-	-	-	-	0.4	9,050	18
			2	-	-	-	-	-	-	-	-	-	11,860	
			3	-	-	-	-	-	-	-	-	-	13,030	
Franceville Coal	-	TI,LC	1	22.3	40.7	47.3	12.0	-	-	-	-	0.4	8,830	18
			2	-	-	-	-	-	-	-	-	-	11,360	
			3	-	-	-	-	-	-	-	-	-	12,910	
Franceville Coal	-	TI,LC	1	24.5	40.5	50.9	8.6	-	-	-	-	0.5	9,040	18
			2	-	-	-	-	-	-	-	-	-	11,970	
			3	-	-	-	-	-	-	-	-	-	13,100	
Franceville Coal	-	TI,LC	1	24.2	41.6	50.8	7.6	-	-	-	-	0.5	9,020	18
			2	-	-	-	-	-	-	-	-	-	11,900	
			3	-	-	-	-	-	-	-	-	-	12,880	
Franceville Coal	-	TI,LC	1	22.7	39.8	44.9	15.3	-	-	-	-	-	8,410	18
			2	-	-	-	-	-	-	-	-	-	10,880	
			3	-	-	-	-	-	-	-	-	-	12,850	
Franceville Coal	-	TI,LC	1	25.2	40.6	50.8	8.6	-	-	-	-	0.5	8,840	18
			2	-	-	-	-	-	-	-	-	-	11,820	
			3	-	-	-	-	-	-	-	-	-	12,930	
Franceville Coal	-	TI,LC	1	25.0	40.9	51.3	7.8	-	-	-	-	0.5	9,000	18
			2	-	-	-	-	-	-	-	-	-	12,000	
			3	-	-	-	-	-	-	-	-	-	13,020	
Franceville Coal	-	TI,LC	1	24.3	42.6	50.9	6.5	-	-	-	-	0.5	9,240	18
			2	-	-	-	-	-	-	-	-	-	12,200	
			3	-	-	-	-	-	-	-	-	-	13,050	
Franceville Coal	-	TI,LC	1	23.1	41.6	49.5	8.9	-	-	-	-	0.4	9,040	18
			2	-	-	-	-	-	-	-	-	-	11,750	
			3	-	-	-	-	-	-	-	-	-	12,900	
Franceville Coal	-	TI,LC	1	25.1	40.4	52.0	7.6	-	-	-	-	0.4	8,970	18
			2	-	-	-	-	-	-	-	-	-	11,980	
			3	-	-	-	-	-	-	-	-	-	12,970	
Franceville Coal	-	TI,LC	1	24.7	41.0	51.5	7.5	-	-	-	-	0.5	9,080	18
			2	-	-	-	-	-	-	-	-	-	12,060	
			3	-	-	-	-	-	-	-	-	-	13,040	

k) Sulfur forms: 0.01% sulfate, 0.06% pyritic, 0.25% organic

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Franceville Coal	-	TI,LC	1	23.1	42.6	50.4	7.0	-	-	-	-	0.5	9,280	18
			2	-	-	-	-	-	-	-	-	-	12,070	
			3	-	-	-	-	-	-	-	-	-	12,980	
Jimmy Camp	A98247	FC,LC,"A"	1	23.1	31.7	39.6	5.6	-	-	-	-	0.4	9,270	9
Jimmy Camp	A98248	FC,LC,"A"	1	22.8	30.9	38.4	7.9	-	-	-	-	0.4	8,960	9
Jimmy Camp	A98249	FC,LC,"A"	1	23.0	31.4	38.8	6.8	6.3	52.8	1.0	32.7	0.4	9,100	9
			2	-	40.7	50.5	8.8	4.8	68.6	1.2	16.0	0.6	11,820	
			3	-	44.6	55.4	-	5.3	75.2	1.4	17.5	0.6	12,950	
Keystone	6546	FC,LC,"A"	1	25.6	30.2	38.6	5.6	6.3	51.7	0.7	35.3	0.4	8,730	14
			2	-	40.6	51.9	7.5	4.7	69.5	0.9	16.8	0.6	11,740	
			3	-	43.9	56.1	-	5.1	75.1	1.0	18.2	0.6	12,690	
Kurie	-	TI,LC,"A"	1	17.3	-	-	-	-	-	-	-	-	9,240	9
			2	-	38.8	49.9	11.7	-	-	-	-	0.5	11,180	
			3	-	-	-	-	-	-	-	-	-	12,660	
Mosby's	10732	FC,DL	1	33.1	26.0	27.0	13.9	6.5	37.3	0.7	41.3	0.3	6,200	5
			2	-	38.8	40.4	20.8	4.2	55.7	1.0	17.8	0.5	9,270	
			3	-	49.0	51.0	-	5.3	70.3	1.3	22.5	0.6	11,700	
Mosby's	-	FC,DL	1	32.8	30.2	24.2	12.8	-	-	-	-	0.5	6,720	17
			2	-	44.9	36.1	19.0	-	-	-	-	0.7	10,000	
Monument Valley	6545	FC,LC,"B"	1	20.1	35.1	37.7	7.1	5.7	51.6	0.6	34.0	1.0	8,740	14
			2	-	44.0	47.1	8.9	4.4	64.6	0.7	20.1	1.3	10,950	
			3	-	48.3	51.7	-	4.8	71.0	0.8	22.0	1.4	12,020	
Neer	6439	FC,LC,"A"	1	22.2	34.6	37.4	5.8	-	-	-	-	0.5	8,500	14
			2	-	44.4	48.1	7.5	-	-	-	-	0.6	10,930	
New Keystone	A98244	FC,LC,"A"	1	23.9	32.0	38.3	5.8	-	-	-	-	0.4	8,950	9
New Keystone	A98245	FC,LC,"A"	1	25.6	31.4	37.6	5.4	-	-	-	-	0.4	8,680	9
New Keystone	A98246	FC,LC,"A"	1	24.7	31.5	38.2	5.6	6.3	51.8	0.8	35.1	0.4	8,810	9
			2	-	41.8	50.8	7.4	4.7	68.8	1.0	17.6	0.5	11,700	
			3	-	45.1	54.9	-	5.1	74.3	1.1	18.9	0.6	12,640	
Pikeview	28911	FC,LC,"A"	1	25.8	34.2	35.6	4.4	-	-	-	-	0.3	8,340	7
Pikeview	28912	FC,LC,"A"	1	26.6	33.2	35.5	4.7	-	-	-	-	0.3	8,270	7
Pikeview	28913	FC,LC,"A"	1	25.6	33.2	33.4	7.8	-	-	-	-	0.3	8,000	7

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBH NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Pikeview	28914	FC,LC,"A"	1	25.9	33.8	35.4	4.9	-	-	-	-	0.3	8,290	7
Pikeview	28915	FC,LC,"A"	1	26.3	33.1	36.0	4.6	-	-	-	-	0.3	8,260	7
Pikeview	28916	FC,LC,"A"	1	26.0	33.5	35.3	5.2	6.3	49.0	0.6	38.6	0.3	8,230	7
			2	-	45.3	47.7	7.0	4.6	66.3	0.8	20.9	0.4	11,120	
			3	-	48.7	51.3	-	4.9	71.2	0.8	22.7	0.4	11,960	
Pikeview	A98035	FC,LC,"A"	1	25.2	31.5	38.4	4.9	-	-	-	-	0.3	8,560	9
Pikeview	A98036	FC,LC,"A"	1	24.9	32.3	38.4	4.5	-	-	-	-	0.2	8,620	9
Pikeview	A98037	FC,LC,"A"	1	26.9	30.7	37.7	4.7	-	-	-	-	0.3	8,380	9
Pikeview	A98038	FC,LC,"A"	1	25.2	31.3	38.9	4.6	-	-	-	-	0.3	8,590	9
Pikeview	A98039	FC,LC,"A"	1	25.9	30.6	38.8	4.7	-	-	-	-	0.3	8,610	9
Pikeview	A98040	FC,LC,"A"	1	26.4	29.7	38.3	5.6	-	-	-	-	0.3	8,390	9
Pikeview	A98041	FC,LC,"A"	1	24.8	32.1	39.2	3.9	-	-	-	-	0.3	8,810	9
Pikeview	A98042	FC,LC,"A"	1	25.8	31.1	38.4	47.7	6.3	50.0	0.6	38.1	0.3	8,580	9
			2	-	41.9	51.8	6.3	4.6	67.4	0.9	20.4	0.4	11,550	
			3	-	44.7	55.3	-	5.0	71.9	0.9	21.8	0.4	12,320	
Pikeview	12099	FC,LC,"A"	1	26.2	29.7	37.6	6.5	6.1	49.4	0.7	37.0	0.3	8,350	7
			2	-	40.2	51.0	8.8	4.4	66.9	0.9	18.6	0.4	11,320	
			3	-	44.1	55.9	-	4.8	73.3	1.0	20.4	0.5	12,400	
Pikeview		TI,LC,"A"	1	24.7	43.3	49.9	6.8	-	-	-	-	0.3	8,630	18
			2	-	-	-	-	-	-	-	-	-	11,460	
			3	-	-	-	-	-	-	-	-	-	12,300	
Pikeview		DE,LC,"A"	1	22.5	42.8	49.6	7.6	-	-	-	-	0.3	8,830	18
			2	-	-	-	-	-	-	-	-	-	11,390	
			3	-	-	-	-	-	-	-	-	-	12,330	
Pikeview		DE,LC,"A"	1	18.2	43.3	49.3	7.4	-	-	-	-	0.4	9,310	18
			2	-	-	-	-	-	-	-	-	-	11,380	
			3	-	-	-	-	-	-	-	-	-	12,290	
Pikeview		TI,LC,"A"	1	24.9	42.9	49.1	8.0	-	-	-	-	0.4	8,570	18
			2	-	-	-	-	-	-	-	-	-	11,410	
			3	-	-	-	-	-	-	-	-	-	12,400	

EL PASO COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Pikeview	-	TI,LC,"A"	1	19.1	-	-	-	-	-	-	-	-	-	9,240	9
			2	-	40.1	52.7	7.2	-	-	-	-	0.6	11,180		
			3	-	-	-	-	-	-	-	-	-	12,660		
Pikeview	-	TI,LC,"A"	1	22.0	-	-	-	-	-	-	-	-	-	8,890	9
			2	-	41.6	51.3	7.1	-	-	-	-	0.4	11,400		
			3	-	-	-	-	-	-	-	-	-	12,270		
Purdon	7128	FC,DL	1	34.4	24.4	27.3	13.9	6.5	35.9	0.7	42.9	0.1	6,060	14	
			2	-	37.3	41.5	21.2	4.0	54.8	1.0	18.8	0.2	9,230		
			3	-	47.3	52.7	-	5.1	69.5	1.3	23.8	0.3	11,710		
Purdon	10741	FC,DL	1	33.7	23.5	24.6	18.2	6.3	33.2	0.5	41.5	0.3	5,510	5	
			2	-	35.4	37.1	27.5	3.9	50.1	0.8	17.2	0.5	8,300		
			3	-	48.7	51.3	-	5.3	69.0	1.1	23.9	0.7	11,440		
Rapson	6441	FC,DL,"A"	1	19.9	34.3	38.3	7.5	-	-	-	-	0.4	8,640	14	
			2	-	42.8	47.9	9.3	-	-	-	-	0.5	10,790		
SW 1/4 Sec. 19 T14S,R64W	-	LC	1	17.9	33.3	43.2	5.6	-	-	-	-	0.4	9,730	16	
			2	-	40.6	52.6	6.8	-	-	-	-	0.5	11,860		
			3	-	43.5	56.5	-	-	-	-	-	0.5	12,730		
SE 1/4 NE 1/4 Sec. 24 T13S,R67W	7129	FC,LC,"C"	1	23.1	31.2	35.6	10.1	5.8	47.7	0.6	35.6	0.2	8,030	10	
			2	-	40.5	46.3	13.8	4.2	62.0	0.8	19.6	0.3	10,440		
			3	-	46.7	53.3	-	4.8	71.4	1.0	22.6	0.3	12,020		

EL PASO COUNTY

CORE HOLE LOCATION	I.D. NUMBER	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
	FOOTAGE			MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 3 T11S, R61W	(0X-270c) (63.5'-65.5')	CH,DL	1	25.2	-	-	30.5	-	-	-	-	0.22	4,921	13
"	(65.5'-80.5')	CH,DL	1	32.0	-	-	17.2	-	-	-	-	0.35	6,108	13

JEFFERSON COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Caprock	- A97929	FC,LC	1	25.4	31.8	35.4	7.4	-	-	-	-	1.2	8,360	9
Caprock	- A97930	FC,LC	1	25.6	31.4	35.5	7.5	-	-	-	-	1.9	8,360	9
Caprock	- A97931	FC,LC	1	25.5	31.4	35.6	7.5	6.3	47.8	0.7	36.2	1.5	8,340	9
			2	-	42.1	47.9	10.0	4.7	64.2	0.9	18.2	2.0	11,190	
			3	-	46.8	53.2	-	5.2	71.3	1.0	20.3	2.2	12,430	
Caprock	- B5574	FC,LC	1	24.5	31.4	38.2	5.9	-	-	-	-	1.2	8,770	9
Caprock	- B5575	FC,LC	1	25.5	29.6	40.3	4.6	-	-	-	-	1.2	8,980	9
Caprock	- B5576	FC,LC	1	25.0	30.5	39.3	5.2	6.2	51.2	0.7	35.5	1.2	8,880	9
			2	-	40.7	52.4	6.9	4.5	68.3	1.0	17.7	1.6	11,850	
			3	-	43.7	56.3	-	4.8	73.4	1.1	19.0	1.7	12,730	
Golden Star	-	LC	1	14.09	39.08	38.32	8.51	-	-	-	-	0.98	-	4
Golden Star	-	LC	1	19.46	34.44	39.97	5.71	-	-	-	-	0.42	-	4
Golden Star	-	LC	1	20.95	34.70	37.43	6.36	-	-	-	-	0.56	-	4
Leyden No. 3	-	DE,LC	1	17.6	40.9	53.7	5.4	-	-	-	-	0.4	10,020	9
			2	-	-	-	-	-	-	-	-	-	12,160	
			3	-	-	-	-	-	-	-	-	-	12,850	
Leyden No. 3	-	DE,LC	1	18.1	41.7	52.7	5.6	-	-	-	-	0.4	10,020	9
			2	-	-	-	-	-	-	-	-	-	12,230	
			3	-	-	-	-	-	-	-	-	-	12,960	
Leyden No. 3	- B74727	TI,LC	1	21.2	-	-	3.8	-	-	-	-	0.32 ¹	-	19
Leyden No. 3	- A57245	FC,LC	1	20.7	30.7	44.2	4.4	-	-	-	-	0.4	9,720	9
Leyden No. 3	- A57246	FC,LC	1	19.8	30.0	41.9	8.3	-	-	-	-	0.5	9,250	9
Leyden No. 3	- A57247	FC,LC	1	20.9	30.1	44.4	4.6	-	-	-	-	0.6	9,730	9
Leyden No. 3	- A57248	FC,LC	1	20.6	30.3	43.4	5.7	6.2	55.9	0.8	30.9	0.5	9,540	9
			2	-	38.1	54.8	7.1	5.0	70.5	1.1	15.7	0.6	12,020	
			3	-	41.0	59.0	-	5.4	75.9	1.1	16.9	0.7	12,950	

1) Sulfur forms: 0.00% sulfate, 0.09% pyritic, 0.23% organic

JEFFERSON COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Leyden No. 3	- A97111	FC,LC	1	22.7	29.9	43.3	4.1	-	-	-	-	0.4	9,300	9
Leyden No. 3	- A97112	FC,LC	1	22.5	29.3	44.1	4.1	-	-	-	-	0.4	9,300	9
Leyden No. 3	- A97113	FC,LC	1	22.5	29.7	43.0	4.8	-	-	-	-	0.4	9,190	9
Leyden No. 3	- A97114	FC,LC	1	20.1	29.0	46.0	4.9	-	-	-	-	0.5	9,720	9
Leyden No. 3	- A97115	FC,LC	1	22.0	29.4	44.1	4.5	6.0	55.2	0.8	33.1	0.4	9,380	9
			2	-	37.8	56.5	5.7	4.5	70.8	1.1	17.3	0.6	12,030	
			3	-	40.1	59.9	-	4.8	75.1	1.1	18.4	0.6	12,760	
Leyden No. 3	-	TI,LC	1	20.0	-	-	-	-	-	-	-	-	9,540	15
			2	-	38.3	55.2	6.5	-	-	-	-	0.6	11,920	
			3	-	-	-	-	-	-	-	-	-	12,750	
Leyden No. 3	-	TI,LC	1	20.1	-	-	-	-	-	-	-	-	9,500	15
			2	-	39.2	53.8	7.0	-	-	-	-	0.7	11,890	
			3	-	-	-	-	-	-	-	-	-	12,790	
Leyden No. 3	-	TI,LC	1	20.7	40.1	54.1	5.8	-	-	-	-	0.5	9,600	9
			2	-	-	-	-	-	-	-	-	-	12,110	
			3	-	-	-	-	-	-	-	-	-	12,860	
Leyden No. 3	-	TI,LC	1	21.0	40.3	54.7	5.0	-	-	-	-	0.3	9,570	9
			2	-	-	-	-	-	-	-	-	-	12,120	
			3	-	-	-	-	-	-	-	-	-	12,760	
Morrison	-	FC,LC	1	23.5	34.1	35.0	7.42	6.02	49.26	0.60	35.90	0.80	8,426	15
			2	-	44.6	45.7	9.70	4.46	64.41	0.78	19.60	1.05	11,016	
			3	-	49.4	50.6	-	4.94	71.33	0.86	21.71	1.16	12,200	
Morrison	-	FC,LC	1	23.2	34.1	36.9	5.8	-	-	-	-	0.64	-	15
			2	-	44.4	48.1	7.5	-	-	-	-	0.83	-	
			3	-	48.0	52.0	-	-	-	-	-	0.90	-	
Morrison	- 6593	FC,LC	1	23.5	34.1	35.0	7.4	6.0	49.3	0.6	35.9	0.8	8,430	14
			2	-	44.6	45.7	9.7	4.5	64.4	0.8	19.5	1.1	11,020	
			3	-	49.4	50.4	-	4.9	71.3	0.9	21.7	1.2	12,200	
Mount Carbon	-	LC	1	24.27	33.36	36.09	5.81	-	-	-	-	0.47	-	4
Mount Carbon	-	LC	1	22.93	34.84	35.85	5.87	-	-	-	-	0.51	-	4
Murphy	-	LC	1	13.83	35.88	44.44	5.85	-	-	-	-	-	-	12
Murphy	-	LC	1	13.70	-	-	5.80	-	-	-	-	-	-	12
Murphy	-	LC	1	13.90	-	-	4.30	-	-	-	-	-	-	12

JEFFERSON COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Murphy	-	LC	1	11.70	29.07	55.31	3.92	-	-	-	-	-	-	12
New White Ash	-	LC	1	14.94	38.45	41.32	5.29	-	-	-	-	0.28	-	4
New White Ash	-	LC	1	14.60	36.91	40.60	7.89	-	-	-	-	0.31	-	4
Ralston Creek	-	FC,LC	1	18.5	35.5	40.3	5.67	5.76	53.15	0.95	33.90	0.57	9,391	15
			2	-	43.5	49.5	6.96	4.54	65.27	1.17	21.36	0.70	11,531	
			3	-	46.8	53.2	-	4.88	70.15	1.26	22.95	0.76	12,393	
Ralston Creek	6372	FC,LC	1	18.6	35.5	40.2	5.7	5.8	53.2	1.0	33.7	0.6	9,590	14
			2	-	43.6	49.4	7.0	4.5	65.3	1.2	21.3	0.7	11,530	
			3	-	46.8	53.2	-	4.9	70.2	1.3	22.8	0.8	12,390	
Rocky Mountain No. 1	-	LC	1	14.13	36.65	38.89	10.33	-	-	-	-	0.48	-	4
Rocky Mountain No. 2	-	LC	1	14.40	37.87	41.26	6.47	-	-	-	-	0.45	-	4
Unity	A96684	FC,LC	1	29.0	28.8	37.1	5.1	-	-	-	-	0.4	8,250	9
Unity	A96685	FC,LC	1	28.3	28.9	35.8	7.0	-	-	-	-	0.4	7,970	9
Unity	A96686	FC,LC	1	29.1	28.1	36.7	6.0	6.3	47.8	0.8	38.6	0.4	8,110	9
			2	-	39.6	51.6	8.5	4.4	67.4	1.1	18.0	0.6	11,430	
			3	-	43.3	56.7	-	4.8	73.7	1.2	19.7	0.6	12,500	
Van Winkle	A96768	FC,LC	1	26.2	31.3	37.4	5.1	-	-	-	-	0.3	8,260	9
Van Winkle	A96769	FC,LC	1	27.1	30.8	37.5	4.6	-	-	-	-	0.4	8,570	9
Van Winkle	A96770	FC,LC	1	26.7	30.6	37.9	4.8	6.4	50.3	0.8	37.4	0.3	8,580	9
			2	-	41.8	51.6	6.6	4.7	68.6	1.1	18.6	0.4	11,710	
			3	-	44.7	55.3	-	5.0	73.4	1.2	19.9	0.5	12,530	
Virginia	A96688	FC,LC	1	26.7	29.4	38.0	5.9	-	-	-	-	0.5	8,490	9
Virginia	A96689	FC,LC	1	26.9	30.0	36.0	7.1	-	-	-	-	0.9	8,380	9
Virginia	A96690	FC,LC	1	26.8	29.5	37.3	6.4	6.2	49.5	0.8	36.4	0.7	8,430	9
			2	-	40.3	51.0	8.7	4.4	67.6	1.0	17.3	1.0	11,520	
			3	-	44.2	55.8	-	4.8	74.1	1.1	18.9	1.1	12,620	
White Ash (Rooney)	16615	FC,LC	1	28.7	30.7	34.8	5.8	6.4	47.9	0.7	38.4	0.8	8,160	5
			2	-	43.0	48.9	8.1	4.4	67.2	1.0	18.2	1.1	11,440	
			3	-	46.8	53.2	-	4.8	73.2	1.1	19.8	1.1	12,450	

JEFFERSON COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
White Ash	-	LC	1	18.36	35.48	42.62	3.14	-	-	-	-	0.40	-	4
White Ash	-	LC	1	19.02	34.11	42.74	3.68	-	-	-	-	0.45	-	4
White Ash	-	LC	1	19.17	33.00	43.42	3.92	-	-	-	-	0.49	-	4

LARIMER COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Bachy	- A96623	FC,LC	1	32.7	27.7	31.3	8.3	-	-	-	-	1.6	7,520	9
Bachy	- A96624	FC,LC	1	31.9	27.4	30.7	10.0	-	-	-	-	2.4	7,320	9
Bachy	- A96625	FC,LC	1	32.4	27.1	31.4	9.1	6.7	43.0	0.9	38.3	2.0	7,420	9
			2	-	40.0	46.5	13.5	4.5	63.6	1.4	14.0	3.0	10,970	
			3	-	46.3	53.7	-	5.2	73.5	1.6	15.2	3.5	12,680	
Hackman	- A96620	FC,LC	1	32.0	26.3	33.5	8.2	-	-	-	-	1.1	7,510	9
Hackman	- A96621	FC,LC	1	33.0	26.9	34.3	5.8	-	-	-	-	0.6	7,500	9
Hackman	- A96622	FC,LC	1	32.6	26.6	33.8	7.0	6.7	44.2	1.0	40.3	0.8	7,490	9
Indian Springs	- 6433	FC,LC	1	29.3	29.0	32.7	9.00	6.28	42.88	0.75	37.66	3.43	7,468	14,15
			2	-	41.0	46.3	12.74	4.27	60.68	1.06	16.40	4.85	10,568	
			3	-	46.9	53.1	-	4.89	69.54	1.21	18.80	5.56	12,110	

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Baseline	-	TI,LC	1	23.7	38.8	56.1	5.1	-	-	-	-	0.4	9,530	18
			2	-	-	-	-	-	-	-	-	-	12,490	
			3	-	-	-	-	-	-	-	-	-	13,160	
Baseline	-	TI,LC	1	23.4	38.9	56.6	4.5	4.7	73.7	1.5	15.2	0.4	9,780	18
			2	-	-	-	-	-	-	-	-	-	12,770	
			3	-	-	-	-	-	-	-	-	-	13,370	
Baseline	-	TI,LC	1	23.7	39.1	56.4	4.5	-	-	-	-	0.3	9,620	18
			2	-	-	-	-	-	-	-	-	-	12,610	
			3	-	-	-	-	-	-	-	-	-	13,000	
Baseline	-	TI,LC	1	24.2	39.2	55.8	-	-	-	-	-	0.4	9,390	18
			2	-	-	-	-	-	-	-	-	-	12,390	
			3	-	-	-	-	-	-	-	-	-	13,040	
Baseline	-	TI,LC	1	23.5	38.7	56.1	5.2	-	-	-	-	0.4	9,540	18
			2	-	-	-	-	-	-	-	-	-	12,470	
			3	-	-	-	-	-	-	-	-	-	13,150	
Baseline	-	TI,LC	1	23.4	-	-	3.5	-	-	-	-	0.27 ^m	-	19
Baum	-	TI,LC	1	24.4	39.2	55.9	4.9	-	-	-	-	0.5	9,490	18
			2	-	-	-	-	-	-	-	-	-	12,550	
			3	-	-	-	-	-	-	-	-	-	13,200	
Baum	-	TI,LC	1	24.6	38.9	56.5	4.6	4.8	73.1	1.6	15.5	0.4	9,470	18
			2	-	-	-	-	-	-	-	-	-	12,560	
			3	-	-	-	-	-	-	-	-	-	13,170	
Baum	-	DE,LC	1	22.8	38.4	55.6	6.0	-	-	-	-	0.4	9,670	18
			2	-	-	-	-	-	-	-	-	-	12,520	
			3	-	-	-	-	-	-	-	-	-	13,320	
Baum	-	TI,LC	1	24.2	39.1	55.8	5.1	-	-	-	-	0.4	9,520	18
			2	-	-	-	-	-	-	-	-	-	12,560	
			3	-	-	-	-	-	-	-	-	-	13,230	
Baum	-	DE,LC	1	23.0	38.2	56.2	5.6	-	-	-	-	0.5	9,670	18
			2	-	-	-	-	-	-	-	-	-	12,560	
			3	-	-	-	-	-	-	-	-	-	13,310	
Baum	-	TI,LC	1	24.6	39.4	55.7	4.9	-	-	-	-	0.4	9,470	18
			2	-	-	-	-	-	-	-	-	-	12,560	
			3	-	-	-	-	-	-	-	-	-	13,210	

m) Sulfur forms: 0.01% sulfate, 0.03% pyritic, 0.23% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Baum	-	DE,LC	1	22.9	39.5	55.5	5.0	-	-	-	-	0.3	9,670	18
			2	-	-	-	-	-	-	-	-	-	12,540	
			3	-	-	-	-	-	-	-	-	-	13,200	
Baum	874723	TI,LC	1	24.6	-	-	3.5	-	-	-	-	0.27 ⁿ	-	19
Baum	31344	FC,LC	1	25.2	29.8	41.0	4.0	6.3	53.6	1.2	34.5	0.4	9,210	7
			2	-	39.8	54.9	5.3	4.7	71.7	1.6	16.2	0.5	12,300	
			3	-	42.1	57.9	-	4.9	75.7	1.7	17.2	0.5	12,990	
Baum	A97231	FC,LC	1	25.4	27.7	42.8	4.1	-	-	-	-	0.5	9,270	9
Baum	A97232	FC,LC	1	25.9	27.5	43.0	3.6	-	-	-	-	0.2	9,250	9
Baum	A97233	FC,LC	1	25.0	27.9	43.7	3.4	-	-	-	-	0.2	9,400	9
Baum	A97234	FC,LC	1	26.1	27.3	43.0	3.6	-	-	-	-	0.3	9,180	9
Baum	A97235	FC,LC	1	25.6	28.1	42.7	3.6	6.4	54.3	1.1	34.3	0.3	9,280	9
			2	-	37.7	57.4	4.9	4.8	73.0	1.5	15.4	0.4	12,480	
			3	-	39.7	60.3	-	5.0	76.7	1.5	16.4	0.4	13,110	
Boulder Valley No. 3	-	TI,LC	1	25.0	38.9	55.9	5.2	-	-	-	-	0.4	9,380	18
			2	-	-	-	-	-	-	-	-	-	12,510	
			3	-	-	-	-	-	-	-	-	-	13,200	
Boulder Valley No. 3	-	TI,LC	1	23.5	39.8	55.3	4.9	-	-	-	-	0.4	9,600	18
			2	-	-	-	-	-	-	-	-	-	12,550	
			3	-	-	-	-	-	-	-	-	-	13,200	
Boulder Valley No. 3	-	TI,LC	1	24.9	39.3	55.9	4.8	-	-	-	-	0.3	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,510	
			3	-	-	-	-	-	-	-	-	-	13,140	
Boulder Valley No. 3	-	TI,LC	1	24.6	38.8	56.3	4.9	-	-	-	-	0.3	9,500	18
			2	-	-	-	-	-	-	-	-	-	12,600	
			3	-	-	-	-	-	-	-	-	-	13,250	
Boulder Valley No. 3	-	TI,LC	1	24.8	39.6	55.7	4.7	-	-	-	-	0.3	9,390	18
			2	-	-	-	-	-	-	-	-	-	12,490	
			3	-	-	-	-	-	-	-	-	-	13,110	
Boulder Valley No. 3	-	TI,LC	1	24.3	38.9	56.7	4.4	-	-	-	-	0.4	9,950	18
			2	-	-	-	-	-	-	-	-	-	12,620	
			3	-	-	-	-	-	-	-	-	-	13,200	

n) Sulfur forms: 0.00% sulfate, 0.04% pyritic, 0.23% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Boulder Valley No. 3	-	DE,LC	1	23.7	39.6	54.5	5.9	-	-	-	-	0.4	9,480	18
			2	-	-	-	-	-	-	-	-	-	12,420	
			3	-	-	-	-	-	-	-	-	-	13,200	
Boulder Valley No. 3	C87851	TI,LC	1	24.9	-	-	3.6	-	-	-	-	0.25	-	19
Briggs	-	LC	1	14.80	34.50	47.30	3.40	-	-	-	-	-	-	12
Buddy	A96617	FC,LC	1	30.8	25.8	37.1	6.3	-	-	-	-	0.4	8,250	9
Buddy	A96618	FC,LC	1	30.1	26.6	37.1	6.2	-	-	-	-	0.3	8,300	9
Buddy	A96619	FC,LC	1	30.6	26.4	36.8	6.2	6.7	48.1	1.1	37.6	0.3	8,260	9
			2	-	38.0	53.1	8.9	4.8	69.3	1.6	14.9	0.5	11,900	
			3	-	41.7	58.3	-	5.2	76.1	1.8	16.4	0.5	13,070	
Clayton	-	DE,LC	1	21.8	-	-	-	-	-	-	-	-	9,330	9
			2	-	36.7	53.5	9.8	-	-	-	-	0.9	11,930	
			3	-	-	-	-	-	-	-	-	-	13,230	
Clayton	-	TI,LC	1	20.0	-	-	-	-	-	-	-	-	10,030	9
			2	-	37.8	56.4	5.8	-	-	-	-	0.4	12,530	
			3	-	-	-	-	-	-	-	-	-	13,300	
Columbine	-	TI,LC	1	20.7	-	-	-	-	-	-	-	-	9,980	9
			2	-	37.8	56.4	5.8	-	-	-	-	0.3	12,580	
			3	-	-	-	-	-	-	-	-	-	13,350	
Columbine	-	TI,LC	1	19.7	-	-	-	-	-	-	-	-	9,960	9
			2	-	38.5	54.6	6.9	-	-	-	-	0.3	12,410	
			3	-	-	-	-	-	-	-	-	-	13,330	
Columbine	-	TI,LC	1	20.4	-	-	-	-	-	-	-	-	9,770	9
			2	-	38.1	53.9	8.0	-	-	-	-	0.4	12,270	
			3	-	-	-	-	-	-	-	-	-	13,340	
Columbine	A10432	FC,LC	1	20.7	32.0	43.7	3.6	6.1	58.6	1.2	30.2	0.3	10,000	9
			2	-	40.3	55.2	4.5	4.8	73.9	1.6	14.8	0.4	12,610	
			3	-	42.2	57.8	-	5.1	77.4	1.6	15.5	0.4	13,200	
Columbine	A84716	FC,LC	1	22.1	30.3	43.5	4.1	-	-	-	-	0.3	9,830	9
Columbine	A84717	FC,LC	1	22.1	30.3	42.9	4.7	-	-	-	-	0.4	9,750	9
Columbine	A84718	FC,LC	1	22.9	30.8	41.4	4.9	-	-	-	-	0.2	9,590	9
Columbine	A84719	FC,LC	1	21.8	30.7	43.8	3.7	-	-	-	-	0.3	9,950	9

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Boulder Valley No. 3	-	TI,LC	1	24.8	39.3	54.3	6.4	-	-	-	-	0.4	9,260	18
			2	-	-	-	-	-	-	-	-	-	12,320	
			3	-	-	-	-	-	-	-	-	-	13,160	
Boulder Valley No. 3	-	TI,LC	1	24.9	38.7	56.1	5.2	-	-	-	-	0.3	9,430	18
			2	-	-	-	-	-	-	-	-	-	12,550	
			3	-	-	-	-	-	-	-	-	-	13,240	
Boulder Valley No. 3	-	TI,LC	1	24.7	39.0	54.5	6.5	-	-	-	-	0.4	9,280	18
			2	-	-	-	-	-	-	-	-	-	12,320	
			3	-	-	-	-	-	-	-	-	-	13,180	
Boulder Valley No. 3	-	TI,LC	1	24.9	38.9	56.0	5.1	-	-	-	-	0.4	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,520	
			3	-	-	-	-	-	-	-	-	-	13,190	
Boulder Valley No. 3	-	TI,LC	1	24.7	39.3	55.4	5.3	-	-	-	-	0.4	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,480	
			3	-	-	-	-	-	-	-	-	-	13,180	
Boulder Valley No. 3	-	TI,LC	1	24.8	39.2	55.7	5.1	-	-	-	-	0.4	9,380	18
			2	-	-	-	-	-	-	-	-	-	12,480	
			3	-	-	-	-	-	-	-	-	-	13,150	
Boulder Valley No. 3	-	TI,LC	1	24.6	39.7	53.1	7.2	-	-	-	-	0.7	9,270	18
			2	-	-	-	-	-	-	-	-	-	12,290	
			3	-	-	-	-	-	-	-	-	-	13,240	
Boulder Valley No. 3	-	TI,LC	1	24.9	38.8	54.1	7.1	-	-	-	-	0.5	9,190	18
			2	-	-	-	-	-	-	-	-	-	12,240	
			3	-	-	-	-	-	-	-	-	-	13,180	
Boulder Valley No. 3	-	TI,LC	1	25.1	38.6	56.0	5.4	-	-	-	-	0.3	9,380	18
			2	-	-	-	-	-	-	-	-	-	12,530	
			3	-	-	-	-	-	-	-	-	-	13,250	
Boulder Valley No. 3	-	DE,LC	1	20.8	39.1	52.8	8.1	-	-	-	-	0.5	9,610	18
			2	-	-	-	-	-	-	-	-	-	12,130	
			3	-	-	-	-	-	-	-	-	-	13,200	
Boulder Valley No. 3	-	DE,LC	1	22.9	38.5	54.4	7.1	-	-	-	-	0.6	9,510	18
			2	-	-	-	-	-	-	-	-	-	12,340	
			3	-	-	-	-	-	-	-	-	-	13,280	
Boulder Valley No. 3	-	DE,LC	1	22.0	38.7	54.6	6.7	-	-	-	-	0.5	9,590	18
			2	-	-	-	-	-	-	-	-	-	12,300	
			3	-	-	-	-	-	-	-	-	-	13,180	
Boulder Valley No. 3	-	DE,LC	1	25.1	38.7	55.3	6.0	-	-	-	-	0.4	9,300	18
			2	-	-	-	-	-	-	-	-	-	12,420	
			3	-	-	-	-	-	-	-	-	-	13,210	

06

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USB# NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Columbine	- A84720	FC,LC	1	22.1	31.1	42.4	4.4	6.3	56.3	1.3	31.4	0.3	9,800	9
			2	-	39.9	54.5	5.6	4.9	72.3	1.6	15.2	0.4	12,580	
			3	-	42.3	57.7	-	5.2	76.6	1.7	16.1	0.4	13,330	
Eagle	-	TI,LC	1	22.7	37.7	57.4	4.9	-	-	-	-	0.3	9,270	18
			2	-	-	-	-	-	-	-	-	-	12,770	
			3	-	-	-	-	-	-	-	-	-	13,430	
Eagle	-	TI,LC	1	22.8	37.5	56.3	6.0	-	-	-	-	0.4	9,600	18
			2	-	-	-	-	-	-	-	-	-	12,430	
			3	-	-	-	-	-	-	-	-	-	13,250	
Eagle	-	DE,LC	1	21.8	38.8	54.2	7.0	-	-	-	-	0.4	9,640	18
			2	-	-	-	-	-	-	-	-	-	12,330	
			3	-	-	-	-	-	-	-	-	-	13,260	
Eagle	-	DE,LC	1	18.3	39.1	54.3	6.6	-	-	-	-	0.4	10,150	18
			2	-	-	-	-	-	-	-	-	-	12,420	
			3	-	-	-	-	-	-	-	-	-	13,300	
Eagle	-	DE,LC	1	21.0	38.3	56.5	5.2	-	-	-	-	0.3	9,990	18
			2	-	-	-	-	-	-	-	-	-	12,640	
			3	-	-	-	-	-	-	-	-	-	13,330	
Eagle	-	DE,LC	1	19.7	38.8	53.1	8.1	-	-	-	-	0.5	9,830	18
			2	-	-	-	-	-	-	-	-	-	12,240	
			3	-	-	-	-	-	-	-	-	-	13,320	
Eagle	-	TI,LC	1	23.0	37.9	56.9	5.2	-	-	-	-	0.4	9,750	18
			2	-	-	-	-	-	-	-	-	-	12,660	
			3	-	-	-	-	-	-	-	-	-	13,350	
Eagle	-	TI,LC	1	22.3	39.5	54.3	6.2	-	-	-	-	0.4	9,710	18
			2	-	-	-	-	-	-	-	-	-	12,500	
			3	-	-	-	-	-	-	-	-	-	13,330	
Eagle	- CB6941	TI,LC	1	22.6	-	-	3.6	-	-	-	-	0.28 ^p	-	19
Eagle	D-173488 -	FC,LC	1	22.3	-	-	4.3	6.3	56.0	1.2	31.8	0.4 ^p	9,700	/ 1
			2	-	-	-	5.6	4.9	72.0	1.6	15.4	-	12,480	
			3	-	-	-	-	5.2	76.3	1.7	16.3	-	13,270	
Eagle	D-173489 -	FC,LC	1	23.0	-	-	4.3	6.3	55.7	1.3	32.1	0.3 ^q	9,640	/ 1
			2	-	-	-	5.6	4.9	72.4	1.6	15.1	0.4 ^r	12,530	
			3	-	-	-	-	5.2	76.7	1.7	16.0	0.4 ^s	13,270	

- o) Sulfur forms: 0.00% sulfate, 0.06% pyritic, 0.22% organic
p) Sulfur forms: 0.01% sulfate, 0.13% pyritic, 0.23% organic
mineral- and moisture-free; 0.01% sulfate, 0.17% pyritic, 0.30% organic
q) Sulfur forms: 0.00% sulfate, 0.04% pyritic, 0.27% organic
r) Sulfur forms: 0.00% sulfate, 0.05% pyritic, 0.35% organic
s) Sulfur forms: 0.00% sulfate, 0.05% pyritic, 0.37% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Eagle	D-173490	FC,LC,No. 3	1	19.5	-	-	-	5.4	47.5	1.1	27.8	0.3 ^t	-	1
			2	-	-	-	-	4.0	59.0	1.3	13.2	0.3 ^u	10,180	
			3	-	-	-	-	5.2	75.9	1.7	16.8	0.4 ^v	13,080	
Erie Strip	-	TI,LC	1	23.1	39.5	53.4	7.1	-	-	-	-	0.5	9,340	18
			2	-	-	-	-	-	-	-	-	-	12,140	
			3	-	-	-	-	-	-	-	-	-	13,070	
Erie Strip	-	TI,LC	1	23.4	39.5	54.0	6.5	-	-	-	-	-	9,410	18
			2	-	-	-	-	-	-	-	-	-	12,280	
			3	-	-	-	-	-	-	-	-	-	13,130	
Erie Strip	-	TI,LC	1	23.2	39.4	53.8	6.8	-	-	-	-	0.4	9,420	18
			2	-	-	-	-	-	-	-	-	-	12,260	
			3	-	-	-	-	-	-	-	-	-	13,150	
Erie Strip	-	TI,LC	1	23.8	39.2	54.5	6.3	4.6	71.3	1.6	15.7	0.5	9,380	18
			2	-	-	-	-	-	-	-	-	-	12,310	
			3	-	-	-	-	-	-	-	-	-	13,140	
Evans	-	FC,LC	1	25.2	28.5	42.1	4.2	-	-	-	0.4	9,350	9	
Evans	82721	FC,LC	1	25.2	27.9	43.3	3.6	-	-	-	0.3	9,410	9	
Evans	82722	FC,LC	1	25.2	27.9	43.3	3.6	-	-	-	0.3	9,410	9	
Evans	-	FC,LC	1	23.1	28.4	43.9	4.6	-	-	-	0.4	9,700	9	
Evans	82723	FC,LC	1	23.1	28.4	43.9	4.6	-	-	-	0.4	9,700	9	
Evans	82724	FC,LC	1	24.1	28.2	43.7	4.0	6.3	55.0	1.2	33.1	0.4	9,540	9
			2	-	37.1	57.6	5.3	4.8	72.5	1.6	15.3	0.5	12,570	
			3	-	39.2	60.8	-	5.1	76.6	1.7	16.0	0.6	13,270	
Farmers	6373	FC,LC	1	29.7	27.7	36.5	6.1	6.5	47.2	1.1	38.7	0.4	8,080	14
			2	-	39.3	52.0	8.7	4.5	67.1	1.5	17.7	0.5	11,480	
			3	-	43.1	56.9	-	4.9	73.5	1.7	19.3	0.6	12,580	
Golden Ash	-	LC	1	22.2	-	-	-	-	-	-	-	-	9,580	9
			2	-	50.4	42.6	7.0	-	-	-	-	0.4	12,310	
			3	-	-	-	-	-	-	-	-	-	13,240	
Golden Ash	351-D	FC,LC	1	24.5	34.0	37.6	3.9	-	-	-	-	0.3	9,450	14
			2	-	45.1	49.8	5.1	-	-	-	-	0.4	12,680	
Graden	-	TI,LC	1	21.3	37.6	56.9	5.5	4.8	75.9	1.6	11.0	0.4	10,180	18
			2	-	-	-	-	-	-	-	-	-	12,940	
			3	-	-	-	-	-	-	-	-	-	13,690	

t) Sulfur forms: 0.02% sulfate, 0.06% pyritic, 0.18% organic
u) Sulfur forms: 0.02% sulfate, 0.08% pyritic, 0.22% organic
v) Sulfur forms: 0.03% sulfate, 0.10% pyritic, 0.28% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Graden	-	TI,LC	1	22.8	37.2	56.1	6.7	-	-	-	-	0.4	9,700	18
			2	-	-	-	-	-	-	-	-	-	12,570	
			3	-	-	-	-	-	-	-	-	-	13,470	
Graden	-	TI,LC	1	20.1	39.3	56.0	4.7	-	-	-	-	0.4	10,180	18
			2	-	-	-	-	-	-	-	-	-	12,740	
			3	-	-	-	-	-	-	-	-	-	13,370	
Graden	-	TI,LC	1	23.1	37.1	57.2	5.7	-	-	-	-	0.2	9,810	18
			2	-	-	-	-	-	-	-	-	-	12,760	
			3	-	-	-	-	-	-	-	-	-	13,530	
Graden	-	DE,LC	1	22.0	40.1	54.4	5.5	-	-	-	-	0.4	9,660	18
			2	-	-	-	-	-	-	-	-	-	12,380	
			3	-	-	-	-	-	-	-	-	-	13,100	
Graden	-	DE,LC	1	20.4	38.8	56.2	5.0	-	-	-	-	0.3	9,990	18
			2	-	-	-	-	-	-	-	-	-	12,550	
			3	-	-	-	-	-	-	-	-	-	13,210	
Graden	-	TI,LC	1	22.8	37.1	56.9	6.0	-	-	-	-	0.2	9,820	18
			2	-	-	-	-	-	-	-	-	-	12,720	
			3	-	-	-	-	-	-	-	-	-	13,530	
Graden	-	DE,LC	1	22.0	40.1	54.4	5.5	-	-	-	-	0.4	9,660	18
			2	-	-	-	-	-	-	-	-	-	12,380	
			3	-	-	-	-	-	-	-	-	-	13,100	
Graden	-	DE,LC	1	22.6	39.2	54.4	6.4	-	-	-	-	0.4	9,580	18
			2	-	-	-	-	-	-	-	-	-	12,380	
			3	-	-	-	-	-	-	-	-	-	13,230	
Graden	-	DE,LC	1	22.5	40.3	53.0	6.7	-	-	-	-	0.6	9,560	18
			2	-	-	-	-	-	-	-	-	-	12,340	
			3	-	-	-	-	-	-	-	-	-	13,230	
Graden	-	DE,LC	1	24.1	38.8	54.9	6.3	-	-	-	-	0.5	9,450	18
			2	-	-	-	-	-	-	-	-	-	12,450	
			3	-	-	-	-	-	-	-	-	-	13,290	
Graden	-	DE,LC	1	20.0	39.3	55.2	5.5	-	-	-	-	0.4	9,950	18
			2	-	-	-	-	-	-	-	-	-	12,440	
			3	-	-	-	-	-	-	-	-	-	13,360	
Graden	-	DE,LC	1	21.2	38.8	55.7	5.5	-	-	-	-	0.3	9,930	18
			2	-	-	-	-	-	-	-	-	-	12,600	
			3	-	-	-	-	-	-	-	-	-	13,330	
Graden	-	DE,LC	1	20.2	40.8	54.0	5.2	-	-	-	-	0.3	10,050	18
			2	-	-	-	-	-	-	-	-	-	12,600	
			3	-	-	-	-	-	-	-	-	-	13,290	
Graden	-	DE,LC	1	21.8	39.2	53.5	7.3	-	-	-	-	0.6	9,590	18
			2	-	-	-	-	-	-	-	-	-	12,260	
			3	-	-	-	-	-	-	-	-	-	13,230	

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Graden	- B73799	TI,LC	1	21.3	-	-	4.3	-	-	-	-	0.30	-	19
Grant	- A85677	FC,LC	1	25.0	28.1	42.4	4.5	-	-	-	-	0.5	9,390	9
Grant	- A85678	FC,LC	1	26.4	27.7	41.6	4.3	-	-	-	-	0.4	9,170	9
Grant	- A85679	FC,LC	1	25.5	28.2	41.8	4.5	-	-	-	-	0.4	9,260	9
Grant	- A85680	FC,LC	1	26.2	27.5	41.8	4.5	-	-	-	-	0.5	9,170	9
Grant	- A85681	FC,LC	1	25.8	28.0	41.8	4.4	6.4	53.7	1.2	53.9	0.4	9,250	9
			2	-	37.7	56.4	5.9	4.7	72.4	1.6	14.8	0.6	12,470	
			3	-	40.1	59.9	-	5.0	77.0	1.7	15.7	0.6	13,250	
Grant	-	TI,LC	1	24.0	-	-	-	-	-	-	-	-	9,550	9
			2	-	36.8	57.5	5.7	-	-	-	-	0.6	12,570	
			3	-	-	-	-	-	-	-	-	-	13,330	
Grant	-	TI,LC	1	25.2	-	-	-	-	-	-	-	-	9,240	9
			2	-	38.2	54.7	7.1	-	-	-	-	0.8	12,350	
			3	-	-	-	-	-	-	-	-	-	13,290	
Ideal	- 6374	FC,LC	1	21.1	31.1	44.2	3.6	6.1	56.5	1.1	32.3	0.4	10,000	14
			2	-	39.5	55.9	4.6	4.8	71.5	1.4	17.2	0.5	12,670	
			3	-	41.4	58.6	-	5.0	74.9	1.5	18.1	0.5	13,270	
Imperial	-	TI,LC	1	23.4	38.2	55.9	5.9	-	-	-	-	0.4	9,660	18
			2	-	-	-	-	-	-	-	-	-	12,610	
			3	-	-	-	-	-	-	-	-	-	13,400	
Imperial	-	TI,LC	1	22.8	37.5	53.6	8.9	-	-	-	-	0.4	9,340	18
			2	-	-	-	-	-	-	-	-	-	12,100	
			3	-	-	-	-	-	-	-	-	-	13,280	
Imperial	-	DE,LC	1	21.5	38.4	56.3	5.3	-	-	-	-	0.3	9,900	18
			2	-	-	-	-	-	-	-	-	-	12,610	
			3	-	-	-	-	-	-	-	-	-	13,320	
Imperial	-	DE,LC	1	19.7	39.0	54.7	6.3	-	-	-	-	0.5	10,010	18
			2	-	-	-	-	-	-	-	-	-	12,460	
			3	-	-	-	-	-	-	-	-	-	13,300	
Imperial	- B74368	TI,LC	1	23.9	-	-	4.1	-	-	-	-	0.33	-	19
Imperial	- C86938	TI,LC	1	22.8	-	-	4.0	-	-	-	-	0.34	-	19

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USDM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Imperial	- A97116	FC,LC	1	22.9	28.2	44.7	4.2	-	-	-	-	0.5	9,810	9
Imperial	- A97117	FC,LC	1	23.4	28.4	44.5	3.7	-	-	-	-	0.4	9,670	9
Imperial	- A97118	FC,LC	1	23.2	27.9	43.2	5.7	-	-	-	-	0.6	9,570	9
Imperial	- A97119	FC,LC	1 2 3	23.4 - -	28.6 37.3 39.6	43.6 57.0 60.4	4.4 5.7 -	6.3 4.9 5.2	55.7 72.8 77.2	1.3 1.6 1.7	31.8 14.4 15.2	0.5 0.6 0.7	9,660 12,620 13,380	9
Imperial	-	TI,LC	1 2 3	19.9 - -	- 37.6 -	- 56.7 -	- 5.7 -	- - -	- - -	- - -	- - -	- - 0.5	9,980 12,460 13,220	9
Lehigh	- 6841	FC,LC	1 2 3	22.9 - -	29.2 37.9 39.7	44.4 57.6 60.3	3.5 4.5 -	6.2 4.8 5.0	54.9 71.3 74.7	1.2 1.5 1.6	38.8 17.4 18.2	0.4 0.5 0.5	9,550 12,390 12,970	14
Lincoln	-	TI,LC	1 2 3	23.3 - -	38.3 - -	55.2 - -	6.5 - -	4.7 - -	71.7 - -	1.6 - -	15.1 - -	0.4 - -	9,540 12,440 13,300	18
Lincoln	-	TI,LC	1 2 3	25.0 - -	38.1 - -	55.1 - -	6.8 - -	4.7 - -	71.7 - -	1.6 - -	14.8 - -	0.4 - -	9,320 12,420 13,330	18
Lincoln	-	TI,LC	1 2 3	24.6 - -	36.9 - -	55.1 - -	8.0 - -	- - -	- - -	- - -	- - -	0.5 - -	9,220 12,230 13,290	18
Monroe	- A96396	FC,LC	1	22.5	29.7	43.6	4.2	-	-	-	-	0.3	9,790	9
Monroe	- A96397	FC,LC	1	23.7	29.8	42.9	3.6	-	-	-	-	0.4	9,690	9
Monroe	- A96398	FC,LC	1 2 3	23.1 - -	29.5 38.3 40.3	43.6 56.7 59.7	3.8 5.0 -	6.3 4.9 5.2	56.1 73.0 76.8	1.2 1.6 1.6	32.3 15.1 15.9	0.3 0.4 0.5	9,740 12,660 13,330	9
Monroe	-	TI,LC	1 2 3	20.2 - -	- 37.0 -	- 54.3 -	- 8.7 -	- - -	- - -	- - -	- - -	- - 0.5	9,680 12,130 13,290	9
Morrison	- A97133	FC,LC	1	22.5	29.3	43.3	4.9	-	-	-	-	0.3	9,570	9
Morrison	- A97134	FC,LC	1	22.2	29.5	42.4	5.9	-	-	-	-	0.3	9,460	9

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Morrison	- A97135	FC,LC	1	22.4	30.0	42.5	5.1	-	-	-	-	0.2	9,550	9
Morrison	- A97136	FC,LC	1	21.7	30.3	42.5	5.5	-	-	-	-	0.4	9,640	9
Morrison	- A97137	FC,LC	1	22.2	30.1	42.4	5.3	6.2	55.2	1.2	31.8	0.3	9,540	9
			2	-	38.6	54.6	6.8	4.9	71.0	1.6	15.3	0.4	12,260	
			3	-	41.5	58.5	-	5.2	76.2	1.7	16.5	0.4	13,160	
Morrison	-	TI,LC	1	22.6	39.6	52.3	8.1	-	-	-	-	0.6	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,140	
			3	-	-	-	-	-	-	-	-	-	13,210	
Morrison	-	TI,LC	1	22.1	39.6	52.1	8.3	-	-	-	-	0.4	9,460	18
			2	-	-	-	-	-	-	-	-	-	12,150	
			3	-	-	-	-	-	-	-	-	-	13,250	
Morrison	-	DE,LC	1	18.5	39.1	52.9	8.0	-	-	-	-	0.4	9,890	18
			2	-	-	-	-	-	-	-	-	-	12,140	
			3	-	-	-	-	-	-	-	-	-	13,200	
Morrison	-	DE,LC	1	21.3	39.2	53.1	7.7	-	-	-	-	0.4	9,630	18
			2	-	-	-	-	-	-	-	-	-	12,230	
			3	-	-	-	-	-	-	-	-	-	13,250	
Morrison	-	TI,LC	1	20.3	-	-	-	-	-	-	-	-	9,660	9
			2	-	38.4	54.3	7.3	-	-	-	-	0.5	12,120	
			3	-	-	-	-	-	-	-	-	-	13,070	
New Boulder Valley	- A96873	FC,LC	1	22.6	30.7	43.2	3.5	-	-	-	-	0.3	9,780	9
New Boulder Valley	- A96874	FC,LC	1	23.0	29.5	43.8	3.7	-	-	-	-	0.3	9,680	9
New Boulder Valley	- A96875	FC,LC	1	21.9	29.9	44.2	4.0	-	-	-	-	0.2	9,340	9
New Boulder Valley	- A96876	FC,LC	1	21.5	29.9	45.0	3.6	-	-	-	-	0.3	9,960	9
New Boulder Valley	- A96877	FC,LC	1	23.2	29.4	43.6	3.8	-	-	-	-	0.3	9,670	9
New Boulder Valley	- A96878	FC,LC	1	22.4	29.9	44.1	3.6	6.3	56.7	1.3	31.8	0.3	9,780	9
Old Boulder Valley	-	LC	1	14.90	37.81	42.34	4.95	-	-	-	-	0.49	-	4
Platteville "B"	- 6407	FC,LC	1	28.1	29.8	37.9	4.2	6.7	50.5	1.0	37.2	0.4	8,750	14
			2	-	41.5	52.6	5.9	4.9	70.1	1.4	17.1	0.5	12,180	
			3	-	44.1	55.9	-	5.2	74.6	1.5	18.2	0.5	12,940	

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Platteville "B"	6408	FC,LC	1	28.9	28.8	37.3	5.0	6.6	48.4	0.9	38.6	0.5	8,470	14	
			2	-	40.6	52.3	7.1	4.8	68.0	1.3	18.1	0.7	11,910		
			3	-	43.6	56.4	-	5.2	73.2	1.4	19.5	0.7	12,810		
Puritan	6842	FC,LC	1	24.3	27.6	44.8	3.25	6.14	55.28	1.07	33.90	0.36	9,376	15	
			2	-	36.5	59.2	4.29	4.54	73.01	1.41	16.27	0.48	12,384		
			3	-	38.1	61.9	-	4.74	76.28	1.47	17.01	0.50	12,938		
Puritan	-	DE,LC	1	21.3	-	-	-	-	-	-	-	-	9,740	9	
			2	-	40.4	54.2	5.4	-	-	-	-	0.6	12,380		
			3	-	-	-	-	-	-	-	-	-	13,090		
Puritan	-	DE,LC	1	18.9	-	-	-	-	-	-	-	-	9,690	9	
			2	-	37.3	54.0	8.7	-	-	-	-	1.4	11,940		
			3	-	-	-	-	-	-	-	-	-	13,080		
Puritan	-	DE,LC	1	23.2	-	-	-	-	-	-	-	-	9,320	9	
			2	-	38.7	52.9	8.4	-	-	-	-	1.3	12,130		
			3	-	-	-	-	-	-	-	-	-	13,240		
Puritan	31323	FC,LC	1	24.6	29.8	42.0	3.6	6.3	54.8	1.2	33.8	0.3	9,520	7	
			2	-	39.6	55.6	4.8	4.7	72.7	1.6	15.7	0.5	12,630		
			3	-	41.6	58.4	-	5.0	76.3	1.7	16.5	0.5	13,260		
Puritan	A97856	FC,LC	1	24.1	28.6	43.3	4.0	-	-	-	-	0.3	9,530	9	
Puritan	A97857	FC,LC	1	23.7	28.6	43.7	4.0	-	-	-	-	0.3	9,550	9	
Puritan	A97858	FC,LC	1	23.4	27.8	44.5	4.3	-	-	-	-	0.4	9,770	9	
Puritan	A97859	FC,LC	1	23.7	29.1	42.6	4.6	-	-	-	-	0.3	9,500	9	
Puritan	A97860	FC,LC	1	23.7	28.9	43.1	4.3	6.2	55.0	1.3	32.8	0.4	9,580	9	
			2	-	37.9	56.5	5.6	4.7	72.1	1.6	15.5	0.5	12,560		
			3	-	40.1	59.9	-	5.0	76.3	1.7	16.5	0.5	13,310		
Puritan	818793	FC,LC	1	19.7	-	-	4.5	-	-	-	-	0.40 ^w	-	19	
Russell	-	TI,LC	1	24.8	37.8	55.8	6.4	4.7	72.3	1.6	14.4	0.6	9,350	18	
			2	-	-	-	-	-	-	-	-	-	-		12,440
			3	-	-	-	-	-	-	-	-	-	-		13,290

97

w) Sulfur forms: 0.01% sulfate, 0.08% pyritic, 0.31% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USDM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE	
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S			
Russell	-	DE,LC	1	20.7	38.5	54.8	6.7	-	-	-	-	0.6	9,770	18	
			2	-	-	-	-	-	-	-	-	-	12,320		
			3	-	-	-	-	-	-	-	-	-	13,200		
Russell	-	DE,LC	1	22.5	39.7	54.4	5.9	-	-	-	-	0.5	9,630	18	
			2	-	-	-	-	-	-	-	-	-	12,420		
			3	-	-	-	-	-	-	-	-	-	13,200		
Russell	-	TI,LC	1	24.4	37.4	54.5	8.1	-	-	-	-	0.8	9,270	18	
			2	-	-	-	-	-	-	-	-	-	12,260		
			3	-	-	-	-	-	-	-	-	-	13,340		
Russell	873722	TI,LC	1	24.8	-	-	4.8	-	-	-	-	0.48 ^x	-	19	
Russell	A97311	FC,LC	1	24.8	29.0	41.5	4.7	-	-	-	-	0.4	9,310	9	
Russell	A97313	FC,LC	1	26.2	28.7	39.8	5.3	-	-	-	-	0.6	8,950	9	
Russell	A97314	FC,LC	1	25.7	28.3	41.2	4.8	6.4	53.5	1.2	33.6	0.5	9,180	9	
			2	-	38.1	55.5	6.4	4.7	71.9	1.6	14.7	0.7	12,350		
			3	-	40.7	59.3	-	5.0	76.8	1.7	15.8	0.7	13,190		
Russell	-	DE,LC	1	23.6	-	-	-	-	-	-	-	-	-	9,440	9
			2	-	40.5	53.2	6.3	-	-	-	-	-	0.6	12,360	
			3	-	-	-	-	-	-	-	-	-	-	13,190	
Russell	-	TI,LC	1	23.7	-	-	-	-	-	-	-	-	-	9,380	9
			2	-	38.7	53.9	7.4	-	-	-	-	-	0.7	12,290	
			3	-	-	-	-	-	-	-	-	-	-	13,270	
Shamrock	-	TI,LC	1	23.3	38.9	56.3	4.8	4.8	74.5	1.6	13.8	0.5	9,860	18	
			2	-	-	-	-	-	-	-	-	-	-		12,860
			3	-	-	-	-	-	-	-	-	-	-		13,510
Shamrock	-	TI,LC	1	24.3	38.8	55.7	5.5	-	-	-	-	0.6	9,590	18	
			2	-	-	-	-	-	-	-	-	-	-		12,670
			3	-	-	-	-	-	-	-	-	-	-		13,410
Shamrock	-	DE,LC	1	22.7	39.5	55.5	5.0	-	-	-	-	0.5	9,760	18	
			2	-	-	-	-	-	-	-	-	-	-		12,630
			3	-	-	-	-	-	-	-	-	-	-		13,290
Shamrock	-	DE,LC	1	19.2	42.0	53.0	5.0	-	-	-	-	0.4	10,270	18	
			2	-	-	-	-	-	-	-	-	-	-		12,710
			3	-	-	-	-	-	-	-	-	-	-		13,380

x) Sulfur forms: 0.00% sulfate, 0.16% pyritic, 0.32% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Shamrock	- B74134	TI,LC	1	23.3	-	-	3.7	-	-	-	-	0.39 ^y	-	19
Shamrock	- A96894	FC,LC	1	25.1	28.6	41.4	4.9	-	-	-	-	0.7	9,280	9
Shamrock	- A96895	FC,LC	1	24.1	29.3	42.5	4.1	-	-	-	-	0.4	9,500	9
Shamrock	- A96896	FC,LC	1	24.7	28.3	42.4	4.6	6.4	54.1	1.2	33.2	0.5	9,390	9
			2	-	37.6	56.3	6.1	4.8	71.8	1.6	15.0	0.7	12,470	
			3	-	40.1	59.9	-	5.1	76.5	1.7	16.0	0.7	13,280	
Shamrock	-	TI,LC	1	20.5	-	-	-	-	-	-	-	-	10,050	9
			2	-	37.0	57.2	5.8	-	-	-	-	0.6	12,640	
			3	-	-	-	-	-	-	-	-	-	13,430	
Star	- 6406	FC,LC	1	31.4	28.1	35.1	5.4	6.7	45.6	1.0	40.8	0.5	7,950	14
			2	-	41.0	51.2	7.8	4.7	66.4	1.4	19.0	0.7	11,590	
			3	-	44.5	55.5	-	5.0	72.1	1.5	20.7	0.7	12,580	
State	-	TI,LC	1	25.5	39.0	55.8	5.2	-	-	-	-	0.4	9,430	18
			2	-	-	-	-	-	-	-	-	-	12,660	
			3	-	-	-	-	-	-	-	-	-	13,350	
State	-	TI,LC	1	22.0	38.5	56.9	4.6	-	-	-	-	0.4	9,880	18
			2	-	-	-	-	-	-	-	-	-	12,670	
			3	-	-	-	-	-	-	-	-	-	13,280	
State	-	DE,LC	1	21.1	39.3	54.8	5.9	-	-	-	-	0.6	9,910	18
			2	-	-	-	-	-	-	-	-	-	12,560	
			3	-	-	-	-	-	-	-	-	-	13,350	
State	-	DE,LC	1	19.5	40.0	54.2	5.8	-	-	-	-	0.5	10,030	18
			2	-	-	-	-	-	-	-	-	-	12,460	
			3	-	-	-	-	-	-	-	-	-	13,230	
State	- B73405	TI,LC	1	22.0	-	-	3.6	-	-	-	-	0.28 ^z	-	19
State	-	TI,LC	1	21.9	-	-	-	-	-	-	-	-	9,890	9
			2	-	38.6	56.8	4.6	-	-	-	-	0.4	12,660	
			3	-	-	-	-	-	-	-	-	-	13,280	
Sterling	-	TI,LC	1	22.0	-	-	-	-	-	-	-	-	9,600	9
			2	-	37.3	55.2	7.5	-	-	-	-	0.6	12,300	
			3	-	-	-	-	-	-	-	-	-	13,290	

y) Sulfur forms: 0.01% sulfate, 0.10% pyritic, 0.28% organic

z) Sulfur forms: 0.01% sulfate, 0.03% pyritic, 0.24% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Sterling	-	TI,LC	1	25.1	38.5	55.9	5.6	-	-	-	-	0.3	9,330	18
			2	-	-	-	-	-	-	-	-	-	12,450	
			3	-	-	-	-	-	-	-	-	-	13,190	
Sterling	-	DE,LC	1	22.2	38.4	55.8	5.8	-	-	-	-	0.4	9,700	18
			2	-	-	-	-	-	-	-	-	-	12,470	
			3	-	-	-	-	-	-	-	-	-	13,240	
Sterling	-	DE,LC	1	25.8	38.3	54.1	7.6	-	-	-	-	0.9	9,070	18
			2	-	-	-	-	-	-	-	-	-	12,220	
			3	-	-	-	-	-	-	-	-	-	13,230	
Sterling	-	TI,LC	1	24.5	39.1	55.0	5.9	-	-	-	-	0.3	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,450	
			3	-	-	-	-	-	-	-	-	-	13,230	
Sterling	- B74498	TI,LC	1	24.8	-	-	4.6	-	-	-	-	0.4 ^a	-	19
Sterling	- A97679	FC,LC	1	25.9	28.4	41.3	4.4	-	-	-	-	0.4	9,190	9
Sterling	- A97680	FC,LC	1	23.9	28.5	42.6	5.0	-	-	-	-	0.6	9,410	9
Sterling	- A97681	FC,LC	1	25.3	28.0	42.5	4.2	-	-	-	-	0.3	9,340	9
Sterling	- A97682	FC,LC	1	26.1	28.4	41.3	4.2	-	-	-	-	0.3	9,220	9
Sterling	-	FC,LC	1	25.2	28.3	42.0	4.5	6.4	53.4	1.2	34.1	0.4	9,310	9
			2	-	37.9	56.0	6.1	4.7	71.5	1.7	15.5	0.5	12,450	
			3	-	40.3	59.7	-	5.1	76.1	1.8	16.4	0.6	13,250	
Sunset	- A96626	FC,LC	1	27.6	27.6	38.1	6.7	-	-	-	-	0.4	8,530	9
Sunset	- A96627	FC,LC	1	31.1	26.1	37.2	5.6	-	-	-	-	0.4	8,220	9
Sunset	-	FC,LC	1	29.4	26.4	38.1	6.1	6.6	48.8	1.1	37.0	0.4	8,350	9
			2	-	37.4	54.0	8.6	4.7	69.1	1.6	15.4	0.6	11,840	
			3	-	41.0	59.0	-	5.1	75.6	1.8	16.8	0.7	12,950	
Warwick	-	FC,LC	1	25.6	28.0	41.1	5.3	6.3	51.8	1.1	35.1	0.4	9,180	14
			2	-	37.6	55.2	7.2	4.6	69.7	1.5	16.5	0.5	12,340	
			3	-	40.5	59.5	-	5.0	75.0	1.6	17.9	0.5	13,300	

^a) Sulfur forms: 0.01% sulfate, 0.15% pyritic, 0.31% organic

WELD COUNTY

LOCATION OR MINE NAME	USGS NO. OR USBM NO.	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
				MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
Washington	- 873409	TI,LC	1	22.4	-	-	3.9	-	-	-	-	0.32 ^{b1}	-	19
Washington	-	TI,LC	1	21.8	38.9	52.8	8.3	-	-	-	-	0.5	9,600	18
			2	-	-	-	-	-	-	-	-	-	12,280	
			3	-	-	-	-	-	-	-	-	-	13,390	
Washington	-	TI,LC	1	24.2	37.5	56.0	6.5	-	-	-	-	0.4	9,400	18
			2	-	-	-	-	-	-	-	-	-	12,400	
			3	-	-	-	-	-	-	-	-	-	13,260	
Washington	-	DE,LC	1	23.1	39.7	55.3	5.0	-	-	-	-	0.4	9,800	18
			2	-	-	-	-	-	-	-	-	-	12,750	
			3	-	-	-	-	-	-	-	-	-	13,420	
Washington	-	DE,LC	1	15.5	39.5	54.9	5.6	-	-	-	-	0.3	10,810	18
			2	-	-	-	-	-	-	-	-	-	12,790	
			3	-	-	-	-	-	-	-	-	-	13,550	
White Ash	- 6371	FC,LC	1	29.1	28.5	36.6	5.8	6.6	49.0	1.0	37.3	0.3	8,400	14
			2	-	40.2	51.6	8.2	4.7	69.1	1.5	16.1	0.4	11,850	
			3	-	43.8	56.2	-	5.1	75.2	1.6	17.6	0.5	12,910	
Witherbee	- A97516	FC,LC	1	25.8	28.9	39.4	5.9	-	-	-	-	0.3	8,910	9
Witherbee	- A97517	FC,LC	1	25.7	28.7	39.7	5.9	-	-	-	-	0.4	8,930	9
Witherbee	- A97518	FC,LC	1	25.8	28.6	39.7	5.9	6.3	50.7	1.1	35.6	0.4	8,910	9
			2	-	38.5	53.5	8.0	4.7	68.4	1.5	16.9	0.5	12,010	
			3	-	41.9	58.1	-	5.1	74.3	1.7	18.4	0.5	13,050	

b¹) Sulfur forms: 0.01% sulfate, 0.07% pyritic, 0.24% organic

WELD COUNTY

CORE HOLE LOCATION	I.D. NUMBER	SAMPLE TYPE, FORMATION, AND SEAM NAME	BASIS	PROXIMATE ANALYSIS (%)				ULTIMATE ANALYSIS (%)					HEAT VALUE (BTU/LB)	SOURCE
	FOOTAGE			MOISTURE	VOLATILE MATTER	FIXED C	ASH	H	C	N	O	S		
SW ¼ NE ¼ Sec. 17 T8N, R61W	-	CH, LC	1	33.56	27.77	30.78	7.89	-	-	-	-	0.36	7,463	8
			2	-	41.80	46.33	11.87	-	-	-	-	0.55	11,232	
			3	-	-	-	-	-	-	-	-	-	-	
SW Corner Sec. 10 T7N, R61W	(DX-120c) (48.8'-51.6')	CH, LC	1	32.4	28.33	29.45	9.82	-	-	-	-	0.65	7,245	13
	(54.5-'55.0)	CH, LC	1	27.8	-	-	22.43	-	-	-	-	0.47	6,005	13



BIBLIOGRAPHY

For

Coal Analyses


1. Boreck, D.L., and others, 1977, Colorado coal analyses, 1975: Colorado Geol. Survey Inf. Series 7, 112 p.
2. Campbell, M.R., and Clark, F.R., 1916, Analyses of coal samples from various parts of the United States, in Contributions to economic geology, 1915, part 2: U.S. Geol. Survey Bull. 621, p. 251-370.
3. Dane, C.H., and Pierce, W.G., 1936, Dawson and Laramie Formations in southeastern part of Denver Basin: Amer. Assoc. Petrol. Geol. Bull., v. 20, no. 10, p. 1308-1328.
4. Eldridge, G.H., 1896, Economic geology - coal, in Emmons, S.F., Cross, Whitman, and Eldridge, G.H., Geology of the Denver Basin in Colorado: U.S. Geol. Survey Mono. 27, p. 317-386.
5. Fieldner, A.C., and others, 1914, Analyses of mine and car samples of coal collected in the Fiscal Years 1911 to 1913: U.S. Bur. Mines Bull. 85, 444 p.
6. Fieldner, A.C., and others, 1918, Analyses of mine and car samples of coal collected in the Fiscal Years 1913 to 1916: U.S. Bur. Mines Bull. 123, 478 p.
7. Fieldner, A.C., and others, 1922, Analyses of mine and car samples of coal collected in the Fiscal Years 1916 to 1919: U.S. Bur. Mines Bull. 193, 391 p.
8. Frost, J., 1978, pers. comm.: Earth Science, Inc.
9. George, R.D., and others, 1937, Analyses of Colorado coals: U.S. Bur. Mines Tech. Paper 574, 327 p.
10. Goldman, M.I., 1910, The Colorado Springs coal field, Colorado: U.S. Geol. Survey Bull. 381, p. 317-340.
11. Hand, J.W., 1978, pers. comm.: Cameron Engineers.
12. Hodge, J.T., 1872, On the Tertiary coals of the West: U.S. Geol. Geog. Survey Terr., 4th Ann. Rept., p. 318-329.
13. Landers, W.S., 1978, pers. comm.: Public Service Company of Colorado.
14. Lord, N.W., 1913, Analyses of coals in the United States, with descriptions of mine and field samples collected between July 1, 1904, and June 30, 1910: U.S. Bur. Mines Bull. 22, 1200 p.

15. Martin, G.C., 1910, Coal in the Denver Basin, Colorado: U.S. Geol. Survey Bull. 381, p. 297-306.
16. Soister, P.E., 1968, Geologic map of the Corral Bluffs quadrangle, El Paso County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-783.
17. Soister, P.E., 1974, A preliminary report on a zone containing thick lignite beds, Denver Basin, Colorado: U.S. Geol. Survey open-file rept. 74-27, 64 p.
18. U.S. Bureau of Mines, 1973, Bureau of Mines coal analyses data for the State of Colorado: U.S. Bur. Mines unpublished computer print-out.
19. Walker, F.E., and Hartner, F.E., 1966, Forms of sulfur in U.S. coals: U.S. Bur. Mines Inf. Circ. 8301, 51 p.



EXPLANATION

- Abandoned underground coal mine
 - Abandoned surface coal mine
 - Inactive underground coal mine
 - Active underground coal mine
 - Abandoned coal mine, mining method unknown
 - 175 Reference number for mine, see index below
 - Outline of coal-bearing rocks in the Denver and Cheyenne Basins, dashed where approximately located
- Note: one mine symbol may represent more than one mine; status of mine determined as of June 22, 1978; see Table 1 of text for information sources



Index of mine names

(Parentheses indicate previous mine names)

ADAMS COUNTY	ADAMS COUNTY	ADAMS COUNTY
175	175	175
176	176	176
177	177	177
178	178	178
179	179	179
180	180	180
181	181	181
182	182	182
183	183	183
184	184	184
185	185	185
186	186	186
187	187	187
188	188	188
189	189	189
190	190	190
191	191	191
192	192	192
193	193	193
194	194	194
195	195	195
196	196	196
197	197	197
198	198	198
199	199	199
200	200	200
201	201	201
202	202	202
203	203	203
204	204	204
205	205	205
206	206	206
207	207	207
208	208	208
209	209	209
210	210	210
211	211	211
212	212	212
213	213	213
214	214	214
215	215	215
216	216	216
217	217	217
218	218	218
219	219	219
220	220	220
221	221	221
222	222	222
223	223	223
224	224	224
225	225	225
226	226	226
227	227	227
228	228	228
229	229	229
230	230	230
231	231	231
232	232	232
233	233	233
234	234	234
235	235	235
236	236	236
237	237	237
238	238	238
239	239	239
240	240	240
241	241	241
242	242	242
243	243	243
244	244	244
245	245	245
246	246	246
247	247	247
248	248	248
249	249	249
250	250	250
251	251	251
252	252	252
253	253	253
254	254	254
255	255	255
256	256	256
257	257	257
258	258	258
259	259	259
260	260	260
261	261	261
262	262	262
263	263	263
264	264	264
265	265	265
266	266	266
267	267	267
268	268	268
269	269	269
270	270	270
271	271	271
272	272	272
273	273	273
274	274	274
275	275	275
276	276	276
277	277	277
278	278	278
279	279	279
280	280	280
281	281	281
282	282	282
283	283	283
284	284	284
285	285	285
286	286	286
287	287	287
288	288	288
289	289	289
290	290	290
291	291	291
292	292	292
293	293	293
294	294	294
295	295	295
296	296	296
297	297	297
298	298	298
299	299	299
300	300	300
301	301	301
302	302	302
303	303	303
304	304	304
305	305	305
306	306	306
307	307	307
308	308	308
309	309	309
310	310	310
311	311	311
312	312	312
313	313	313
314	314	314
315	315	315
316	316	316
317	317	317
318	318	318
319	319	319
320	320	320
321	321	321
322	322	322
323	323	323
324	324	324
325	325	325
326	326	326
327	327	327
328	328	328
329	329	329
330	330	330
331	331	331
332	332	332
333	333	333
334	334	334
335	335	335
336	336	336
337	337	337
338	338	338
339	339	339
340	340	340
341	341	341
342	342	342
343	343	343
344	344	344
345	345	345
346	346	346
347	347	347
348	348	348
349	349	349
350	350	350
351	351	351
352	352	352
353	353	353
354	354	354
355	355	355
356	356	356
357	357	357
358	358	358
359	359	359
360	360	360
361	361	361
362	362	362
363	363	363
364	364	364
365	365	365
366	366	366
367	367	367
368	368	368
369	369	369
370	370	370
371	371	371
372	372	372
373	373	373
374	374	374
375	375	375
376	376	376
377	377	377
378	378	378
379	379	379
380	380	380
381	381	381
382	382	382
383	383	383
384	384	384
385	385	385
386	386	386
387	387	387
388	388	388
389	389	389
390	390	390
391	391	391
392	392	392
393	393	393
394	394	394
395	395	395
396	396	396
397	397	397
398	398	398
399	399	399
400	400	400
401	401	401
402	402	402
403	403	403
404	404	404
405	405	405
406	406	406
407	407	407
408	408	408
409	409	409
410	410	410
411	411	411
412	412	412
413	413	413
414	414	414
415	415	415
416	416	416
417	417	417
418	418	418
419	419	419
420	420	420
421	421	421
422	422	422
423	423	423
424	424	424
425	425	425
426	426	426
427	427	427
428	428	428
429	429	429
430	430	430
431	431	431
432	432	432
433	433	433
434	434	434
435	435	435
436	436	436
437	437	437
438	438	438
439	439	439
440	440	440
441	441	441
442	442	442
443	443	443
444	444	444
445	445	445
446	446	446
447	447	447
448	448	448
449	449	449
450	450	450
451	451	451
452	452	452
453	453	453
454	454	454
455	455	455
456	456	456
457	457	457
458	458	458
459	459	459
460	460	460
461	461	461
462	462	462
463	463	463
464	464	464
465	465	465
466	466	466
467	467	467
468	468	468
469	469	469
470	470	470
471	471	471
472	472	472
473	473	473
474	474	474
475	475	475
476	476	476
477	477	477
478	478	478
479	479	479
480	480	480
481	481	481
482	482	482
483	483	483
484	484	484
485	485	485
486	486	486
487	487	487
488	488	488
489	489	489
490	490	490
491	491	491
492	492	492
493	493	493
494	494	494
495	495	495
496	496	496
497	497	497
498	498	498
499	499	499
500	500	500