


Study Region: Garfield County


Hazard Scenario: N Sawatch Fault 7

Overview Map



Legend

- Cities
- Roads
- Fault
- Study Region Tract



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 25 50 100 Miles



HAZUS
EARTHQUAKE • WIND • FLOOD

Hazus-MH: Earthquake Event Report

Region Name: Garfield County NSawatch fault 2010Census

Earthquake Scenario: N Sawatch fault 7.0

Print Date: February 26, 2013

Totals only reflect data for those census tracts/blocks included in the user's study region.

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using Hazus loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

Hazus is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of Hazus is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Colorado

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,952.19 square miles and contains 7 census tracts. There are over 20 thousand households in the region which has a total population of 56,389 people (2002 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 24 thousand buildings in the region with a total building replacement value (excluding contents) of 4,529 (millions of dollars). Approximately 91.00 % of the buildings (and 75.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 1,756 and 833 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

Hazus estimates that there are 24 thousand buildings in the region which have an aggregate total replacement value of 4,529 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 62% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

Hazus breaks critical facilities into two (2) groups: essential facilities and high potential loss facilities (HPL). Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 2 hospitals in the region with a total bed capacity of 0 beds. There are 31 schools, 16 fire stations, 8 police stations and 1 emergency operation facilities. With respect to high potential loss facilities (HPL), there are 30 dams identified within the region. Of these, 4 of the dams are classified as 'high hazard'. The inventory also includes 0 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within Hazus, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 1 and 2.

The total value of the lifeline inventory is over 2,589.00 (millions of dollars). This inventory includes over 229 kilometers of highways, 162 bridges, 9,305 kilometers of pipes.

Table 1: Transportation System Lifeline Inventory

System	Component	# Locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	162	289.20
	Segments	33	1,278.60
	Tunnels	5	35.80
	Subtotal		1,603.60
Railways	Bridges	3	0.30
	Facilities	1	2.70
	Segments	23	101.00
	Tunnels	0	0.00
	Subtotal		104.00
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	0	0.00
	Subtotal		0.00
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	1	10.70
	Runways	1	38.00
	Subtotal		48.60
		Total	1,756.20

Table 2: Utility System Lifeline Inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	105.90
	Facilities	2	64.60
	Pipelines	0	0.00
	Subtotal		170.50
Waste Water	Distribution Lines	NA	63.50
	Facilities	8	516.80
	Pipelines	0	0.00
	Subtotal		580.40
Natural Gas	Distribution Lines	NA	42.40
	Facilities	8	0.00
	Pipelines	148	239.80
	Subtotal		282.20
Oil Systems	Facilities	0	0.00
	Pipelines	22	11.60
	Subtotal		11.60
Electrical Power	Facilities	18	0.00
	Subtotal		0.00
Communication	Facilities	9	0.90
	Subtotal		0.90
		Total	1,045.60

Earthquake Scenario

Hazus uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	N Sawatch fault 7.0
Type of Earthquake	Arbitrary
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	-106.39
Latitude of Epicenter	39.15
Earthquake Magnitude	7.00
Depth (Km)	10.00
Rupture Length (Km)	35.48
Rupture Orientation (degrees)	147.00
Attenuation Function	Central & East US (CEUS 2008)

Building Damage

Building Damage

Hazus estimates that about 2,025 buildings will be at least moderately damaged. This is over 8.00 % of the buildings in the region. There are an estimated 90 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the Hazus technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 below summarizes the expected damage by general building type.

Table 3: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	104	0.53	17	0.58	13	0.88	5	1.32	2	1.72
Commercial	960	4.85	205	6.86	166	10.92	59	14.41	14	14.95
Education	22	0.11	4	0.14	4	0.24	1	0.36	0	0.42
Government	43	0.22	8	0.26	6	0.38	2	0.44	0	0.49
Industrial	348	1.76	75	2.52	65	4.29	26	6.36	7	7.90
Other Residential	5,460	27.59	1,049	35.02	658	43.23	185	45.02	58	63.99
Religion	72	0.36	13	0.42	10	0.63	3	0.79	1	0.86
Single Family	12,783	64.58	1,623	54.21	600	39.42	129	31.30	9	9.67
Total	19,793		2,994		1,523		412		91	

Table 4: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Wood	13,330	67.35	1731	57.80	378	24.81	32	7.71	2	2.33
Steel	376	1.90	92	3.07	116	7.61	64	15.42	27	29.19
Concrete	478	2.42	101	3.37	76	5.01	23	5.58	3	3.80
Precast	290	1.47	52	1.74	61	4.01	29	7.14	5	5.84
RM	3,062	15.47	357	11.92	345	22.67	109	26.56	4	4.15
URM	463	2.34	133	4.44	95	6.26	31	7.49	7	7.92
MH	1,793	9.06	528	17.64	451	29.64	124	30.10	42	46.77
Total	19,793		2,994		1,523		412		91	

*Note:

RM Reinforced Masonry
 URM Unreinforced Masonry
 MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 0 hospital beds available for use. On the day of the earthquake, the model estimates that only 0 hospital beds (76.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 95.00% of the beds will be back in service. By 30 days, 100.00% will be operational.

Table 5: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		At Least Moderate Damage > 50%	Complete Damage > 50%	With Functionality > 50% on day 1
Hospitals	2	0	0	2
Schools	31	8	0	15
EOCs	1	0	0	1
PoliceStations	8	0	0	8
FireStations	16	0	0	16

Transportation and Utility Lifeline Damage

Table 6 provides damage estimates for the transportation system.

Table 6: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	33	0	0	33	33
	Bridges	162	0	0	162	162
	Tunnels	5	0	0	5	5
Railways	Segments	23	0	0	23	23
	Bridges	3	0	0	3	3
	Tunnels	0	0	0	0	0
	Facilities	1	0	0	1	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	0	0	0	0	0
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	1	0	0	1	1
	Runways	1	0	0	1	1

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 7-9 provide information on the damage to the utility lifeline systems. Table 7 provides damage to the utility system facilities. Table 8 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, Hazus performs a simplified system performance analysis. Table 9 provides a summary of the system performance information.

Table 7 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	2	0	0	2	2
Waste Water	8	0	0	7	8
Natural Gas	8	0	0	8	8
Oil Systems	0	0	0	0	0
Electrical Power	18	0	0	15	18
Communication	9	0	0	9	9

Table 8 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	5,295	250	62
Waste Water	3,177	125	31
Natural Gas	793	21	5
Oil	41	0	0

Table 9: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	20,359	21	0	0	0	0
Electric Power		4,982	1,325	194	31	20

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. Hazus uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 0 ignitions that will burn about 0.00 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 0 people and burn about 0 (millions of dollars) of building value.

Debris Generation

Hazus estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.06 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 28.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 2,400 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Shelter Requirement

Hazus estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 71 households to be displaced due to the earthquake. Of these, 45 people (out of a total population of 56,389) will seek temporary shelter in public shelters.

Casualties

Hazus estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 10 provides a summary of the casualties estimated for this earthquake

Table 10: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	0	0	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	1	0	0	0
	Industrial	1	0	0	0
	Other-Residential	13	2	0	0
	Single Family	10	1	0	0
	Total	25	4	0	1
2 PM	Commercial	18	4	1	1
	Commuting	0	0	0	0
	Educational	30	7	1	2
	Hotels	0	0	0	0
	Industrial	6	1	0	0
	Other-Residential	2	0	0	0
	Single Family	2	0	0	0
	Total	58	13	2	3
5 PM	Commercial	15	3	0	1
	Commuting	2	2	3	1
	Educational	5	1	0	0
	Hotels	0	0	0	0
	Industrial	4	1	0	0
	Other-Residential	5	1	0	0
	Single Family	4	1	0	0
	Total	34	9	4	2

Economic Loss

The total economic loss estimated for the earthquake is 160.63 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 134.74 (millions of dollars); 29 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 44 % of the total loss. Table 11 below provides a summary of the losses associated with the building damage.

Table 11: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	0.80	6.71	0.25	1.36	9.13
	Capital-Related	0.00	0.35	6.13	0.15	0.41	7.04
	Rental	0.97	2.10	3.09	0.05	0.53	6.74
	Relocation	3.62	1.93	4.86	0.38	5.32	16.11
	Subtotal	4.60	5.18	20.81	0.83	7.61	39.02
Capital Stock Losses							
	Structural	6.73	3.01	5.25	1.09	3.52	19.60
	Non_Structural	20.16	10.79	11.88	2.67	10.54	56.02
	Content	6.05	2.14	5.21	1.42	4.73	19.54
	Inventory	0.00	0.00	0.14	0.37	0.05	0.56
	Subtotal	32.93	15.93	22.48	5.55	18.83	95.73
	Total	37.53	21.11	43.28	6.38	26.45	134.74

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, Hazus computes the direct repair cost for each component only. There are no losses computed by Hazus for business interruption due to lifeline outages. Tables 12 & 13 provide a detailed breakdown in the expected lifeline losses.

Hazus estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 14 presents the results of the region for the given earthquake.

Table 12: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,278.57	\$0.00	0.00
	Bridges	289.22	\$4.43	1.53
	Tunnels	35.82	\$0.01	0.03
	Subtotal	1603.60	4.40	
Railways	Segments	100.99	\$0.00	0.00
	Bridges	0.34	\$0.00	0.32
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.66	\$0.19	7.06
	Subtotal	104.00	0.20	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	10.65	\$0.77	7.24
	Runways	37.96	\$0.00	0.00
	Subtotal	48.60	0.80	
	Total	1756.20	5.40	

Table 13: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	64.60	\$2.43	3.76
	Distribution Lines	105.90	\$1.12	1.06
	Subtotal	170.50	\$3.56	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	516.80	\$16.09	3.11
	Distribution Lines	63.50	\$0.56	0.89
	Subtotal	580.35	\$16.65	
Natural Gas	Pipelines	239.80	\$0.05	0.02
	Facilities	0.00	\$0.00	0.00
	Distribution Lines	42.40	\$0.19	0.46
	Subtotal	282.20	\$0.25	
Oil Systems	Pipelines	11.60	\$0.00	0.01
	Facilities	0.00	\$0.00	0.00
	Subtotal	11.63	\$0.00	
Electrical Power	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	\$0.00	
Communication	Facilities	0.90	\$0.02	2.74
	Subtotal	0.87	\$0.02	
	Total	1,045.55	\$20.48	

Table 14. Indirect Economic Impact with outside aid

(Employment as # of people and Income in millions of \$)

LOSS	Total	%

Appendix A: County Listing for the Region

Garfield,CO


Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Colorado	Garfield	56,389	3,377	1,152	4,529
Total State		56,389	3,377	1,152	4,529
Total Region		56,389	3,377	1,152	4,529

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7


Airports Map




Legend

Airports

Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7


Bridges Map



Legend


Bridges

Probability Damage > Extensive



Study Region Tract

Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County



Hazard Scenario: N Sawatch Fault 7

Building Economic Loss Map



Legend

Building Economic Loss in Thousands of Dollars



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD **MH**

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7


Care Facilities Map




Legend

Care Facilities

Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County


Hazard Scenario: N Sawatch Fault 7

Electrical Facilities Map




Legend

Electric Power Facilities Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7


Fire Stations Map




Legend

Fire Stations

Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7


Police Stations Map




Legend

Police Stations

Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD **MH**

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7

Schools Map



Legend


Schools

Probability Damage > Extensive

- 0 - 10%
- 10 - 20%
- 20 - 30%
- 30 - 40%
- 40 - 50%
- 50 - 70%
- 70 - 100%

Study Region Tract

Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles




HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Garfield County

Hazard Scenario: N Sawatch Fault 7

Waste Water Facilities Map




Legend

Waste Water Facilities Probability Damage > Extensive



Study Region Tract
Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Garfield County Colorado

Fault Parameters: arbitrary, magnitude 7, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 12.5 25 50 Miles



HAZUS
EARTHQUAKE • WIND • FLOOD **MH**