

HAZUS-MH: Earthquake Event Report



Region Name: *Garfield County*

Earthquake Scenario: *Frontal M7.0 CEUS Event*

Print Date: *January 26, 2006*

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Colorado

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,952.19 square miles and contains 7 census tracts. There are over 16 thousand households in the region and has a total population of 43,791 people (2000 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 13 thousand buildings in the region with a total building replacement value (excluding contents) of 2,260 (millions of dollars). Approximately 99.00 % of the buildings (and 79.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 1,564 and 699 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 13 thousand buildings in the region which have an aggregate total replacement value of 2,260 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 59% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 2 hospitals in the region with a total bed capacity of 132 beds. There are 20 schools, 6 fire stations, 9 police stations and 0 emergency operation facilities. With respect to HPL facilities, there are 30 dams identified within the region. Of these, 4 of the dams are classified as 'high hazard'. The inventory also includes 0 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 2 and 3.

The total value of the lifeline inventory is over 2,263.00 (millions of dollars). This inventory includes over 252 kilometers of highways, 162 bridges, 10,589 kilometers of pipes.

Table 2: Transportation System Lifeline Inventory

System	Component	# locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	162	289.20
	Segments	40	1,050.20
	Tunnels	5	35.80
	Subtotal		1,375.20
Railways	Bridges	3	0.30
	Facilities	1	2.10
	Segments	24	80.10
	Tunnels	0	0.00
	Subtotal		82.60
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	0	0.00
	Subtotal		0.00
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	3	15.90
	Runways	3	90.40
	Subtotal		106.30
		Total	1,564.10

Table 3: Utility System Lifeline Inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	105.90
	Facilities	2	64.60
	Pipelines	0	0.00
	Subtotal		170.50
Waste Water	Distribution Lines	NA	63.50
	Facilities	8	516.80
	Pipelines	0	0.00
	Subtotal		580.40
Natural Gas	Distribution Lines	NA	42.40
	Facilities	10	10.60
	Pipelines	0	0.00
	Subtotal		52.90
Oil Systems	Facilities	1	0.10
	Pipelines	0	0.00
	Subtotal		0.10
Electrical Power	Facilities	1	106.70
	Subtotal		106.70
Communication	Facilities	9	0.90
	Subtotal		0.90
	Total		911.40

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	Frontal M7.0 CEUS Event
Type of Earthquake	Arbitrary
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	-106.16
Latitude of Epicenter	39.68
Earthquake Magnitude	7.00
Depth (Km)	10.00
Rupture Length (Km)	42.66
Rupture Orientation (degrees)	156.00
Attenuation Function	CEUS Event

Building Damage

Building Damage

HAZUS estimates that about 547 buildings will be at least moderately damaged. This is over 4.00 % of the total number of buildings in the region. There are an estimated 3 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 4 below summaries the expected damage by general occupancy for the buildings in the region. Table 5 summaries the expected damage by general building type.

Table 4: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	140	1.15	18	1.69	11	2.24	2	3.31	0	4.72
Education	1	0.01	0	0.01	0	0.03	0	0.05	0	0.07
Government	11	0.09	2	0.14	1	0.18	0	0.22	0	0.27
Industrial	11	0.09	1	0.12	1	0.15	0	0.24	0	0.21
Other Residential	2,668	21.79	407	39.00	261	54.27	27	41.74	1	44.27
Religion	5	0.04	0	0.04	0	0.05	0	0.06	0	0.07
Single Family	9,409	76.84	616	58.99	207	43.08	35	54.38	2	50.38
Total	12,245		1,044		480		64		3	

Table 5: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Wood	7,661	62.56	452	43.29	75	15.72	5	7.58	0	5.43
Steel	60	0.49	8	0.76	6	1.30	1	2.13	0	3.52
Concrete	60	0.49	8	0.79	4	0.93	1	1.11	0	0.84
Precast	23	0.19	3	0.28	3	0.56	1	1.22	0	0.67
RM	1,959	15.99	146	14.00	112	23.43	24	37.70	0	7.47
URM	248	2.02	48	4.64	29	6.14	8	11.94	1	41.55
MH	2,236	18.26	378	36.25	249	51.92	25	38.31	1	40.51
Total	12,245		1,044		480		64		3	

*Note:

RM Reinforced Masonry
URM Unreinforced Masonry
MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 132 hospital beds available for use. On the day of the earthquake, the model estimates that only 92 hospital beds (70.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 92.00% of the beds will be back in service. By 30 days, 100.00% will be operational.

Table 6: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		At Least Moderate Damage > 50%	Complete Damage > 50%	With Functionality > 50% on day 1
Hospitals	2	0	0	2
Schools	20	0	0	20
EOCs	0	0	0	0
PoliceStations	9	0	0	9
FireStations	6	0	0	6

Transportation and Utility Lifeline Damage

Table 7 provides damage estimates for the transportation system.

Table 7: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	40	0	0	40	40
	Bridges	162	0	0	162	162
	Tunnels	5	0	0	5	5
Railways	Segments	24	0	0	24	24
	Bridges	3	0	0	3	3
	Tunnels	0	0	0	0	0
	Facilities	1	0	0	1	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	0	0	0	0	0
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	3	0	0	3	3
	Runways	3	0	0	3	3

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 8-10 provide information on the damage to the utility lifeline systems. Table 8 provides damage to the utility system facilities. Table 9 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 10 provides a summary of the system performance information.

Table 8 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	2	0	0	2	2
Waste Water	8	0	0	8	8
Natural Gas	10	0	0	10	10
Oil Systems	1	0	0	1	1
Electrical Power	1	0	0	1	1
Communication	9	0	0	9	9

Table 9 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	5,295	14	4
Waste Water	3,177	11	3
Natural Gas	2,118	12	3
Oil	0	0	0

Table 10: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	16,229	0	0	0	0	0
Electric Power		0	0	0	0	0

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 1 ignitions that will burn about 0.02 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 2 people and burn about 0 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.00 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 0.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 0 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 17 households to be displaced due to the earthquake. Of these, 3 people (out of a total population of 43,791) will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 11 provides a summary of the casualties estimated for this earthquake

Table 11: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	0	0	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	0	0	0	0
	Other-Residential	3	0	0	0
	Single Family	4	0	0	0
	Total	8	1	0	0
2 PM	Commercial	5	1	0	0
	Commuting	0	0	0	0
	Educational	1	0	0	0
	Hotels	0	0	0	0
	Industrial	1	0	0	0
	Other-Residential	1	0	0	0
	Single Family	1	0	0	0
	Total	8	1	0	0
5 PM	Commercial	4	1	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	1	0	0	0
	Other-Residential	1	0	0	0
	Single Family	2	0	0	0
	Total	8	1	0	0

Economic Loss

The total economic loss estimated for the earthquake is 35.28 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 22.19 (millions of dollars); 20 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 56 % of the total loss. Table 12 below provides a summary of the losses associated with the building damage.

Table 12: Building-Related Economic Loss Estimates
(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	0.18	1.21	0.04	0.08	1.51
	Capital-Related	0.00	0.08	1.12	0.02	0.02	1.23
	Rental	0.33	0.47	0.68	0.00	0.02	1.51
	Relocation	0.03	0.01	0.03	0.00	0.01	0.09
	Subtotal	0.36	0.73	3.05	0.07	0.13	4.34
Capital Stock Losses							
	Structural	1.62	0.72	1.18	0.18	0.22	3.92
	Non_Structural	4.81	2.22	2.34	0.43	0.46	10.25
	Content	1.50	0.45	1.16	0.23	0.23	3.56
	Inventory	0.00	0.00	0.05	0.06	0.00	0.12
	Subtotal	7.92	3.39	4.73	0.89	0.91	17.85
	Total	8.29	4.12	7.78	0.96	1.04	22.19

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 13 & 14 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 15 presents the results of the region for the given earthquake.

Table 13: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,050.17	\$0.00	0.00
	Bridges	289.22	\$0.16	0.06
	Tunnels	35.82	\$0.01	0.02
	Subtotal	1375.20	0.20	
Railways	Segments	80.14	\$0.00	0.00
	Bridges	0.34	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.11	\$0.09	4.06
	Subtotal	82.60	0.10	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	15.86	\$0.84	5.30
	Runways	90.44	\$0.00	0.00
	Subtotal	106.30	0.80	
	Total	1564.10	1.10	

Table 14: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	64.60	\$1.34	2.08
	Distribution Line	105.90	\$0.06	0.06
	Subtotal	170.50	\$1.41	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	516.80	\$9.69	1.88
	Distribution Line	63.50	\$0.05	0.08
	Subtotal	580.35	\$9.74	
Natural Gas	Pipelines	0.00	\$0.00	0.00
	Facilities	10.60	\$0.13	1.24
	Distribution Line	42.40	\$0.05	0.13
	Subtotal	52.93	\$0.19	
Oil Systems	Pipelines	0.00	\$0.00	0.00
	Facilities	0.10	\$0.00	0.41
	Subtotal	0.10	\$0.00	
Electrical Power	Facilities	106.70	\$0.64	0.60
	Subtotal	106.70	\$0.64	
Communication	Facilities	0.90	\$0.02	1.82
	Subtotal	0.87	\$0.02	
	Total	911.45	\$11.99	

Table 15. Indirect Economic Impact with outside aid
(Employment as # of people and Income in millions of \$)

	LOSS	Total	%
First Year			
	Employment Impact	0	0.00
	Income Impact	0	-0.03
Second Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.10
Third Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Fourth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Fifth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Years 6 to 15			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13

Appendix A: County Listing for the Region

Garfield,CO

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Colorado	Garfield	43,791	1,793	467	2,260
Total State		43,791	1,793	467	2,260
Total Region		43,791	1,793	467	2,260

HAZUS-MH: Earthquake Event Report



Region Name: *Garfield County*

Earthquake Scenario: *Mosquito M7.0 CEUS Event*

Print Date: *January 26, 2006*

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Colorado

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,952.19 square miles and contains 7 census tracts. There are over 16 thousand households in the region and has a total population of 43,791 people (2000 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 13 thousand buildings in the region with a total building replacement value (excluding contents) of 2,260 (millions of dollars). Approximately 99.00 % of the buildings (and 79.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 1,564 and 699 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 13 thousand buildings in the region which have an aggregate total replacement value of 2,260 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 59% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 2 hospitals in the region with a total bed capacity of 132 beds. There are 20 schools, 6 fire stations, 9 police stations and 0 emergency operation facilities. With respect to HPL facilities, there are 30 dams identified within the region. Of these, 4 of the dams are classified as 'high hazard'. The inventory also includes 0 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 2 and 3.

The total value of the lifeline inventory is over 2,263.00 (millions of dollars). This inventory includes over 252 kilometers of highways, 162 bridges, 10,589 kilometers of pipes.

Table 2: Transportation System Lifeline Inventory

System	Component	# locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	162	289.20
	Segments	40	1,050.20
	Tunnels	5	35.80
	Subtotal		1,375.20
Railways	Bridges	3	0.30
	Facilities	1	2.10
	Segments	24	80.10
	Tunnels	0	0.00
	Subtotal		82.60
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	0	0.00
	Subtotal		0.00
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	3	15.90
	Runways	3	90.40
	Subtotal		106.30
		Total	1,564.10

Table 3: Utility System Lifeline Inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	105.90
	Facilities	2	64.60
	Pipelines	0	0.00
	Subtotal		170.50
Waste Water	Distribution Lines	NA	63.50
	Facilities	8	516.80
	Pipelines	0	0.00
	Subtotal		580.40
Natural Gas	Distribution Lines	NA	42.40
	Facilities	10	10.60
	Pipelines	0	0.00
	Subtotal		52.90
Oil Systems	Facilities	1	0.10
	Pipelines	0	0.00
	Subtotal		0.10
Electrical Power	Facilities	1	106.70
	Subtotal		106.70
Communication	Facilities	9	0.90
	Subtotal		0.90
	Total		911.40

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	Mosquito M7.0 CEUS Event
Type of Earthquake	Arbitrary
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	-106.16
Latitude of Epicenter	39.38
Earthquake Magnitude	7.00
Depth (Km)	10.00
Rupture Length (Km)	42.66
Rupture Orientation (degrees)	9.00
Attenuation Function	CEUS Event

Building Damage

Building Damage

HAZUS estimates that about 530 buildings will be at least moderately damaged. This is over 4.00 % of the total number of buildings in the region. There are an estimated 3 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 4 below summaries the expected damage by general occupancy for the buildings in the region. Table 5 summaries the expected damage by general building type.

Table 4: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	142	1.16	16	1.55	10	2.16	2	3.15	0	4.53
Education	1	0.01	0	0.02	0	0.03	0	0.05	0	0.08
Government	12	0.10	1	0.13	1	0.16	0	0.20	0	0.24
Industrial	11	0.09	1	0.12	1	0.15	0	0.23	0	0.20
Other Residential	2,713	22.16	384	36.14	240	51.77	26	40.63	1	45.27
Religion	5	0.04	0	0.04	0	0.04	0	0.05	0	0.05
Single Family	9,361	76.45	658	62.00	212	45.69	35	55.69	2	49.62
Total	12,245		1,061		463		64		3	

Table 5: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Wood	7,594	62.01	508	47.90	86	18.51	5	8.54	0	5.36
Steel	60	0.49	7	0.71	6	1.27	1	2.07	0	3.51
Concrete	61	0.50	7	0.70	4	0.87	1	1.08	0	0.89
Precast	23	0.19	3	0.26	2	0.54	1	1.17	0	0.71
RM	1,968	16.07	140	13.18	109	23.57	25	38.57	0	8.63
URM	252	2.06	46	4.34	28	6.02	7	11.43	1	39.43
MH	2,287	18.68	349	32.92	228	49.22	24	37.13	1	41.46
Total	12,245		1,061		463		64		3	

*Note:

RM Reinforced Masonry
URM Unreinforced Masonry
MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 132 hospital beds available for use. On the day of the earthquake, the model estimates that only 95 hospital beds (72.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 93.00% of the beds will be back in service. By 30 days, 100.00% will be operational.

Table 6: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		At Least Moderate Damage > 50%	Complete Damage > 50%	With Functionality > 50% on day 1
Hospitals	2	0	0	2
Schools	20	0	0	20
EOCs	0	0	0	0
PoliceStations	9	0	0	9
FireStations	6	0	0	6

Transportation and Utility Lifeline Damage

Table 7 provides damage estimates for the transportation system.

Table 7: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	40	0	0	40	40
	Bridges	162	0	0	162	162
	Tunnels	5	0	0	5	5
Railways	Segments	24	0	0	24	24
	Bridges	3	0	0	3	3
	Tunnels	0	0	0	0	0
	Facilities	1	0	0	1	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	0	0	0	0	0
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	3	0	0	3	3
	Runways	3	0	0	3	3

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 8-10 provide information on the damage to the utility lifeline systems. Table 8 provides damage to the utility system facilities. Table 9 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 10 provides a summary of the system performance information.

Table 8 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	2	0	0	2	2
Waste Water	8	0	0	8	8
Natural Gas	10	0	0	10	10
Oil Systems	1	0	0	1	1
Electrical Power	1	0	0	1	1
Communication	9	0	0	9	9

Table 9 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	5,295	13	3
Waste Water	3,177	10	2
Natural Gas	2,118	11	3
Oil	0	0	0

Table 10: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	16,229	0	0	0	0	0
Electric Power		0	0	0	0	0

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 1 ignitions that will burn about 0.02 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 2 people and burn about 0 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.00 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 0.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 0 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 17 households to be displaced due to the earthquake. Of these, 3 people (out of a total population of 43,791) will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 11 provides a summary of the casualties estimated for this earthquake

Table 11: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	0	0	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	0	0	0	0
	Other-Residential	3	0	0	0
	Single Family	4	0	0	0
	Total	8	1	0	0
2 PM	Commercial	4	1	0	0
	Commuting	0	0	0	0
	Educational	1	0	0	0
	Hotels	0	0	0	0
	Industrial	1	0	0	0
	Other-Residential	1	0	0	0
	Single Family	1	0	0	0
	Total	8	1	0	0
5 PM	Commercial	4	1	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	1	0	0	0
	Other-Residential	1	0	0	0
	Single Family	2	0	0	0
	Total	7	1	0	0

Economic Loss

The total economic loss estimated for the earthquake is 35.25 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 22.30 (millions of dollars); 18 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 58 % of the total loss. Table 12 below provides a summary of the losses associated with the building damage.

Table 12: Building-Related Economic Loss Estimates
(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	0.14	1.14	0.04	0.08	1.39
	Capital-Related	0.00	0.06	1.04	0.02	0.02	1.14
	Rental	0.34	0.44	0.65	0.00	0.02	1.46
	Relocation	0.03	0.01	0.03	0.00	0.01	0.09
	Subtotal	0.37	0.65	2.86	0.07	0.12	4.08
Capital Stock Losses							
	Structural	1.67	0.70	1.13	0.18	0.22	3.89
	Non_Structural	5.17	2.34	2.20	0.41	0.46	10.58
	Content	1.62	0.49	1.09	0.22	0.23	3.64
	Inventory	0.00	0.00	0.05	0.06	0.01	0.11
	Subtotal	8.45	3.53	4.47	0.87	0.91	18.23
	Total	8.82	4.17	7.34	0.94	1.04	22.30

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 13 & 14 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 15 presents the results of the region for the given earthquake.

Table 13: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,050.17	\$0.00	0.00
	Bridges	289.22	\$0.12	0.04
	Tunnels	35.82	\$0.00	0.01
	Subtotal	1375.20	0.10	
Railways	Segments	80.14	\$0.00	0.00
	Bridges	0.34	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.11	\$0.08	3.61
	Subtotal	82.60	0.10	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	15.86	\$0.85	5.36
	Runways	90.44	\$0.00	0.00
	Subtotal	106.30	0.80	
	Total	1564.10	1.00	

Table 14: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	64.60	\$1.45	2.24
	Distribution Line	105.90	\$0.06	0.05
	Subtotal	170.50	\$1.51	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	516.80	\$9.63	1.86
	Distribution Line	63.50	\$0.04	0.07
	Subtotal	580.35	\$9.67	
Natural Gas	Pipelines	0.00	\$0.00	0.00
	Facilities	10.60	\$0.13	1.20
	Distribution Line	42.40	\$0.05	0.11
	Subtotal	52.93	\$0.17	
Oil Systems	Pipelines	0.00	\$0.00	0.00
	Facilities	0.10	\$0.00	0.41
	Subtotal	0.10	\$0.00	
Electrical Power	Facilities	106.70	\$0.53	0.49
	Subtotal	106.70	\$0.53	
Communication	Facilities	0.90	\$0.02	1.76
	Subtotal	0.87	\$0.02	
	Total	911.45	\$11.90	

Table 15. Indirect Economic Impact with outside aid
(Employment as # of people and Income in millions of \$)

	LOSS	Total	%
First Year			
	Employment Impact	0	0.00
	Income Impact	0	-0.03
Second Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.10
Third Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Fourth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Fifth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13
Years 6 to 15			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.13

Appendix A: County Listing for the Region

Garfield,CO

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Colorado	Garfield	43,791	1,793	467	2,260
Total State		43,791	1,793	467	2,260
Total Region		43,791	1,793	467	2,260

HAZUS-MH: Earthquake Event Report



Region Name: *Garfield County*

Earthquake Scenario: *N Sawatch M7.0 CEUS Event*

Print Date: *January 26, 2006*

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
 Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

HAZUS is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of HAZUS is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Colorado

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 2,952.19 square miles and contains 7 census tracts. There are over 16 thousand households in the region and has a total population of 43,791 people (2000 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 13 thousand buildings in the region with a total building replacement value (excluding contents) of 2,260 (millions of dollars). Approximately 99.00 % of the buildings (and 79.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 1,564 and 699 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

HAZUS estimates that there are 13 thousand buildings in the region which have an aggregate total replacement value of 2,260 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 59% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

HAZUS breaks critical facilities into two (2) groups: essential facilities and high potential loss (HPL) facilities. Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 2 hospitals in the region with a total bed capacity of 132 beds. There are 20 schools, 6 fire stations, 9 police stations and 0 emergency operation facilities. With respect to HPL facilities, there are 30 dams identified within the region. Of these, 4 of the dams are classified as 'high hazard'. The inventory also includes 0 hazardous material sites, 0 military installations and 0 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within HAZUS, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 2 and 3.

The total value of the lifeline inventory is over 2,263.00 (millions of dollars). This inventory includes over 252 kilometers of highways, 162 bridges, 10,589 kilometers of pipes.

Table 2: Transportation System Lifeline Inventory

System	Component	# locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	162	289.20
	Segments	40	1,050.20
	Tunnels	5	35.80
	Subtotal		1,375.20
Railways	Bridges	3	0.30
	Facilities	1	2.10
	Segments	24	80.10
	Tunnels	0	0.00
	Subtotal		82.60
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	0	0.00
	Subtotal		0.00
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	3	15.90
	Runways	3	90.40
	Subtotal		106.30
		Total	1,564.10

Table 3: Utility System Lifeline Inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	105.90
	Facilities	2	64.60
	Pipelines	0	0.00
	Subtotal		170.50
Waste Water	Distribution Lines	NA	63.50
	Facilities	8	516.80
	Pipelines	0	0.00
	Subtotal		580.40
Natural Gas	Distribution Lines	NA	42.40
	Facilities	10	10.60
	Pipelines	0	0.00
	Subtotal		52.90
Oil Systems	Facilities	1	0.10
	Pipelines	0	0.00
	Subtotal		0.10
Electrical Power	Facilities	1	106.70
	Subtotal		106.70
Communication	Facilities	9	0.90
	Subtotal		0.90
	Total		911.40

Earthquake Scenario

HAZUS uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	N Sawatch M7.0 CEUS Event
Type of Earthquake	Arbitrary
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	-106.39
Latitude of Epicenter	39.15
Earthquake Magnitude	7.00
Depth (Km)	10.00
Rupture Length (Km)	42.66
Rupture Orientation (degrees)	147.00
Attenuation Function	CEUS Event

Building Damage

Building Damage

HAZUS estimates that about 977 buildings will be at least moderately damaged. This is over 7.00 % of the total number of buildings in the region. There are an estimated 12 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the HAZUS technical manual. Table 4 below summaries the expected damage by general occupancy for the buildings in the region. Table 5 summaries the expected damage by general building type.

Table 4: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	126	1.11	22	1.45	17	2.16	5	2.92	1	4.13
Education	0	0.00	0	0.01	0	0.03	0	0.05	0	0.09
Government	10	0.09	2	0.13	1	0.17	0	0.18	0	0.19
Industrial	10	0.09	2	0.11	1	0.14	0	0.19	0	0.19
Other Residential	2,399	21.20	512	33.20	384	48.14	64	38.17	5	40.43
Religion	5	0.04	1	0.04	0	0.05	0	0.04	0	0.04
Single Family	8,766	77.46	1,004	65.06	393	49.30	97	58.44	7	54.93
Total	11,316		1,544		798		167		13	

Table 5: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Wood	7,202	63.64	808	52.31	170	21.31	14	8.27	0	3.23
Steel	53	0.47	9	0.61	9	1.19	3	1.71	0	2.87
Concrete	52	0.46	11	0.69	8	0.97	2	1.20	0	1.26
Precast	20	0.18	4	0.23	4	0.51	2	1.02	0	1.03
RM	1,766	15.61	195	12.64	203	25.42	74	44.54	4	27.39
URM	219	1.94	57	3.69	41	5.17	14	8.34	4	27.51
MH	2,004	17.71	460	29.82	362	45.44	58	34.92	5	36.72
Total	11,316		1,544		798		167		13	

*Note:

RM Reinforced Masonry
URM Unreinforced Masonry
MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 132 hospital beds available for use. On the day of the earthquake, the model estimates that only 73 hospital beds (56.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 85.00% of the beds will be back in service. By 30 days, 99.00% will be operational.

Table 6: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		At Least Moderate Damage > 50%	Complete Damage > 50%	With Functionality > 50% on day 1
Hospitals	2	0	0	1
Schools	20	0	0	20
EOCs	0	0	0	0
PoliceStations	9	0	0	9
FireStations	6	0	0	6

Transportation and Utility Lifeline Damage

Table 7 provides damage estimates for the transportation system.

Table 7: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	40	0	0	40	40
	Bridges	162	0	0	162	162
	Tunnels	5	0	0	5	5
Railways	Segments	24	0	0	24	24
	Bridges	3	0	0	3	3
	Tunnels	0	0	0	0	0
	Facilities	1	0	0	1	1
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	0	0	0	0	0
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	3	0	0	3	3
	Runways	3	0	0	3	3

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 8-10 provide information on the damage to the utility lifeline systems. Table 8 provides damage to the utility system facilities. Table 9 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, HAZUS performs a simplified system performance analysis. Table 10 provides a summary of the system performance information.

Table 8 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	2	0	0	2	2
Waste Water	8	0	0	6	8
Natural Gas	10	0	0	10	10
Oil Systems	1	0	0	1	1
Electrical Power	1	0	0	1	1
Communication	9	0	0	9	9

Table 9 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	5,295	24	6
Waste Water	3,177	19	5
Natural Gas	2,118	21	5
Oil	0	0	0

Table 10: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	16,229	0	0	0	0	0
Electric Power		0	0	0	0	0

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. HAZUS uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 1 ignitions that will burn about 0.02 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 2 people and burn about 0 (millions of dollars) of building value.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.00 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 0.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 0 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Social Impact

Shelter Requirement

HAZUS estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 47 households to be displaced due to the earthquake. Of these, 10 people (out of a total population of 43,791) will seek temporary shelter in public shelters.

Casualties

HAZUS estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 11 provides a summary of the casualties estimated for this earthquake

Table 11: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	0	0	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	0	0	0	0
	Other-Residential	7	1	0	0
	Single Family	9	1	0	0
	Total	17	2	0	0
2 PM	Commercial	10	2	0	0
	Commuting	0	0	0	0
	Educational	2	0	0	0
	Hotels	0	0	0	0
	Industrial	3	0	0	0
	Other-Residential	1	0	0	0
	Single Family	2	0	0	0
	Total	18	3	0	1
5 PM	Commercial	9	2	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	0	0	0	0
	Industrial	2	0	0	0
	Other-Residential	2	0	0	0
	Single Family	4	1	0	0
	Total	17	3	0	1

Economic Loss

The total economic loss estimated for the earthquake is 76.57 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 47.03 (millions of dollars); 18 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 58 % of the total loss. Table 12 below provides a summary of the losses associated with the building damage.

Table 12: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	0.27	2.34	0.08	0.16	2.84
	Capital-Related	0.00	0.11	2.10	0.05	0.04	2.30
	Rental	0.74	0.89	1.34	0.01	0.05	3.03
	Relocation	0.08	0.02	0.07	0.00	0.02	0.19
	Subtotal	0.81	1.30	5.85	0.14	0.27	8.36
Capital Stock Losses							
	Structural	3.58	1.35	2.41	0.36	0.47	8.17
	Non_Structural	10.88	4.78	4.74	0.89	1.00	22.29
	Content	3.61	1.07	2.32	0.48	0.50	7.96
	Inventory	0.00	0.00	0.10	0.13	0.01	0.24
	Subtotal	18.07	7.20	9.57	1.85	1.97	38.67
	Total	18.88	8.50	15.42	2.00	2.24	47.03

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, HAZUS computes the direct repair cost for each component only. There are no losses computed by HAZUS for business interruption due to lifeline outages. Tables 13 & 14 provide a detailed breakdown in the expected lifeline losses.

HAZUS estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 15 presents the results of the region for the given earthquake.

Table 13: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	1,050.17	\$0.00	0.00
	Bridges	289.22	\$0.41	0.14
	Tunnels	35.82	\$0.03	0.08
	Subtotal	1375.20	0.40	
Railways	Segments	80.14	\$0.00	0.00
	Bridges	0.34	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	2.11	\$0.15	7.05
	Subtotal	82.60	0.10	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	15.86	\$1.52	9.58
	Runways	90.44	\$0.00	0.00
	Subtotal	106.30	1.50	
	Total	1564.10	2.10	

Table 14: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	64.60	\$3.18	4.92
	Distribution Line	105.90	\$0.11	0.10
	Subtotal	170.50	\$3.28	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	516.80	\$22.17	4.29
	Distribution Line	63.50	\$0.09	0.14
	Subtotal	580.35	\$22.26	
Natural Gas	Pipelines	0.00	\$0.00	0.00
	Facilities	10.60	\$0.28	2.67
	Distribution Line	42.40	\$0.09	0.22
	Subtotal	52.93	\$0.37	
Oil Systems	Pipelines	0.00	\$0.00	0.00
	Facilities	0.10	\$0.00	1.03
	Subtotal	0.10	\$0.00	
Electrical Power	Facilities	106.70	\$1.49	1.39
	Subtotal	106.70	\$1.49	
Communication	Facilities	0.90	\$0.03	3.63
	Subtotal	0.87	\$0.03	
	Total	911.45	\$27.44	

Table 15. Indirect Economic Impact with outside aid
(Employment as # of people and Income in millions of \$)

	LOSS	Total	%
First Year			
	Employment Impact	0	0.00
	Income Impact	0	-0.07
Second Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.21
Third Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.27
Fourth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.27
Fifth Year			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.27
Years 6 to 15			
	Employment Impact	0	0.00
	Income Impact	(1)	-0.27

Appendix A: County Listing for the Region

Garfield,CO

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Colorado	Garfield	43,791	1,793	467	2,260
Total State		43,791	1,793	467	2,260
Total Region		43,791	1,793	467	2,260