



Study Region: Weld County

Overview Map

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Legend

- Cities
- Roads
- Fault
- Study Region Tract
- Counties



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles



HAZUS
EARTHQUAKE • WIND • FLOOD

Hazus-MH: Earthquake Event Report

Region Name: Weld County RMA fault 2010Census

Earthquake Scenario: RMA fault 6.25

Print Date: March 04, 2013

Totals only reflect data for those census tracts/blocks included in the user's study region.

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using Hazus loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific earthquake. These results can be improved by using enhanced inventory, geotechnical, and observed ground motion data.

Table of Contents

Section	Page #
General Description of the Region	3
Building and Lifeline Inventory	4
Building Inventory	
Critical Facility Inventory	
Transportation and Utility Lifeline Inventory	
Earthquake Scenario Parameters	6
Direct Earthquake Damage	7
Buildings Damage	
Critical Facilities Damage	
Transportation and Utility Lifeline Damage	
Induced Earthquake Damage	11
Fire Following Earthquake	
Debris Generation	
Social Impact	12
Shelter Requirements	
Casualties	
Economic Loss	13
Building Losses	
Transportation and Utility Lifeline Losses	
Long-term Indirect Economic Impacts	
Appendix A: County Listing for the Region	
Appendix B: Regional Population and Building Value Data	

General Description of the Region

Hazus is a regional earthquake loss estimation model that was developed by the Federal Emergency Management Agency and the National Institute of Building Sciences. The primary purpose of Hazus is to provide a methodology and software application to develop earthquake losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from earthquakes and to prepare for emergency response and recovery.

The earthquake loss estimates provided in this report was based on a region that includes 1 county(ies) from the following state(s):

Colorado

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 4,015.62 square miles and contains 37 census tracts. There are over 89 thousand households in the region which has a total population of 254,159 people (2002 Census Bureau data). The distribution of population by State and County is provided in Appendix B.

There are an estimated 101 thousand buildings in the region with a total building replacement value (excluding contents) of 18,269 (millions of dollars). Approximately 93.00 % of the buildings (and 78.00% of the building value) are associated with residential housing.

The replacement value of the transportation and utility lifeline systems is estimated to be 5,052 and 2,832 (millions of dollars) , respectively.

Building and Lifeline Inventory

Building Inventory

Hazus estimates that there are 101 thousand buildings in the region which have an aggregate total replacement value of 18,269 (millions of dollars) . Appendix B provides a general distribution of the building value by State and County.

In terms of building construction types found in the region, wood frame construction makes up 67% of the building inventory. The remaining percentage is distributed between the other general building types.

Critical Facility Inventory

Hazus breaks critical facilities into two (2) groups: essential facilities and high potential loss facilities (HPL). Essential facilities include hospitals, medical clinics, schools, fire stations, police stations and emergency operations facilities. High potential loss facilities include dams, levees, military installations, nuclear power plants and hazardous material sites.

For essential facilities, there are 1 hospitals in the region with a total bed capacity of 0 beds. There are 95 schools, 45 fire stations, 22 police stations and 4 emergency operation facilities. With respect to high potential loss facilities (HPL), there are 82 dams identified within the region. Of these, 8 of the dams are classified as 'high hazard'. The inventory also includes 60 hazardous material sites, 0 military installations and 1 nuclear power plants.

Transportation and Utility Lifeline Inventory

Within Hazus, the lifeline inventory is divided between transportation and utility lifeline systems. There are seven (7) transportation systems that include highways, railways, light rail, bus, ports, ferry and airports. There are six (6) utility systems that include potable water, wastewater, natural gas, crude & refined oil, electric power and communications. The lifeline inventory data are provided in Tables 1 and 2.

The total value of the lifeline inventory is over 7,884.00 (millions of dollars). This inventory includes over 825 kilometers of highways, 577 bridges, 22,705 kilometers of pipes.

Table 1: Transportation System Lifeline Inventory

System	Component	# Locations/ # Segments	Replacement value (millions of dollars)
Highway	Bridges	577	339.10
	Segments	137	4,228.90
	Tunnels	0	0.00
	Subtotal		4,568.00
Railways	Bridges	1	0.30
	Facilities	0	0.00
	Segments	160	309.70
	Tunnels	0	0.00
	Subtotal		309.90
Light Rail	Bridges	0	0.00
	Facilities	0	0.00
	Segments	0	0.00
	Tunnels	0	0.00
	Subtotal		0.00
Bus	Facilities	1	1.10
	Subtotal		1.10
Ferry	Facilities	0	0.00
	Subtotal		0.00
Port	Facilities	0	0.00
	Subtotal		0.00
Airport	Facilities	2	21.30
	Runways	4	151.90
	Subtotal		173.20
		Total	5,052.10

Table 2: Utility System Lifeline Inventory

System	Component	# Locations / Segments	Replacement value (millions of dollars)
Potable Water	Distribution Lines	NA	195.60
	Facilities	0	0.00
	Pipelines	0	0.00
	Subtotal		195.60
Waste Water	Distribution Lines	NA	117.40
	Facilities	11	710.60
	Pipelines	0	0.00
	Subtotal		828.00
Natural Gas	Distribution Lines	NA	78.20
	Facilities	34	0.00
	Pipelines	11,412	1,948.40
	Subtotal		2,026.70
Oil Systems	Facilities	6	0.00
	Pipelines	763	171.70
	Subtotal		171.70
Electrical Power	Facilities	40	0.00
	Subtotal		0.00
Communication	Facilities	16	1.60
	Subtotal		1.60
		Total	3,223.50

Earthquake Scenario

Hazus uses the following set of information to define the earthquake parameters used for the earthquake loss estimate provided in this report.

Scenario Name	RMA fault 6.25
Type of Earthquake	Arbitrary
Fault Name	NA
Historical Epicenter ID #	NA
Probabilistic Return Period	NA
Longitude of Epicenter	-104.92
Latitude of Epicenter	39.90
Earthquake Magnitude	6.25
Depth (Km)	10.00
Rupture Length (Km)	11.95
Rupture Orientation (degrees)	130.00
Attenuation Function	Central & East US (CEUS 2008)

Building Damage

Building Damage

Hazus estimates that about 19,187 buildings will be at least moderately damaged. This is over 19.00 % of the buildings in the region. There are an estimated 2,996 buildings that will be damaged beyond repair. The definition of the 'damage states' is provided in Volume 1: Chapter 5 of the Hazus technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 below summarizes the expected damage by general building type.

Table 3: Expected Building Damage by Occupancy

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	487	0.74	110	0.66	104	0.96	72	1.35	65	2.18
Commercial	1,971	2.99	557	3.35	682	6.29	458	8.57	331	11.04
Education	53	0.08	13	0.08	13	0.12	8	0.16	6	0.18
Government	82	0.12	18	0.11	19	0.18	13	0.24	10	0.32
Industrial	671	1.02	204	1.22	286	2.64	219	4.10	176	5.86
Other Residential	14,152	21.46	3,376	20.28	2,751	25.36	1,788	33.45	1,043	34.81
Religion	163	0.25	40	0.24	41	0.38	26	0.48	18	0.60
Single Family	48,373	73.34	12,326	74.06	6,951	64.08	2,760	51.65	1,348	45.00
Total	65,953		16,644		10,847		5,344		2,996	

Table 4: Expected Building Damage by Building Type (All Design Levels)

	None		Slight		Moderate		Extensive		Complete	
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Wood	49,357	74.84	12,506	75.14	5,003	46.12	831	15.54	111	3.70
Steel	840	1.27	258	1.55	451	4.16	351	6.57	240	8.00
Concrete	1,193	1.81	324	1.95	323	2.97	178	3.33	111	3.71
Precast	645	0.98	150	0.90	243	2.24	202	3.79	151	5.05
RM	9,779	14.83	1,676	10.07	2,571	23.70	2,032	38.02	1,165	38.86
URM	1,427	2.16	532	3.20	510	4.70	294	5.50	282	9.42
MH	2,713	4.11	1,198	7.20	1,746	16.09	1,456	27.25	936	31.25
Total	65,953		16,644		10,847		5,344		2,996	

*Note:

RM Reinforced Masonry
URM Unreinforced Masonry
MH Manufactured Housing

Essential Facility Damage

Before the earthquake, the region had 0 hospital beds available for use. On the day of the earthquake, the model estimates that only 0 hospital beds (48.00%) are available for use by patients already in the hospital and those injured by the earthquake. After one week, 81.00% of the beds will be back in service. By 30 days, 99.00% will be operational.

Table 5: Expected Damage to Essential Facilities

Classification	Total	# Facilities		
		At Least Moderate Damage > 50%	Complete Damage > 50%	With Functionality > 50% on day 1
Hospitals	1	0	0	0
Schools	95	14	1	54
EOCs	4	0	0	3
PoliceStations	22	0	0	19
FireStations	45	0	0	43

Transportation and Utility Lifeline Damage

Table 6 provides damage estimates for the transportation system.

Table 6: Expected Damage to the Transportation Systems

System	Component	Number of Locations_				
		Locations/ Segments	With at Least Mod. Damage	With Complete Damage	With Functionality > 50 %	
					After Day 1	After Day 7
Highway	Segments	137	0	0	137	137
	Bridges	577	21	1	559	569
	Tunnels	0	0	0	0	0
Railways	Segments	160	0	0	160	160
	Bridges	1	0	0	1	1
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Light Rail	Segments	0	0	0	0	0
	Bridges	0	0	0	0	0
	Tunnels	0	0	0	0	0
	Facilities	0	0	0	0	0
Bus	Facilities	1	0	0	1	1
Ferry	Facilities	0	0	0	0	0
Port	Facilities	0	0	0	0	0
Airport	Facilities	2	1	0	1	2
	Runways	4	0	0	4	4

Note: Roadway segments, railroad tracks and light rail tracks are assumed to be damaged by ground failure only. If ground failure maps are not provided, damage estimates to these components will not be computed.

Tables 7-9 provide information on the damage to the utility lifeline systems. Table 7 provides damage to the utility system facilities. Table 8 provides estimates on the number of leaks and breaks by the pipelines of the utility systems. For electric power and potable water, Hazus performs a simplified system performance analysis. Table 9 provides a summary of the system performance information.

Table 7 : Expected Utility System Facility Damage

System	# of Locations				
	Total #	With at Least Moderate Damage	With Complete Damage	with Functionality > 50 %	
				After Day 1	After Day 7
Potable Water	0	0	0	0	0
Waste Water	11	4	0	6	10
Natural Gas	34	9	0	24	33
Oil Systems	6	0	0	5	6
Electrical Power	40	1	0	33	40
Communication	16	3	0	15	16

Table 8 : Expected Utility System Pipeline Damage (Site Specific)

System	Total Pipelines Length (kms)	Number of Leaks	Number of Breaks
Potable Water	9,781	1084	271
Waste Water	5,869	545	136
Natural Gas	6,416	279	70
Oil	640	32	8

Table 9: Expected Potable Water and Electric Power System Performance

	Total # of Households	Number of Households without Service				
		At Day 1	At Day 3	At Day 7	At Day 30	At Day 90
Potable Water	89,896	4,701	2,642	293	0	0
Electric Power		33,687	12,394	2,517	306	90

Induced Earthquake Damage

Fire Following Earthquake

Fires often occur after an earthquake. Because of the number of fires and the lack of water to fight the fires, they can often burn out of control. Hazus uses a Monte Carlo simulation model to estimate the number of ignitions and the amount of burnt area. For this scenario, the model estimates that there will be 0 ignitions that will burn about 0.00 sq. mi 0.00 % of the region's total area.) The model also estimates that the fires will displace about 0 people and burn about 0 (millions of dollars) of building value.

Debris Generation

Hazus estimates the amount of debris that will be generated by the earthquake. The model breaks the debris into two general categories: a) Brick/Wood and b) Reinforced Concrete/Steel. This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 0.96 million tons of debris will be generated. Of the total amount, Brick/Wood comprises 28.00% of the total, with the remainder being Reinforced Concrete/Steel. If the debris tonnage is converted to an estimated number of truckloads, it will require 38,280 truckloads (@25 tons/truck) to remove the debris generated by the earthquake.

Shelter Requirement

Hazus estimates the number of households that are expected to be displaced from their homes due to the earthquake and the number of displaced people that will require accommodations in temporary public shelters. The model estimates 1,968 households to be displaced due to the earthquake. Of these, 1,232 people (out of a total population of 254,159) will seek temporary shelter in public shelters.

Casualties

Hazus estimates the number of people that will be injured and killed by the earthquake. The casualties are broken down into four (4) severity levels that describe the extent of the injuries. The levels are described as follows;

- Severity Level 1: Injuries will require medical attention but hospitalization is not needed.
- Severity Level 2: Injuries will require hospitalization but are not considered life-threatening
- Severity Level 3: Injuries will require hospitalization and can become life threatening if not promptly treated.
- Severity Level 4: Victims are killed by the earthquake.

The casualty estimates are provided for three (3) times of day: 2:00 AM, 2:00 PM and 5:00 PM. These times represent the periods of the day that different sectors of the community are at their peak occupancy loads. The 2:00 AM estimate considers that the residential occupancy load is maximum, the 2:00 PM estimate considers that the educational, commercial and industrial sector loads are maximum and 5:00 PM represents peak commute time.

Table 10 provides a summary of the casualties estimated for this earthquake

Table 10: Casualty Estimates

		Level 1	Level 2	Level 3	Level 4
2 AM	Commercial	4	1	0	0
	Commuting	0	0	0	0
	Educational	0	0	0	0
	Hotels	2	0	0	0
	Industrial	18	5	1	2
	Other-Residential	134	30	3	5
	Single Family	288	80	13	26
	Total	446	117	17	33
2 PM	Commercial	289	86	14	28
	Commuting	0	1	1	0
	Educational	836	252	43	84
	Hotels	0	0	0	0
	Industrial	130	39	6	12
	Other-Residential	24	5	0	1
	Single Family	55	15	3	5
	Total	1,333	399	67	130
5 PM	Commercial	266	78	13	24
	Commuting	9	13	21	4
	Educational	98	29	5	10
	Hotels	0	0	0	0
	Industrial	81	24	4	8
	Other-Residential	49	11	1	2
	Single Family	112	31	5	10
	Total	615	186	49	57

Economic Loss

The total economic loss estimated for the earthquake is 2,046.37 (millions of dollars), which includes building and lifeline related losses based on the region's available inventory. The following three sections provide more detailed information about these losses.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the earthquake. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the earthquake.

The total building-related losses were 1,915.80 (millions of dollars); 18 % of the estimated losses were related to the business interruption of the region. By far, the largest loss was sustained by the residential occupancies which made up over 53 % of the total loss. Table 11 below provides a summary of the losses associated with the building damage.

Table 11: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Single Family	Other Residential	Commercial	Industrial	Others	Total
Income Losses							
	Wage	0.00	2.00	44.46	4.51	12.32	63.29
	Capital-Related	0.00	0.86	38.93	2.81	4.42	47.02
	Rental	21.03	9.36	21.63	1.62	3.56	57.19
	Relocation	75.02	15.35	33.53	6.14	44.40	174.45
	Subtotal	96.05	27.57	138.55	15.09	64.70	341.95
Capital Stock Losses							
	Structural	151.64	25.58	48.16	23.71	63.97	313.06
	Non_Structural	480.81	90.28	122.62	80.98	141.75	916.44
	Content	134.20	18.74	54.84	49.73	70.31	327.82
	Inventory	0.00	0.00	2.28	10.27	3.98	16.53
	Subtotal	766.64	134.60	227.90	164.70	280.02	1,573.85
	Total	862.69	162.17	366.44	179.78	344.72	1,915.80

Transportation and Utility Lifeline Losses

For the transportation and utility lifeline systems, Hazus computes the direct repair cost for each component only. There are no losses computed by Hazus for business interruption due to lifeline outages. Tables 12 & 13 provide a detailed breakdown in the expected lifeline losses.

Hazus estimates the long-term economic impacts to the region for 15 years after the earthquake. The model quantifies this information in terms of income and employment changes within the region. Table 14 presents the results of the region for the given earthquake.

Table 12: Transportation System Economic Losses
(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Highway	Segments	4,228.85	\$0.00	0.00
	Bridges	339.15	\$12.76	3.76
	Tunnels	0.00	\$0.00	0.00
	Subtotal	4568.00	12.80	
Railways	Segments	309.66	\$0.00	0.00
	Bridges	0.27	\$0.00	1.66
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	309.90	0.00	
Light Rail	Segments	0.00	\$0.00	0.00
	Bridges	0.00	\$0.00	0.00
	Tunnels	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Bus	Facilities	1.06	\$0.14	12.93
	Subtotal	1.10	0.10	
Ferry	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Port	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	0.00	
Airport	Facilities	21.30	\$7.05	33.08
	Runways	151.86	\$0.00	0.00
	Subtotal	173.20	7.00	
	Total	5052.10	19.90	

Table 13: Utility System Economic Losses

(Millions of dollars)

System	Component	Inventory Value	Economic Loss	Loss Ratio (%)
Potable Water	Pipelines	0.00	\$0.00	0.00
	Facilities	0.00	\$0.00	0.00
	Distribution Lines	195.60	\$4.88	2.49
	Subtotal	195.62	\$4.88	
Waste Water	Pipelines	0.00	\$0.00	0.00
	Facilities	710.60	\$101.82	14.33
	Distribution Lines	117.40	\$2.45	2.09
	Subtotal	827.99	\$104.27	
Natural Gas	Pipelines	1,948.40	\$0.43	0.02
	Facilities	0.00	\$0.00	0.00
	Distribution Lines	78.20	\$0.84	1.07
	Subtotal	2,026.65	\$1.27	
Oil Systems	Pipelines	171.70	\$0.05	0.03
	Facilities	0.00	\$0.00	0.00
	Subtotal	171.67	\$0.05	
Electrical Power	Facilities	0.00	\$0.00	0.00
	Subtotal	0.00	\$0.00	
Communication	Facilities	1.60	\$0.15	9.87
	Subtotal	1.55	\$0.15	
	Total	3,223.48	\$110.62	

Table 14. Indirect Economic Impact with outside aid

(Employment as # of people and Income in millions of \$)

LOSS	Total	%

Appendix A: County Listing for the Region

Weld,CO

Appendix B: Regional Population and Building Value Data

State	County Name	Population	Building Value (millions of dollars)		
			Residential	Non-Residential	Total
Colorado	Weld	254,159	14,260	4,009	18,269
Total State		254,159	14,260	4,009	18,269
Total Region		254,159	14,260	4,009	18,269

Study Region: Weld County


Airports Map

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Legend



Airports

Probability Damage > Extensive



— Fault

Study Region Tract



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles






HAZUS
EARTHQUAKE • WIND • FLOOD **MH**

Study Region: Weld County

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Bridges Map



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles






Study Region: Weld County

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Building Economic Loss Map

Legend

Building Economic Loss in Thousands of Dollars



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles






HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Weld County

Care Facilities Map

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles



Study Region: Weld County

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Electrical Facilities Map

Legend



Electrical Power Facilities

Probability Damage > Extensive

- 0 - 10%
- 10 - 20%
- 20 - 30%
- 30 - 40%
- 40 - 50%
- 50 - 70%
- 70 - 100%

Fault

Study Region Tract



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles



HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Weld County


Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Fire Stations Map

Legend



Fire Stations

Probability Damage > Extensive



Fault

Study Region Tract



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles






HAZUS
EARTHQUAKE • WIND • FLOOD

Study Region: Weld County

Police Stations Map

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983




0 10 20 40 Miles



Study Region: Weld County

Schools Map

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles



Study Region: Weld County

Hazard Scenario: Rocky Mountain Arsenal Fault 6.25

Waste Water Facilities Map

Legend



Waste Water Facilities

Probability Damage > Extensive

- 0 - 10%
- 10 - 20%
- 20 - 30%
- 30 - 40%
- 40 - 50%
- 50 - 70%
- 70 - 100%

Fault

Study Region Tract



Created by: Colorado Geological Survey

Team: Matt Morgan and Scot Fitzgerald

Date Created: January 2013

Location: Weld County Colorado

Fault Parameters: arbitrary, magnitude 6.25, depth 10km

Data: Changed to CGS Landslides and CGS/FEMA Soils data

Projection: GCS North American 1983

0 10 20 40 Miles

