

# OPEN-FILE REPORT 84-01

BIBLIOGRAPHY  
COAL RESOURCES  
UINTA COAL REGION, COLORADO

by  
Peter Rushworth

DOI: <https://doi.org/10.58783/cgs.of8401.exxn3443>



COLORADO GEOLOGICAL SURVEY  
DEPARTMENT OF NATURAL RESOURCES  
DENVER, COLORADO 80203  
1984

OPEN-FILE REPORT 84-01

BIBLIOGRAPHY  
COAL RESOURCES  
UINTA COAL REGION, COLORADO

by  
Peter Rushworth

COLORADO GEOLOGICAL SURVEY  
DEPARTMENT OF NATURAL RESOURCES  
DENVER, COLORADO 80203  
1984

Funded by the U. S. Geological Survey  
Agreement Number 14-08-0001-A0108

## REPORT DOCUMENTATION

Title: Bibliography, Coal Resources, Uinta Coal Region, Colorado

Author: Peter Rushworth

Performing Organization: Colorado Geological Survey  
Room 715, 1313 Sherman Street  
Denver, Colorado 80203

Sponsoring Organization: U. S. Geological Survey

Report Date: July 25, 1984

Report Number: Final

Agreement Number (USGS): 14-08-0001-A0108

Originator Key Words: Uinta Coal Region, bibliography, coal resource

## DISCLAIMER

Efforts were made to assure accuracy and completeness of this bibliography. Errors are the responsibility of the author. Please bring errors or omissions to the attention of the Colorado Geological Survey for correction and/or inclusion in future editions.

This report was prepared with the support of the U. S. Geological Survey, Agreement Number 14-08-001-A0108.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- AAA Engineering and Drafting, 1980, Coal resource occurrence and coal development potential maps of the Smizer Gulch quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-195, 17 p., 5 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Rangely quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey open-file rept. 79-1421, 23 p., 9 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Rangely NE quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-1422, 52 p., 11 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Rough Gulch quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-194, 18 p., 5 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Mellen Hill quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-1420, 40 p., 14 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Gillam Draw quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey open-file rept. 79-1419, 40 p., 14 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Dinosaur quadrangle, Uintah County, Utah and Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-1418, 21 p., 7 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Cactus Reservoir quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-1416, 63 p., 11 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Banty Point quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey open-file rept. 79-1415, 23 p., 7 over-size sheets.
- Affolter, R.H., Eager, G.H., and Hatch, J.R., 1980, Chemical analyses of coal from the Mesa Verde Formation, Grand Mesa coal field, Delta and Mesa Counties, Colorado: U.S. Geol. Survey open-file rept. 80-980, 39 p.
- Allan, A., 1965, Pitch-seam operations at Thompson Creek Coal and Coke Corp: in *Coal Age: Report of the Rocky Mtn. Minerals Conf. with SME at Phoenix, Ariz. October 1965.*
- Ameri, Sam, Al-Saadon, F.T., and Byrer, C.W., 1981, Coal bed methane resource estimate of the Piceance Basin, final report: U.S. Dept. Energy, DOE/METC/TPR/82-6, 44 p.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Anderson, S., 1980, Stratigraphy of the Piceance Basin: CER Corporation, Western Gas Sands Project, Report No. DOE/BC/1000 3-13, 29 p.
- Barnum, B.E., and Garrigues, R.S., 1980, Geologic map and coal sections of the Cactus Reservoir quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-1179, 1:24,000.
- Barnum, B.E., Garrigues, R.S., and Dyer, L.E., 1977, Coal sections of holes drilled in 1976 in the Lower White River coal field: U.S. Geol. Survey open-file rept. 77-378, 1 pl.
- Bass, N.W., and Northrop, S.A., 1963, Geology of Glenwood Springs quadrangle and vicinity, northwestern Colorado: U.S. Geol. Survey Bull. 1142-J, p. 11-174, illus., tables, sections, geol. map.
- Bigarella, Laertes P., 1981, Potential methane drainage using hydro-fracturing, Carbondale coal field, Pitkin County, Colorado: M.S. Thesis, Colorado School of Mines.
- Boos, M.F., (Paul Weir Co.), 1951, Coal: General geology of coal deposits; and descriptions of coal reserves in selected counties; in The synthetic liquid fuel potential of Colorado: Ford, Bacon and Davis, Inc. Engineers, Corps of Engineer, Dept. of The Army, for U.S. Bur. Mines; (also in Appendix, Exhibit No. 7, Coal Bibliography), p. 74-89, 90-166,, (and Exhibit No. 7, 9 p) December 14, 1951.
- Boreck, D. L., 1983, Geologic factors affecting mine development at the Hawk s Nest Mine, Somerset, Colorado: M. S. Thesis, Colorado School of Mines, T-2649, 105 p.
- Boreck, D.L. and Murray, D.K., 1979, Colorado coal reserves depletion data and coal mine summaries: Colo. Geol. Survey open-file rept. 79-1, 65 p.
- Boreck, D.L., Jones, D.C., Murray, D.R., Schultz, J.E. and, Suek, D.C., 1977, Colorado coal analyses, 1975, (analyses of 64 samples collected in 1975): Colorado Geol. Survey Inf. Ser. 7, 122 p.
- Bourquin, Bradley J., and Jaspal, Jasinder S., 1984, Mid-Continent has early success with the longest longwall face ever operated in the U.S.; in Mining Engineering: January 1984, p. 48-52.
- Breed, C.E., 1956, The Dakota Group in northwestern Colorado: M.S. Thesis, Univ. Colorado.
- Carroll, R.D., Collin, D.L., Ege, J.R., and Welder, F.A., 1967, Preliminary report on Bureau of Mines Yellow Creek core hole No. 1, Rio Blanco County, Colorado: U.S. Geol. Survey Rept. TEI-869. fig. 5, 1:125,000.
- Carter, W.D., 1957, Disconformity between Lower and Upper Cretaceous in western Colorado and eastern Utah: Geol. Soc. Amer. Bull., v. 68, p. 307-314.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- 1969, Geologic map of the Black Cabin Gulch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-812, 1:24,000.
- 1973, Geologic and structure map of the Grand Junction quadrangle, Colorado and Utah: U.S. Geol. Survey Misc. Geol. Inv. Map I-736, 1:250,000.
- CER Corporation, 1982, Western gas sands project: In approximation of continuing of lenticular Mesa Verde sandstone lenses, utilizing close well correlations, Piceance Basin, northwest Colorado: 32 p.
- Childs, S.M., Crelling, J.C., Dutcher, R.R. and Goolsby, S.M., 1980, Petrology and coking potential of selected coals from the Piceance Creek Basin, Colorado in Proceedings of the 4th symposium on the geology of Rocky Mountain coal, Carter, L.M., ed.: Colo. Geol. Survey Res. Ser. 10, p. 55-57.
- Childs, Susan Marie Stell, 1980, The petrographic characterization, coking potential and factors affecting coalification of coals along the eastern and southern margins of the Piceance Creek Basin in Colorado: Master's thesis, Southern Illinois Univ., 177 p.
- Choate, Raoul, Jurich, David, and Saulnier, G.J., Jr., 1981, Geologic overview coal deposits and potential for methane recovery from coal beds Piceance Basin, Colorado: TRW Piceance Basin Report.
- Cobban, W.A., and Reeside, J.B., Jr., 1952, Correlation of the Cretaceous formations of the Western Interior of The United States: Geol. Soc. Amer. Bull., v. 63, p. 1011-1014.
- Cole, R.D., 1975, Sedimentology and sulfur isotope geochemistry of Green River Formation (Eocene), Uinta Basin, Utah, Piceance Creek Basin, Colorado: Univ. Utah, Salt Lake City, Utah, Ph.D. Thesis.
- Collins, B. A., 1969, History of coal production in the Colorado portion of the Uinta region: U.S. Bur. Mines, Denver, work-file report, 13 p.
- 1970, Geology of the coal bearing Mesa Verde Formation (Cretaceous), Coal Basin area, Pitkin County, Colorado: M.S. Thesis, Colo. School of Mines, vii, 116 p., illus., maps.
- Collins, B.A., 1975, Geology of the coal deposits of the Carbondale, Grand Hogback and southern Danforth Hills coal fields, southeastern Piceance Basin, Colorado: Ph.D. diss., Golden, Colo., Colo. School of Mines, 218 p.
- 1976, Coal deposits of the Carbondale, Grand Hogback and Southern Danforth Hills coal fields, eastern Piceance Basin, Colorado: Colo. School of Mines Quart., v. 71, no. 1, January, 138 p., 2 pls., 17 figs., 9 tables.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- 1977, Coal deposits of the eastern Piceance Basin (Colorado), in  
Geology of Rocky Mt. Coal, Proceedings of the 1976 Symposium, D.K.  
Murray, ed: Colo. Geol. Survey Resource Ser. 1, p. 29-43.
- Cullins, H.L., 1968, Geologic map of the Banty Point quadrangle, Rio  
Blanco County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-703.,  
1:24,000.
- 1969, Geologic map of the Mellen Hill quadrangle, Rio Blanco and  
Moffat Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-835.,  
1:24,000.
- 1971, Geologic map of the Rangely quadrangle, Rio Blanco County,  
Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-903., 1:24,000.
- Dames & Moore, 1979, Coal resources occurrence and coal development  
potential maps of the Monument Butte quadrangle, Moffat County, Colorado:  
U.S. Geol. Survey open-file rept. 79-807, 22 p.
- 1980, Coal resource occurrence and coal development potential maps  
of the Thornburgh quadrangle, Rio Blanco and Moffat Counties, Colorado:  
U.S. Geol. Survey open-file rept. 79-1406, 27 p., 13 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
for the SW quarter of the Citadel Plateau 15-minute quadrangle, Moffat  
County, Colorado: U.S. Geol. Survey open-file rept. 79-1399, 23  
p., 9 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the Rattlesnake Mesa quadrangle, Rio Blanco County, Colorado:  
U.S. Geol. Survey open-file rept. 79-1408, 26 p., 7 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the Juniper Hot Springs quadrangle, Moffat County, Colorado:  
U.S. Geol. Survey open-file rept. 79-881, 26 p., 27 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the Meeker quadrangle, Rio Blanco County, Colorado: U.S. Geol.  
Survey open-file rept. 79-1407, 33 p., 21 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the Nine Mile Gap quadrangle, Rio Blanco and Moffat Counties,  
Colorado: U.S. Geol. Survey open-file rept. 79-1405, 40 p., 63 over-size  
sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the NW quarter of the Citadel Plateau 15 minute quadrangle, Moffat  
County, Colorado: U.S. Geol. Survey open-file rept. 79-1398, 27  
p., 4 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps  
of the Easton Gulch quadrangle, Moffat County, Colorado: U.S. Geol.  
Survey open-file rept. 79-1401, 42 p., 61 over-size sheets.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- 1980, Coal resource occurrence and coal development potential maps of the Devils Hole Gulch quadrangle, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 79-1404, 35 p., 22 over-size sheets.
- 1980, Coal resource occurrence and coal development potential maps of the Axial quadrangle, Moffat County, Colorado: U.S. Geol. Survey open-file rept. 79-1402, 34 p., 69 over-size sheets.
- 1980, Coal resource occurrence and coal development potential map of the SE quarter of the Citadel Plateau 15-minute quadrangle, Moffat County, Colorado: U.S. Geol. Survey open-file rept. 79-1400, 29 p.
- 1981, Coal occurrence map of the Sawmill Mountain quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey open-file rept. 79-1409, 18 p.
- Dapples, Edward C., 1938, The geology and coal deposits of the Anthracite-Crested Butte quadrangles, Colorado: Ph.D Thesis, Univ. Wisconsin, Madison, Wis.
- 1939, Coal metamorphism in the Anthracite-Crested Butte quadrangles, Colorado (1940): Econ. Geol. v.34, no.4, p.369-398 (and) correction, v.35, no.1, p.109.
- Daub, Gerald J., 1982, Stratigraphy and geology of some coal mines along the North Fork of the Gunnison River, Somerset coal field, Colorado: in Southeastern Piceance Basin, Western Colorado, Grand Junction Geol. Soc., Grand Junction, Co., p. 69-77.
- DeGolyer, E.L., 1911, The metamorphism of the coals of a portion of the Anthracite quadrangle and Crested Butte quadrangle, Colorado: B.S. Thesis, Univ. Oklahoma.
- Donnell, J.R., 1959, Mesa Verde stratigraphy in the Carbondale area, northwestern Colorado, in Symposium on Cretaceous rocks in Colorado and adjacent areas: Rocky Mtn. Assoc. Geologists 11th Ann. Field Conf. Guidebook, p. 76-77.
- 1961, Tertiary geology and oil-shale resources of the Piceance Creek basin between the Colorado and White Rivers, northwestern Colorado: U.S. Geol. Survey Bull. 1082-L. pl. 48, 1:125,000.
- Donnell, J.R., and Yeend, W.E., 1955, Coking coal deposits of Pitkin County, Colorado: Report of the 51st Ann. Mtg. of Rocky Mt. Coal Mining Institute, June 1955.
- 1968, Geologic map of the Grand Valley quadrangle, Garfield County, Colorado: U.S. Geol. Survey open-file map., 1:24,000.
- 1968, Geologic map of the Husetop Mountain quadrangle, Garfield and Mesa Counties, Colorado: U.S. Geol. Survey open-file map., 1:24,000.



## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- 1968, Geologic map of the Hawxhurst Creek quadrangle, Garfield and Mesa Counties, Colorado: U.S. Geol. Survey open-file map., 1:24,000.
- 1968, Geologic map of the North Mamm Peak quadrangle, Garfield County, Colorado: U.S. Geol. Survey open-file map., 1:24,000.
- 1968, Geologic map of the South Mamm Peak quadrangle, Garfield and Mesa Counties, Colorado: U.S. Geol. Survey open-file map, 1:24,000.
- Duncan, D.C., and Belser, Carl, 1950, Geology and oil shale resources of the eastern part of the Piceance Creek Basin, Rio Blanco and Garfield Counties, Colorado: U.S. Geol. Survey open-file rept., map 1:93,750.
- 1976, Preliminary geologic map of Wolf Ridge quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-753., 1:24,000.
- 1976, Preliminary geologic map of Square S Ranch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-754., 1:24,000.
- 1976, Preliminary geologic map of Yankee Gulch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map, MF-758, 1:24,000.
- 1976, Preliminary geologic map of Rock School quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map.
- Duncan, D.C., and Denson, N.M., 1949, Geology of Naval Oil Shale Reserves 1 and 3, Garfield County, Colorado: U.S. Geol. Survey Oil and Gas Inv. Prelim. Map 94., 1:31,680.
- 1976, Preliminary geologic map of Jessup Gulch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-756., 1:24,000.
- 1976, Preliminary geologic map of Greasewood Gulch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-755., 1:24,000.
- Duncan, R.L., 1951, The Mesa Verde Formation: M.S. Thesis, Univ. Colorado.
- Dunn, H.L., 1974, Geology of petroleum in the Piceance Creek Basin, northwestern Colorado, in Guidebook to the energy resources of the Piceance Creek Basin, Colorado: Rocky Mt. Assoc. Geologists, p. 217-223.
- Dunrud, C.R., 1976, Some engineering geologic factors--coal mine subsidence in Utah and Colorado: U.S. Geol. Survey Prof. Paper 969, 39 p.
- Dutcher, R.R., Campbell, D.L., and Thornton, C.P., 1964, Coal metamorphism and igneous intrusives in Colorado: in Coal Science, American Conference on Coal Science, Univ. Park, Pa., 1964: Amer. Chem. Soc. (Adv. Chem-Ser. 55), p. 708-723.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Dyni, J.R., and Gaskill, D.L., 1968, Geologic map of the Elk Springs quadrangle, Moffat County, Colorado: U.S. Geol. Survey Geol. Quad Map GQ-702.
- 1980, Relation of the carbon/oxygen ratio in coal to igneous intrusions in the Somerset coal field, Colorado: U.S. Geol. Survey Bull. B-1477A, p. A1-A20, plate in pocket.
- Eager, G.P., 1979, Geophysical logs of coal test drill holes in the Grand Mesa coal field, Delta County, Colorado: U.S. Geol. Survey open-file rept., p. 79-327.
- Eakins, L.G., 1890, Thirty-two coals from Gunnison County: U.S. Geol. Survey Bull. 64, p. 55-57.
- Eldridge, G.H., 1901, Asphalt and bituminous rock deposits of the United States: U.S. Geol. Survey 22nd. Ann. Rept., pt. 1. Pl. 40, 1:250,000.
- Ellis, M.S. and Hopeck, J.T., 1982, Geologic map of parts of Bitter Creek Well, Harky Dome, Westwater 4 SE, and Westwater 4 SW quadrangles, Colorado and Utah, showing coal beds in Dakota Sandstone and adjacent rocks.: U.S. Geol. Survey open-file rept. 82-0741, map 1:500,000.
- Emmons, S.F., Dross, Whitman and Eldridge, G.H., 1894, Description of the Anthracite-Crested Butte quadrangles, Colorado: U.S. Geol. Survey Geol. Atlas, Folio 9, 11 p.
- Erdmann, C.E., 1934, Book Cliffs coal field in Garfield and Mesa Counties, Colorado: U.S. Geol. Survey Bull. 851. pl. 1, 1:63,360.
- Fender, H.B., Jones, D.C., and Murray, D.K., 1978, Bibliography and index of publications related to coal in Colorado, 1972-1977: Colo. Geol. Survey Bull 41, 54 p.
- Fisher, D.J., 1936, Book Cliffs coal field in Emery and Grand Counties, Utah: U.S. Geol. Survey Bull. 852. pl. 11, 1:63,360.
- Fisher, D.J., Erdmann, C.E., and Reeside, J.B., 1960, Cretaceous and Tertiary formations of the Book Cliffs Carbon, Emery, and Grand Counties, Utah, and Garfield and Mesa Counties, Colorado: U.S. Geol. Survey Prof. Paper 332, 80 p.
- Freeman, V. L., 1979, Preliminary report on rank of deep coals in part of the southern Piceance Creek Basin, Colorado: U. S. Geol. Survey Open-File Rept. 79-725, 11 p.
- Gale, H.S., 1907, Coal fields of the Danforth Hills and Grand Hogback, in northwestern Colorado: U.S. Geol. Survey Bull. 316-E, p. 264-301, illus., sections, maps.
- 1908, Geology of the Rangely oil district, Rio Blanco County, Colorado: U.S. Geol. Survey Bull. 350. pl. 2, 1:62,500.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- 1909, Coal fields of northwestern Colorado and northeastern Utah:  
U.S. Geol. Survey Bull. 341, p. 283-315, illus., sections, geol. maps.
- 1910, Coal fields of northwestern Colorado and northeastern Utah:  
U.S. Geol. Survey Bull. 415, 265 p., illus., tables, sections, geol. maps.
- Garrigues, R.S., and Barnum, B.G., 1976, Geophysical logs of holes drilled in 1976 in the Lower White River coal field, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 76-871, 11 p., 9 figs. and 22 geophysical well-logs.
- 1980, Geologic map and coal sections of the Rangely NE quadrangle Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept. 80-274, 2 oversize sheets, 1:24,000.
- Gaskill, D.L. and Horn, G.H., 1961, Northeast Rangely coal area, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey open-file rept., Series No. 627, 49 p.
- Gies, T.F., 1972, Palynology of sediments bordering some Upper Cretaceous strand lines in northwestern Colorado: Michigan State Univ., East Lansing, Mich., Ph.D. Thesis.
- Gill, J.R., and Hail, W.J., Jr., 1975, Stratigraphic sections across upper Cretaceous Mancos shale-Mesa Verde Group boundary, eastern Utah and western Colorado: U.S. Geol. Survey Oil and Gas Inv. Chart OC-68.
- Godwin, L.H., 1968, Geologic map of the Chair Mountain Quadrangle, Gunnison and Pitkin Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-704, scale 1:24,000.
- Goolsby, Steven M., Reade, Nirbhao and Murray, D. K., 1979, Evaluation of coking coals in Colorado: Colorado Geol. Survey Resource Ser. 7.
- Grancia, M. P. and Johnson, R. C., 1980, Structure contour map and isochore map of the nonmarine part of the Mesa Verde Group, Piceance Creek Basin, Colorado: U. S. Geol. Survey Misc. Field Studies Map MF-1189, scale 1:250,000.
- Grosvenor, N.E., and Scott, R.L., 1976, Coking coals in the Western United States: reprint of a paper presented at the SME-AIME Fall Meeting and Exhibit and the Third MMIJ-AIME meeting, Denver, Colorado, 13 p.
- Grosvenor, Niles, and others, 1971, Series of 75 index maps showing locations in Colorado where coal mines have been operated: Colo. School of Mines Foundation, Inc., cooperating with the Colo. Bur. Mines Coal Mine Inspection Dept. (revised to 1971).

BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Gualtieri, J.L., 1979, Preliminary results of coal exploratory drilling in the Book Cliffs coal region, Garfield County, Colorado: U.S. Geol. Survey open-file rept. 79-999, 57 p.
- \_\_\_\_\_, 1981, Geologic strip map of parts of the Bar X Wash, Bryson Canyon, Jim Canyon and San Arroyo Ridge quadrangles, Utah and Colorado, showing coal zones and adjacent rocks.: U.S. Geol. Survey open-file rept. 80-1228, 1:50,000.
- Hail, W.J., Jr., 1972, Reconnaissance geologic map of the Cedaredge area, Delta, County, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-697, scale 1:48,000.
- \_\_\_\_\_, 1972, Preliminary geologic map of the Barcus Creek SE quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-347. 1:24,000.
- \_\_\_\_\_, 1973, Geologic map of the Smizer Gulch quadrangle, Rio Blanco and Moffat Counties, Colorado.: U.S. Geol. Survey Geol. Quad. map GQ-1311., 1:24,000.
- \_\_\_\_\_, 1975, Preliminary geologic map of the Cutoff Gulch quadrangle, Rio Blanco and Garfield Counties, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-691., 1:24,000.
- \_\_\_\_\_, 1982, Preliminary geologic map of the Circle Dot Gulch quadrangle, Garfield County, Colorado: U.S. Geol. Survey Misc. Field Study MF-1293.
- Hale, L.A., 1959, Intertonguing Upper Cretaceous sediments of northeastern Utah-northwestern Colorado; in Symposium on Cretaceous rocks of Colorado and adjacent areas.: 11th Field Conf. Washakie, Sand Wash and Piceance Basins, Rocky Mt. Assoc. Geologists., p. 55-66.
- Hancock, E.T., 1925, Geology and coal resources of the Axial and Monument Butte quadrangles, Moffat County, Colorado: U.S. Geol. Survey Bull. 757, 134 p.
- Hancock, E.T. and Eby, J.B., 1930, Geology and coal resources of the Meeker quadrangle, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey Bull. 812-C, p. 191-242.
- Hancock, E.T., and Eby, J.B., 1930, Geology and coal resources of the Meeker quadrangle, Moffat and Rio Blanco Counties: U.S. Geol. Survey Bull. 812. Pl. 19, 1:125,000.
- Hanks, T.L., 1962, Geology and coal deposits, Ragged Chair Mountain area, Pitkin and Gunnison Counties, Colorado: Brigham Young Univ. Geol. Studies, v.9, pt.2, p. 137-160, illus., tables, geol maps.
- Hansen, W.R., 1957, Structural features of the Uinta arch (Colorado-Utah); in Intermountain Assoc. Petroleum Geologists Guidebook, 8th Ann. Field Conferences: p. 35-39.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Haun, J.D., and Weimer, R.J., eds., 1959, Symposium on Cretaceous rocks of Colorado and adjacent areas: 11th Ann. Field Conf. Washakie, Sand Wash and Piceance Basins, Rocky Mt. Assoc. Geologists.
- \_\_\_\_\_, 1962, Introduction to the geology of northwestern Colorado; in Rocky Mountain Association Geology Guidebook, 14th Ann. Field Conf.: Exploration for oil and gas in Colorado, p. 1-14.
- Haworth, R.A., 1979, Stratigraphy of the Cedar Mountain and Dakota Formations (Cretaceous), Garfield County, Colorado: Colorado School of Mines, Golden, Colo., M.S. thesis.
- Headden, W.P., 1907, A study of some Colorado coals, a comparison of some coals from Boulder, Routt and Delta Counties: Colorado Sci. Soc. Proc., v.8, p. 281-299.
- Hildebrand, R.T., and Garrigues, R.S., 1981, Geology and chemical analyses of coal, Mesaverde Group (Cretaceous), Lower White River coal field, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 81-0597.
- Hildebrand, R.T., Garrigues, R.S., and Reheis, M.C., 1981, Geology and chemical analyses of coal and coal-associated rock samples, Williams Fork Formation (Upper Cretaceous), northwestern Colorado: U.S. Geol. Survey open-file rept. 81-1348.
- Hileman, D.H., Collins, B.A., and Wilson, S.R., 1970, Coal production from the Uinta Region, Colorado and Utah, with cost analysis for proposed underground mining operations: U.S. Bur. Mines Inf. Circ. 8497.
- Hills, R.C., 1886, Circulation of water through the strata of the Upper Cretaceous coal measures of Gunnison County, (Colorado): Colorado Sci. Soc. Proc. v.2, pt.2, p. 127-133.
- \_\_\_\_\_, 1886, Remarks on the occurrence of coal in the carboniferous formation at Aspen and Glenwood Springs: Colorado Sci. Soc. Proc. v.2, p. 25-26.
- Hobbs, R. G., Gualtieri, J. L. and Babcock, R. N., 1982, Carbonera coal geophysical logging research hole core descriptions and coal analysis: U. S. Geol. Survey open-file rept. 82-827, 39 p.
- Hodder, E.J., 1956, Washability studies of North Thompson Creek coals: M.S. Thesis, Colo. School of Mines, 83 p., 3 pl., illus., graphs, tables.
- Holt, R.D., 1972, Bibliography, coal resources in Colorado: Colo. Geol. Survey Bull. 34-A, 32 p.
- Horn, G.H., and Adair, J.S., 1959, Geologic and structure map of the Maudlin Gulch, Temple Canyon, and Danforth Hills oil-field and vicinity, Moffat County, Colorado: U.S. Geol. Survey open-file map, scale 1:31,680.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- \_\_\_\_ 1959, Geologic map of Ragged Mountain coal area, Gunnison County, Colorado.: U.S. Geol. Survey open-file map, scale 1:24,000.
- Horn, G.H., and Gere, W.C., 1954, Geology of the Rifle Gap coal district, Garfield County, Colorado: U.S. Geol. Survey open-file rept., 13 p.
- \_\_\_\_ 1954, Geologic map of the Rifle Gap coal district, Garfield County, Colorado: U.S. Geol. Survey open-file map. 1:12,000.
- Horn, G.H., and Richardson, E.G., 1959, Geologic and structure map of the Williams Fork Mountains coal field, Moffat County, Colorado: U.S. Geol. Survey open-file map, scale 1:24,000.
- Intermountain Association of Petroleum Geologists, 1955, (Ritzma, H.R., and Oriel, S.S., eds.), 1955, Guidebook to the geology of northwest Colorado, 6th Ann. Field Conf., 1955: Intermountain Assoc. Petroleum Geologists Guidebook. pl. 7, 1:90,000., also detailed maps.
- Izett, G.Q., Cobban, W.A., and Gill, J.R., 1971, The Pierre shale near Kremmling, Colorado, and its correlation to the east and west: U.S. Geol. Survey Prof. Paper 684-A, 19 p.
- Jackson, Dan, 1975, Advancing longwall mining: A first for Mid-Continent Coal and a first for the U.S.: Coal Age, September, p. 100-105.
- \_\_\_\_ 1984, Deserado shifts to production mode; in Coal Age: January 1984, p. 72-77.
- Johnson, R.C., and May, F., 1975, Preliminary geologic map, oil shale histograms and stratigraphic sections, Long Point quadrangle, Garfield County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-688., 1:24,000.
- \_\_\_\_ 1980, A study of the Cretaceous-Tertiary unconformity in the Piceance Creek Basin, Colorado. The underlying Ohio Creek Formation (Upper Cretaceous), redefined as a member of the Hunter Canyon or Mesaverde Formation: U.S. Geol. Survey Bull. 1482-B, 27 p.
- Johnson, R.C., and May, Fred, 1978, Preliminary stratigraphic studies of the upper part of the Mesaverde group, the Wasatch Formation, and the lower part of the Green River Formation, DeBeque area, Colorado, including environments of deposition and investigations of palynomorph assemblages: U.S. Geol. Survey Misc. Field Studies map MF-1050, 2 sheets.
- \_\_\_\_ 1979, Cross-section C-C° of Upper Cretaceous and Lower Tertiary rocks, northern Piceance Creek Basin, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-1130-C.
- \_\_\_\_ 1982, Measured section of the Upper Cretaceous Mesaverde Formation and lower part of the Lower Tertiary Wasatch Formation, Rifle Gap, Garfield County Colorado: U.S. Geol. Survey open-file rept. 82-0590.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Johnson, R.C., Grancia, M.P. and Dessenberger, N.C., 1979, Cross-section B-B° of Upper Cretaceous and Lower Tertiary rocks, southern Piceance Creek Basin, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-1130-B.
- Johnson, R.C., Grancia, M.P., and Dessenberger, N.C., 1979, Cross-section A-A° of upper Cretaceous and lower Tertiary rocks, southern Piceance Creek Basin, Colorado: U.S. Geol. Survey Misc. Field Study MF-1130-A.
- Johnson, V.H., 1948, Geology of the Paonia coal field, Delta and Gunnison Counties, Colorado: U.S. Geol. Survey Prelim. Map, scale 1:48,000.
- \_\_\_\_\_, 1952, Thermal metamorphism and ground water alteration of coking coal near Paonia, Colorado: Mining Eng., v.4, no. 4, p. 391-395.
- Junge, W.R., 1978, Surficial and bedrock geology, Hotchkiss-Paonia Reservoir area, Delta and Gunnison Counties, Colorado: Colo. Geol. Survey open-file rept. 78-4.
- Kanizay, S.P., 1938, Geology of Cross Mountain, Moffat County, Colorado: Ph.D. diss., Colorado School of Mines.
- Katich, P.J., 1956, Some notes on the Cretaceous faunas of eastern Utah and western Colorado: Intermountain Assoc. Petrol. Geol., p. 116-119.
- Katich, P.J., Jr., 1959, Late Cretaceous faunal zones, western Colorado; in Symposium on Cretaceous rocks of Colorado and adjacent areas: 11th Ann. Field Conf., Washakie, Sand Wash and Piceance Basins, Rocky Mt. Assoc. Geologists.
- Kent, B.H. and Arndt, H.H., 1980, Geology of the Carbondale coal mining area, Garfield and Pitkin Counties, Colorado, as related to subsurface hydraulic mining potential: U.S. Geol. Survey open-file rept. 80-729, 99 p., 4 oversize sheets.
- Kent, B.H., and Arndt, H.H., 1980, Geology of the Thompson Creek coal mining area, Pitkin County, Colorado, as related to subsurface hydraulic mining potential: U.S. Geol. Survey open-file rept. 80-507, 86 p., 2 oversize sheets.
- Kim, A.G., 1973, The composition of coalbed gas: U.S. Bur. Mines Rept. Inv. 7762, 9 p.
- Kirkwood, S.G., 1977, Stratigraphy and petroleum potential of the Cedar Mountain and Dakota Formations, northwestern Colorado: Colorado School Mines, Golden, Colo., M.S. Thesis.
- Kitely, L. W., 1983, Paleogeography and eustatic-tectonic model of late Campanian (Cretaceous) sedimentation, southwestern Wyoming and northwestern Colorado: in Mesozoic paleogeography of the west-central United States (Reynolds, Mitchell, W. ed.): Rocky Mt. Paleogeography Symposium, p. 273-303, illus., incl. sects., block diag.

BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Kitely, L.W., 1980, Facies analysis of the lower cycles of the Mesaverde Group (Upper Cretaceous) in northwestern Colorado: M.S. Thesis, Univ. Colorado, Boulder, 153 p.
- Konishi, Kenji, 1959, Geology of the Iles Dome area of Moffat and Rio Blanco Counties, Colorado: Thesis, M.A., Colo. School of Mines, 130 p.
- \_\_\_\_\_, 1959, Upper Cretaceous surface stratigraphy, Axial Basin and Williams Fork area, Moffat and Routt Counties, Colorado; in Symposium on Cretaceous rocks of Colorado and adjacent areas: 11th Ann. Field Conf., Washakie, Sand Wash and Piceance Basins, Rocky Mt. Assoc. Geologists. p. 67-73.
- Kramer, W.B., 1939, Geologic map of the Wilson Creek dome, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey Prelim. Map, 1:48,000.
- \_\_\_\_\_, 1939, Geologic map and section Piceance Creek dome, Rio Blanco County, Colorado: U.S. Geol. Survey Prelim. map, 1:62,500.
- Ladwig, L.R., 1981, Coking coals of western Colorado, in New Mexico Geol. Soc. Guidebook, 32nd Ann. Field, Conf., Western Slope Colorado: p. 249-259.
- Lakes, Arthur, 1904, The Book Cliffs coal mines; coal seams near Grand Junction, Colorado, which exhibit interesting peculiarities in their location and formations: Mines and Minerals, v. 24, no. 6,, p. 505-506.
- \_\_\_\_\_, 1905, The Grand River coal field: Mining Reporter, v. 51, p. 379-381, illus.
- Landis, E.R., 1959, Coal resources of Colorado: U.S. Geol. Survey Bull. 1072-C, p. 131-232.
- Landis, E.R. and Cone, G.C., 1971, Coal resources of Colorado; tabulated by bed: U.S. Geol. Survey open-file rept., 515 p. of tables, explanation; (basic survey data as used in compilation of U.S. Geol. Survey Bull. (1072-C, 1959).
- Lauman, G.W., 1966, Geology of Williams Fork Field, Moffat County, Colorado: Mtn. Geologist, v. 3, no.3, p. 99-113.
- Lee, W.T., 1909, The Grand Mesa coal field, Colorado: U.S. Geol. Survey Bull. 341-C, p. 316-334, illus., sections, geol. map.
- \_\_\_\_\_, 1912, Coal fields of Grand Mesa and West Elk Mountains, Colorado: U.S. Geol. Survey Bull. 510, 237 p.
- \_\_\_\_\_, 1915, Relations of the Cretaceous formations to the Rocky Mountains in Colorado and Mexico: U.S. Geol. Survey Prof. Paper 95-C, p. 17-58.
- Lidell, G.A., 1903, Coal and mineral resources of Routt County, Colorado: Colorado School of Mines Bull., v. 1.



BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Lohman, S.W., 1963, Geologic map of the Grand Junction area, Colorado: U.S. Geol. Survey Misc. Geol. Inv. Map I-404, 1:31,680.
- \_\_\_\_\_, 1965, Geology and artesian water supply of the Grand Junction area, Colorado: U.S. Geol. Survey Prof. Paper 451, pl. 1, 1:31,680.
- Lundell, L. L., 1977, Depositional environment the Eocene Green River Formation, Piceance Creek Basin, Colorado: Univ. Wyoming, Laramie, Wyo., Ph.D. Thesis.
- MacQuown, W.C., Jr., 1945, Structure of the White River Plateau near Glenwood Springs, Colorado: Geol. Soc. Amer. Bull, v. 56, no. 10, p. 877-892, illus., index map, geol. maps.
- Madden, Dawn H., 1983, Stratigraphy of Grand Hogback coalfield, Upper Campanian Mesaverde Group, Rifle Gap to New Castle, Garfield County, Colorado: Ph.D. diss. Colo. School of Mines, Golden, Colorado.
- Masters, C.D., 1959, Correlation of the Post-Mancos Upper Cretaceous sediments of the Sand Wash and Piceance Basins, Colorado; in Symposium on Cretaceous rocks in Colorado and adjacent areas: Guidebook 11th Ann. Field Conf., Rocky Mt. Assoc. Geologists, p. 78-80.
- \_\_\_\_\_, 1967, Use of sedimentary structures in determination of depositional environments, Mesa Verde Formation, Williams Fork Mountains, Colorado: Am. Assoc. Petroleum Geologists Bull. v. 51, no. 10, p. 2033-2043, illus., October 1967.
- McPhillips, Maureen, 1980, Preliminary report on a coal exploratory drill hole in the Book Cliffs coal region, Garfield County, Colorado: U.S. Geol. Survey open-file rept. 80-940, 7 p.
- Millison, Clark, 1968, Gas occurrence in Upper Cretaceous and Tertiary rocks of Piceance Basin, Colorado; in Natural gases of North America--part 2, Natural gases on rocks of Mesozoic Age: Am. Assoc. Petroleum Geologists, Mem. 9, v.1, p. 878-898.
- Morgan, A. M., 1940, Prospective water well sites in vicinity of Rangely: U.S. Geol. Survey open-file rept., map 1:62,500.
- Morris, R.W., 1969, Microfaunal analysis of the upper part of the Mancos Formation, Mesaverde group, and basal Lewis Formation in northwestern Colorado: Columbia Univ., New York, New York, Ph.D. Thesis.
- Morrison, A.M., and Piccioni, V.K., 1964, Rehabilitation of the Somerset mine: Report of 60th Ann. Meeting, Rocky Mountain Coal Mining Inst., June 1964.
- Mull, C.G., 1960, Geology of the Grand Hogback monocline near Rifle, Colorado: M.S. Thesis, Univ. Colorado.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Murray, D.K., ed., 1974, Guidebook to the energy resources of the Piceance Creek Basin, Colorado: Rocky Mt. Assoc. Geologists, 25th Ann. Field Conf., 302 p.
- Murray, D.K., Fender, H.B., and Jones, D.C., 1977, Coal and methane gas in the southeastern part of the Piceance Creek Basin, Colorado, in Veal, H.K., ed., Exploration frontiers of the Central and Southern Rockies: Field Conf. Guidebook, Rocky Mtn. Assoc. Geologists, p. 379-405.
- Murray, F.N., 1966, The stratigraphy and structural geology of the Grand Hogback monocline, Colorado: Ph.D. diss., Univ. Colorado, 219 p.
- \_\_\_\_\_, 1967, Jointing in sedimentary rocks along the Grand Hogback monocline, Colorado: Jour. Geology, v. 75, no. 3, p. 340-350.
- Newman, K. R., 1982, Stratigraphic framework of Upper Cretaceous (Campanian) coal in western Colorado: in Southeastern Piceance Basin, Western Colorado, Grand Junction Geol. Soc., Grand Junction, Colo., p. 61-64.
- Newman, K.R., 1965, Mancos to Wasatch measured section in Meeker-Rio Blanco area, northwestern Colorado: Mtn. Geologist, v. 2, no. 3, p. 135-139.
- Nuccio, V. F. and Johnson, R. C., 1983, Preliminary thermal-maturity map of the Cameo and Fairfield or equivalent coal zone in the Piceance Creek Basin, Colorado: U. S. Geol. Survey Misc. Field Studies Map, MF-1575, 2 sheets, 1:253,440.
- Nutt, C.J., 1981, Geologic map and coal deposits of the western part of Nine Mile Gap quadrangle and the southern part of the Axial quadrangle, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 81-0012, 1:24,000.
- O'Boyle, C. C., 1955, The Cretaceous rocks of northwest Colorado; in Guidebook to the geology of northwest Colorado: Rocky Mtn. Assoc. Geologists, Ritzma, H. R. and Oriel, S. S. eds., p. 32-35.
- O'Sullivan, R.B., 1974, Preliminary geologic map of the Segar Mountain quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies map MF-570, 1:24,000.
- Ochs, A.M., 1978, Comparative petrology of lower Tertiary sandstones, southern Piceance Creek Basin, Colorado: Southern Illinois Univ., Carbondale, Ill., M.S. Thesis.
- Osterwald, F.W., Dean, B.G., 1958, Preliminary tectonic map of northern Colorado and northeastern Utah showing the distribution of uranium deposits: U.S. Geol. Survey, Min. Inv. Field Studies Map MF-130.
- Osterwald, F.W., Dunrud, C.R., Bennetti, J.B., Jr., and Mabury, J.O., 1972, Instrumentation studies of earth tremors related to geology and to mining at the Somerset coal mine, Colorado: U.S. Geol. Survey Prof. Paper 762, 27 p.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Peale, A.C., 1878, Geological report on the Grand River district: 10th Ann. Rept. U.S. Geol. and Geog. Survey Terr., p. 163-187.
- Pipiringos, G.N., and Johnson, R.C., 1975, Preliminary geologic map of the Buckskin Point quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-651, 1:24,000.
- \_\_\_\_\_, 1976, Preliminary geologic map and correlation diagram of the White River City quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-736, 1:24,000.
- Quigley, M.D., 1965, Geologic history of Piceance Creek-Eagle Basins: Am. Assoc. Petroleum Geologists Bull., v. 49, no.11, p. 1974-1996.
- Radcliffe, Daryl E., and Stateham, Raymond M., 1978, Effects of time between exposure and support on minerof roof stability, Bear Coal Mine, Somerset, Colorado: U.S. Bur. Mines Rept. Inv. 8298, 13 p.
- Raju, N.M., 1961, Elastic, static and dynamic behavior of layered Rifle oil shale and coal: M.S. Thesis, Colorado School of Mines, 91 p.
- Ramey, R.W., and others, 1973, Recovery-Somerset Mine; in Proc. 69th Ann. Mtg. Rocky Mtn. Coal Mining Inst. June 24-27: p. 39-46.
- Reeves, J.A., 1968, The use of methane monitors in the Dutch Creek and L.S. Wood Mines: Report of 64th Ann. Mtg., Rocky Mt., Coal Mining Inst., July 1968.
- Reheis, M.C., 1976, Reconnaissance drilling in the Danforth Hills coal field, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 76-870. Part 1, text, Part 2, geophysical logs.
- \_\_\_\_\_, 1978, Drilling during 1978 in the Danforth Hills coal field, Easton Gulch, Devils Hole Gulch, Axial and Ninemile Gap quadrangles, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 78-1031, 38 p.
- \_\_\_\_\_, 1980, Geologic map and coal sections of the Thornburgh quadrangle, Moffat and Rio Blanco Counties, Colorado: U.S. Geol. Survey open-file rept. 80-251, 2 oversize sheets, 1:24,000.
- \_\_\_\_\_, 1980, Geologic map and coal sections of the Sawmill Mountain quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey open-file rept. 80-252, 2 oversize sheets, 1:24,000.
- \_\_\_\_\_, 1981, Geologic map and coal resources of the Easton Gulch quadrangle, Moffat County, Colorado: U.S. Geol. Survey Coal Inv. Map C-0087, 1:24,000.
- Reheis, M.C., and Peterson, J.E., 1977, Reconnaissance drilling in the Danforth Hills coal field, Moffat and Rio Blanco Counties, Colorado, September-October 1976: U.S. Geol. Survey open-file rept. 77-42, 67 p.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Richardson, G.B., 1907, The Book Cliffs coal field, between Grand River, Colorado and Sunnyside, Utah: U.S. Geol. Survey Bull. 316-E, p. 302-320, illus., sections, tables, and geol. map.
- \_\_\_\_\_, 1909, Reconnaissance of the Book Cliffs coal field, between Grand River, Colorado and Sunnyside, Utah: U.S. Geol. Survey Bull. 371, 54 p.
- Rocky Mountain Association of Geologists, 1962, Exploration for oil and gas in northwestern Colorado: Rocky Mountain Assoc. Geologists Field conference Guidebook, Map, 1:250,000. Also other maps.
- Roehler, H.W., 1972, Geologic map of the Brushy Point quadrangle, Rio Blanco and Garfield Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1018, 1:24,000.
- \_\_\_\_\_, 1972, Geologic map of the Razorback Ridge quadrangle, Rio Blanco and Garfield Counties, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1019, 1:24,000.
- \_\_\_\_\_, 1973, Geologic map of the Calf Canyon quadrangle, Garfield County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1086, 1:24,000.
- \_\_\_\_\_, 1973, Geologic map of the Henderson Ridge quadrangle, Garfield County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-1113, 1:24,000.
- Rushworth, Peter, Kelso, Bruce S., and Ladwig, L. R., 1984, Map, directory and statistics of permitted Colorado coal mines, 1983: Colorado Geol. Survey Map Ser. 23, 128 p., app., map 1:1,000,000.
- Schwochow, S.D., 1978, Mineral resources survey of Mesa County - a model study: Colo. Geol. Survey Res. Ser. 2, 110 p.
- Seay, J.G., Jr., 1970, The geology of the northern Piceance Creek Basin, northwestern Colorado: Colorado State Univ., Fort Collins, M.S. Thesis.
- Smith, R.A., 1976, Regional study of joints in the northern Piceance Basin, northwest Colorado: Colorado School of Mines, M.S. Thesis.
- Speltz, C.N., 1974, Coal resources of the Piceance Creek Basin, Colorado; in Guidebook to the energy resources of the Piceance Creek Basin, Colorado: Rocky Mtn. Assoc. Geologists, 25th Field Conf., p. 235-236.
- \_\_\_\_\_, 1974, Strippable coal resources of Colorado--location, tonnage, and characteristics of coal and overburden: U.S. Bur. Mines Inf. Circ. 8713, 70 p.
- Thomas, C.R., McCann, F.T., and Raman, N.D., 1945, Structure contour maps of the Rangley anticline, Rio Blanco and Moffat Counties, Colorado: U.S. Geol. Survey Oil and Gas Inv. Prelim. Map, 1:31,680.
- \_\_\_\_\_, 1945, Mesozoic and Paleozoic stratigraphy in northwestern Colorado and northeastern Utah: U.S. Geol. Survey Prelim. Chart No. 16, Oil and Gas Invest.

BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Thomas, Mark H., 1981, Stratigraphy of the Dakota and Burro Canyon Formations near Gunnison, Colorado: M.S. Thesis, Colorado School of Mines.
- Toenges, A.L., Dowd, J.J., Turnbull, L.A., Davis, J.D., 1949: U.S. Bur. Mines Tech. Paper 721, 48 p.
- Toenges, A.L., Turnbull, L.A., Davis, J.D. and Reynolds, D.A., 1947, Investigations of coal deposits in the Coal Creek district, Gunnison County, Colo., Progress Report No. 1: U.S. Bur. Mines Rept. Inv. 4104, 20 p.
- Toenges, A.L., Turnbull, L.A., Davis, J.D., Reynolds, D.A., Cooper, H.M., and Abernethy, R.F., 1952, Coal deposit, Coal Creek district, Gunnison County, Colorado: U.S. Bur. Mines Bull. 501, 83 p.
- Tweto, Ogden, Moench, R.H., and Reed, J.C., Jr., 1975, Preliminary geologic map of the east half of Vernal 1' x 2' quadrangle, Colorado: U.S. Geol. Survey open-file rept. 75-588, Map, 1:250,000.
- \_\_\_\_\_, 1975, Preliminary geologic map of the Craig 1° x 2° quadrangle, northwestern Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-666, 1:250,000.
- \_\_\_\_\_, 1976, Preliminary geologic map of the Leadville 1° x 2° quadrangle, northwestern Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-760, 1:250,000.
- Tweto, Ogden, Steven, T.A., Hail, W.J., Jr. and Moench, R.H., 1976, Preliminary geologic map of the Montrose 1° x 2° quadrangle, southwestern Colorado: U.S. Geol. Survey Misc. Field Studies Map MF-761, 1:250,000.
- U.S. Bureau of Land Management, 1977, Environmental assessment record, coal lease sale application C-25079 and associated rights-of-way C-25150, applicant: Colorado Westmoreland, Inc., (Delta and Gunnison Counties): Montrose District, Bur. Land Management, issued Sept. 1977.
- U.S. Dept. Interior, 1976, Final Environmental Statement-Northwest Colorado coal: Bur. Land Management, 3 vol., maps.
- Unterman, G.E., and Unterman, B.R., 1955, Geology of the eastern end of the Uinta Mountains, Utah- Colorado: Rocky Mtn. Assoc. Geologists Guidebook, p. 17-20.
- Vanderwilt, J.W., Duncan, D.C., Denson, N.M., and others, 1948, Guide to the geology of central Colorado: Colorado School of Mines Quart., v. 43, no. 2, pl. 12, 1:160,000.
- Waldon, F.R., Donnell, J.R., and Wright, J.C., 1951, Geology of De Beque oil-shale area, Garfield and Mesa Counties, Colorado: U.S. Geol. Survey Oil and Gas Inv. Prelim. Map OM-114, 1:60,000.
- Walton, P.T., 1957, Cretaceous stratigraphy of the Uinta Basin; in Guidebook to the geology of the Uinta Basin: Intermountain Assoc. Petroleum Geologists, 8th Ann. Field Conf., p. 97-101.

## BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

- Warner, D.L., 1964, Mancos-Mesaverde (Upper Cretaceous) intertonguing relations, southeast Piceance basin, Colorado: *Am. Assoc. Petroleum Geologists Bull.*, v. 48, no. 7, p. 1091-1107, 12 figs., 1 table.
- Weber, J.R., 1971, Structural geology of the eastern flank of the Uinta Mountains, Moffat County, Colorado: Colorado School of Mines, M.S. Thesis.
- Weimer, R.J., 1959, Upper Cretaceous stratigraphy Colorado; in *Symposium on Cretaceous rocks of Colorado and adjacent areas: 11th Ann. Field Conf. Washakie, Sand Wash and Piceance Basins*, Rocky Mt. Assoc. Geologists, p. 9-16.
- Wellborn, J.E.F., 1982, Stratigraphy of the Mesaverde Formation, Mt. Gunnison coal property, Gunnison County, Colorado: M.S. Thesis, Colorado School of Mines.
- \_\_\_\_\_, 1982, Stratigraphy of the Mesaverde Formation on the Mt. Gunnison coal property, Gunnison County, Colorado: in *Southeastern Piceance Basin, western Colorado*, Grand Junction Geol. Soc., Grand Junction, Co., p. 65-67.
- Woodruff, E.G., 1912, The coal resources of Gunnison Valley, Mesa and Delta Counties, Colorado: *U.S. Geol. Survey Bull.*, 471-H, p. 565-573, illus., sections, geol. map.
- Yeend, W.E., 1969, Quaternary geology of the Grand and Battlement Mesas area, Colorado: *U.S. Geol. Survey Prof. Paper* 617. pl. 1, 1:96,000.
- Yeend, W.E., and Donnell, J.R., 1968, Geologic map of the Rulison quadrangle, Garfield County, Colorado: *U.S. Geol. Survey open-file map*, 1:24,000.
- Young, R.G., 1953, Stratigraphic relations in the Upper Cretaceous of the Book Cliffs, Utah and Colorado: Ph.D. Thesis, Ohio State Univ., Columbus, Ohio.
- \_\_\_\_\_, 1955, Sedimentary facies and intertonguing in the Upper Cretaceous of the Book Cliffs, Utah and Colorado: *Geol. Soc. America Bull.*, v. 66, p. 177-202.
- \_\_\_\_\_, 1959, Cretaceous deposits of the Grand Junction area, Garfield, Mesa, and Delta Counties, Colorado; in *Symposium on Cretaceous rocks in Colorado and adjacent areas: Guidebook, 11th Ann. Field Conf.*, Rocky Mt. Assoc. Geologists, p. 17-25.
- \_\_\_\_\_, 1966, Stratigraphy of coal-bearing rocks of the Book Cliffs, Utah-Colorado, in central Utah coals: *Utah Geol. and Min. Survey, Bull.* 80, p. 7-20.
- \_\_\_\_\_, 1982, Stratigraphy and petroleum geology of the Mesaverde Group, southeastern Piceance Creek Basin, Colorado: in *Southeastern Piceance Basin, western Colorado*, Grand Junction Geol. Soc., Grand Junction, Co., p. 45-59.

BIBLIOGRAPHY, COAL RESOURCES, UINTA COAL REGION, COLORADO

Zapp, A.D. and Cobban, W.A., 1960, Some Late Cretaceous strand lines in northwestern Colorado and northeast Utah: U.S. Geol. Survey Prof. paper 400-B, p. 246-249; Geol. Survey Research, 1960 - short papers in the Geological Sciences, No. 112.